## SCREENING SITE INSPECTION REPORT

Star Lake Canal, a.k.a. Jefferson Canal

Port Neches, Texas

TX0001414341

SIGNATURE PAGE

Bartolomé J. Cañellas U.S. Environmental Protection Agency

Date

Westey G. Newberry

Texas Natural Resource Conservation Commission

PA/SI Program Technical Director

Allan M. Seils

Texas Natural Resource Conservation Commission

PA/SI Program Manager

Marshall a lidita

**Texas Natural Resource Conservation Commission** 

Site Investigation Manager

DeAnna Epperson

Texas Natural Resource Conservation Commission

PA/SI Program QA/QC Officer

Date

918374



## **Screening Site Inspection Report**

# Star Lake Canal, a.k.a. Jefferson Canal Jefferson County, Texas TX0 001 414 341

Prepared in cooperation with the

## **U.S. Environmental Protection Agency**

## Prepared by

Texas Natural Resource Conservation Commission Emergency Response and Assessment Section Site Discovery and Assessment Program Staff Austin, Texas

## SEPTEMBER 1997

The preparation of this report was financed through grants from the U.S. Environmental Protection Agency.

## **CONTENTS**

	Page
Section 1: Introduction	1
Site Objectives with Respect to the Preremedial Process	1
Project Contacts	2
Site Contacts	2
Section 2: Site Background and Description	3
Site Information	3
Waste Containment/Hazardous Substance Identification	3
Groundwater Pathway	9
Characteristics	9
Targets	9
Surface Water Pathway	10
Characteristics	10
Targets	10
Soil Exposure Pathway	20
Characteristics	20
Targets	20
Air Pathway	21
Characteristics	21
Section 3: Analytical Data Assessment	22
CLP Data Packages	
Inorganics and Organics - Sediment Samples	22
Data Validation Summary	22
QA/QC Review	22
Accuracy	22
Precision	24
Representativeness	24
Comparability	25
•	26
	26
Completeness	20 27
Section 4: Field Audit Report	27
TNRCC Site Sampling Activities	
TNRCC Sample Custody	27
Analytical Procedures	28
Audit Close-out	28
Section 5: Conclusions	29

Appendix A - Photographs	•
Appendix B - Field Log Book	•
Appendix C - COC Traffic Reports/Form I's/EPA Data Assessment Summari	es
Appendix D - TNRCC File Information	
Appendix E - Texas Parks and Wildlife Department Correspondence	•
Appendix F - Population Estimates Around Star Lake Canal	
Appendix G - Field Audit Checklist	
Appendix H - Complete PREscore Report	•
Appendix I - National Wetlands Inventory Map, Port Arthur - North Quadrar	ngle
FIGURES	
1. Site Location Map 2. Site Features/Sample Locations Map 3. In-Water Segments Map - Source 1	. 9 . 12 . 13 . 15
TABLES	
Inorganic Hazardous Substances in Source Areas	. 6 . 17 . 18

## NOTE

The State predecessor agencies: Texas Water Quality Board (TWQB), Texas Department of Water Resources (TDWR), Texas Water Commission (TWC), and Texas Air Control Board (TACB), referred to throughout this report are now known as the Texas Natural Resource Conservation Commission (TNRCC). The new agency, TNRCC, became effective September 1, 1993, as mandated under State Senate Bill 2 of the 73<sup>rd</sup> Regular Legislative Session.

## **SECTION 1**

#### INTRODUCTION

The Texas Natural Resource Conservation Commission (TNRCC) through a multi-site cooperative agreement with the U.S. Environmental Protection Agency (USEPA) has been tasked to conduct a Screening Site Inspection of the Star Lake Canal (a.k.a Jefferson Canal) site ("the Site"). The EPA identification number for the site is TX0001414341.

The Star Lake Canal (SLC) confluences with Molasses Bayou as it empties into the Neches River. The canal is approximately 2 miles long. Land surrounding the canal is undeveloped, residential and industrial. The canal begins at 29° 58′ 28" N Latitude and 93° 56′ 32" W Longitude and empties into the Neches River at 29° 58′ 57" N Latitude and 93° 53′ 38" W Longitude. The Jefferson Canal confluences with the SLC between State Highway 366 and Sara Jane Road. SLC then drains directly to Stream Segment Number 0601 of the Neches River in the Neches River Basin. See Figure 1 for the geographical location of the site.

## SITE OBJECTIVE WITH RESPECT TO THE PREREMEDIAL PROCESS

The preremedial stage of the Superfund process involves an expanded preliminary assessment (PA) and a site inspection (SI) stage consisting of an SSI and, if necessary, a listing site inspection (LSI). The activities described in this work plan are designed to fulfill the requirements of a focused SSI.

A PA has already been conducted for the site. This SSI will build upon data collected during the PA by the collection of additional data through background information research and the collection of environmental samples to further characterize conditions at the site. Sampling conducted during the SSI was designed to identify the types of contaminants present, if any, to assess whether a release of hazardous substances has occurred, look for evidence of actual human and environmental exposure to contaminants, and determine whether the site will move forward to an LSI or be designated as "no further remedial action planned."

## **PROJECT CONTACTS** EPA: Bartolomé J. Cañellas, Environmental Protection Specialist (214) 665-6662 Superfund Site Assessment Section U.S. Environmental Protection Agency, Region VI 1445 Ross Avenue, Suite 1200, Dallas, Texas 75202 TNRCC: Wesley Newberry, Technical Director (512) 239-2512 Allan Seils, PA/SI Program Manager (512) 239-2514 Marshall A. Cedilote, Site Investigation Manager (512) 239-4134 C. Todd Counter, Health and Safety Officer (512) 239-2591 DeAnna Epperson, Quality Assurance Officer (512) 239-2565 Texas Natural Resource Conservation Commission Pollution Cleanup Division Emergency Response and Assessment Section P.O. Box 13087, Capitol Station, Austin, Texas 78711-3087 SITE CONTACTS Tim Praznik **Huntsman Corporation** P.O. Box 847, Port Neches, Texas 77651 (409) 923-3431

# SECTION 2 SITE BACKGROUND AND DESCRIPTION

#### Site Information

A PA was performed on July 23, 1996 for the Star Lake Canal (SLC) in which the surface water pathway was identified as the primary pathway of concern.

The SLC confluences with Molasses Bayou as it empties into the Neches River. The canal is approximately 2 miles long. Land surrounding the canal is undeveloped, residential, commercial and industrial. The canal begins at 29° 58' 28" N Latitude and 93° 56' 32" W Longitude and empties into the Neches River at 29° 58' 57" N Latitude and 93° 53' 38" W Longitude. The Jefferson Canal confluences with the SLC between State Highway 366 and Sara Jane Road. SLC then drains directly to Stream Segment Number 0601 of the Neches River in the Neches River Basin. See Figure 1 for the geographical location of the site.

A sampling inspection by the Texas Department of Water Resources (TDWR) in March, 1983, documented the presence of hazardous substances in material dredged from the banks of the Jefferson Canal (Reference 3). This canal was used by Chemall, Inc (now Calabrian Chemicals) and Texaco Chemical Company (now Huntsman Corporation) as an outfall for stormwater and wastewater for an unknown period of time. The Jefferson Canal confluences with SLC in an area between State Highway 366 and Sara Jane Road, a.k.a. East Port Neches Avenue (see Figure 1).

## Waste Containment/Hazardous Substance Identification

The information used to identify the wastes which may be present in the SLC was obtained from a review of state records. The Jefferson Canal was documented to have sediments in which hazardous substances had been deposited, stored, disposed, or placed. Results from the TDWR March, 1983 sampling event showed the following hazardous substances in material dredged from the Jefferson Canal: Naphthalene (9280 mg/kg), acenaphthene (330 mg/kg), acenaphthylene (2140 mg/kg), fluorene (1140 mg/kg), phenanthrene (2050 mg/kg), anthracene (300 mg/kg), pyrene (535 mg/kg), benzo-a-anthracene (160 mg/kg), benzo-b-fluoranthene (15 mg/kg), benzo-a-pyrene (60 mg/kg), benzo-a-fluoranthene (15 mg/kg), and chrysene (150 mg/kg). Property owned by Chemall, Inc. was also documented to be contaminated by toxaphene and pentachlorophenol in the vicinity of the Jefferson Canal (Reference 3).

During the PA, conducted on July 24, 1996, a flat bottomed boat was used to perform reconnaissance activities in SLC and the Jefferson Canal. Water flow rates in the Jefferson Canal were very low during the PA. For the majority of its length the main channel of SLC was scoured out to a hard clay bottom, while sediment deposition occurred away from the main channel in areas of low flow rates. Depths of water in SLC varied greatly and several times the boat became stuck in shallow water. During

one such incident near the dam across SLC, approximately 0.25 miles upstream of the Sara Jane Road bridge, the propeller of the outboard motor was run at full-throttle in the shallow water to dislodge the boat. A considerable amount of sediment was thrown up that had a dark grey color and strong chemical odor.

For this SSI, the source areas were considered to be sediments in the vicinity of the dam across SLC and Jefferson Canal sediments from the SLC to the hurricane protection levee (see Figure 2; source areas are outlined in red). It is conservatively estimated that the source areas total approximately 62,500 ft² (total source area was estimated using a 7.5 minute topographic quadrangle and an Alvin #1112 map wheel). It is assumed that this area is covered with an average of 2 feet of sediment (estimated by direct observation during sampling) to give an estimated volume of 4,629 yd³ of source material.

Samples within the source areas (SE-16, SE-19, SE-20 and SE-21) were taken with a 2 foot long, stainless steel, soil coring device with a dedicated polyethylene zero-contamination tube inserted into the soil coring device at each sample location. All sediment samples were placed in dedicated, decontaminated stainless steel bowls. Samples were taken from this with dedicated, decontaminated stainless steel spoons and loaded into certified clean 4 ounce glass jars with a Teflon lined lid. Table 1 shows the inorganic hazardous substances found within the source areas and their concentrations. See Table 3 and Figure 2 for descriptions and locations of these samples.


Table 1: Inorganic Hazardous Substances in Source Areas (mg/kg)


CLP Traffic Report No./Sample Location No.	% Solid	Arsenic	Barium	Chromium	Manganese	Mercury	Thallium	Cyanide
MFGP45/SE-16	43.9	i santa					3.3	1.5
MFGP61/SE-19	45.9					0.76		
MFGP62/SE-20	59.1	21	436		491		3.3	
MFGP63/SE-21 (Field Duplicate of SE-20)	58.9	14.2	411		468			

Table 2 shows the organic hazardous substances found within the source areas and their concentrations. See Table 3 and Figure 2 for descriptions and locations of these samples.

Table 2: Organic Hazardous Substances in Source Areas ( $\mu g/kg$ )

Hazardous Substance	FEY77/SE-16	FEZ01/SE-19
Naphthalene		6700
2-Methylnaphthalene		8000
Acenaphthylene	1200	
Acenaphthene	14000	8800
Fluorene	18000	9200
Phenanthrene	55000	21000
Anthracene	11000	5000
Fluoranthene	12000	8500
Pyrene	22000	11000
Benzo(b)fluoranthene		4200
Benzo(k)fluoranthene		4700
Aroclor 1254	130	





#### **GROUNDWATER PATHWAY AND TARGETS**

## Characteristics

The SLC is located on the seaward margin of the Gulf Coast Plain of Texas. Layers of sediments in this area are of Cenozoic age and can be tens of thousands of feet thick at the coastline. These clastic sediments of sand, silt and clay represent depositional environments ranging from nonmarine at the outcrops of most units to marine environments with distinctive suites of fossils. The oscillations of ancient seas and changes in the amount and source of sediments deposited, caused facies changes downdip and along strike. Thus, a time-stratigraphic unit of equivalent age may consist of sand in one area, sandy clay in a second area and clay in a third area. Subsidence within the depositional basin, along with a rising land surface, caused the stratigraphic units to thicken gulfward. Growth faults have greatly increased the thickness of some stratigraphic units within short distances. These factors contribute to the heterogeneity of units from place to place, making correlation between them difficult (Reference 4).

The sediments which make up the surface of the Coastal Plain are the: a) Quaternary alluvium of sand, silt and clay; b) the Beaumont Clay; c) the Montgomery Formation; d) the Bentley Formation; and e) the Willis Sand. Collectively, these layers make up the Chicot Aquifer. Underlying these deposits are Tertiary stratigraphic units: the Goilad Sand, Flemming Formation, Oakville Sandstone and the Catahoula Sandstone. These Tertiary deposits make up the Evangeline Aquifer. Together, the Chicot and Evangeline aquifers make up the Gulf Coast Aquifer (Reference 4).

## **Targets**

Drinking water in the area of the canal is supplied by the Lower Neches Valley Authority whose surface water intake points are north of the study area, in the City of Beaumont.

There is no documentation indicating that wells in the vicinity of the canal have been contaminated by hazardous substances attributable from the canal. No wellhead protection areas exist near the canal. No public supply wells exist within a 4 mile radius of the canal.

A 1-mile radius from the beginning and endpoint of the canal was evaluated for the presence of drinking water wells by a review of State of Texas water well reports. The following information was developed:

- Within 0 0.25 miles of the site, no wells were identified.
- Between 0.25 0.50 miles of the site, no wells were identified.

## **HRS In-Water Segment Definitions**

#### Source Area 1

HRS In-Water Segment 1(approximately 1.32 miles) is defined as the in-water distance from PPE<sub>1</sub> (MFGP62/63, SE-19/20) along Star Lake Canal to sample location SE-07 (MFGP49). This is the farthest downstream observed release sample for this source area (see Figure 3). No surface water use permits exist within this in-water segment. No drinking water intakes exist near PPE<sub>1</sub>. This segment is not used as a fishery. No flow rate data is available for the Star Lake Canal as it is a tidally influenced man-made ditch that flows into other surface water (HRS Guidance, page 207).. Wetland areas exist along both sides of both branches of this in-water segment (Reference 10). A search of the Texas Biological and Conservation Data System revealed the presence of sensitive species and natural communities in the vicinity of the study area (Reference 8).

HRS In-Water Segment 2 (approximately 0.29 miles) is defined as the in-water distance from sample location SE-07 (MFGP49) along Star Lake Canal to its confluence with the Neches River (see Figure 3).

HRS In-Water Segment 3 (approximately 3.04 miles) is defined as the in-water distance along the Neches River (from its point of confluence with Star Lake Canal) to Sabine Lake (see Figure 4). One surface water use permit exists along this in-water segment for industrial purposes. No drinking water intakes exist along this in-water segment. Average discharge in this in-water segment is 1,200 cubic feet per second (Reference 5). This in-water segment is documented as a fishery (Appendix B). Wetland areas (estuarine emergent) exist along this in-water segment (Reference 10). A search of the Texas Biological and Conservation Data System revealed the presence of sensitive species and natural communities in the vicinity of the study area (Reference 8). This in-water segment is used as a resource by sport fishermen (Reference 11) and is designated for contact recreation (Reference 5).

HRS In-Water Segment 4 (11.67 miles) is defined as the in-water segment in Sabine Lake to the 15 mile TDL (see Figure 4). No surface water use permits exist along this in-water segment. No public drinking water intakes exist along this in-water segment. No flow rate data is available for this in-water segment as it is a coastal tidal water. This in-water segment is designated as a fishery (Reference 11). A search of the Texas Biological and Conservation Data System revealed the presence of sensitive species and natural communities in the vicinity of the study area (Reference 8). This in-water segment has resource uses for contact recreation, high quality aquatic habitat and shellfish waters (Reference 5).

 Between 0.50 - 1 mile of the site, one irrigation well and one domestic well was identified. Both wells are hydrologically upgradient from the beginning of the canal.

The groundwater pathway was not evaluated during this SSI.

## SURFACE WATER PATHWAY AND TARGETS

## Characteristics

The SLC and Jefferson Canal are located within the Neches River Basin, draining directly to TNRCC Water Quality Segment Number 0601. Two distinct 15 mile target distance limits (TDLs) exist for this site and will be defined in the Targets section.

The Neches River Basin drains approximately 1,145 miles<sup>2</sup> with an average total discharge of 1,200 cubic feet per second. It is designated for contact recreation and intermediate quality aquatic habitat. Currently, this segment has 5 on-segment monitoring stations and 1 off-segment monitoring station (Reference 5).

Natural drainage in the study area is shown in Figure 1. SLC begins near the intersection of State Highways 366 and 136 and flows in a southeasterly direction for approximately 1 mile before turning in a northeasterly direction as it flows approximately 1 mile to the Neches River. The Jefferson Canal flows in a northerly direction and confluences with SLC where it turns to the northeast.

The Probable Points of Entry (PPE) for source sediments lie within the SLC at the lowermost point of observed contamination, identified in Figure 1. Sensitive environments and wetlands exist within the source area and downstream of the PPEs as SLC flows toward the Neches River. The Neches River downstream of SLC is a documented fishery. No drinking water intakes are located along the 15 mile target distance limit (TDL).


Annual average precipitation for this region is 51 inches per year (Reference 6).


Both canals are within the 100-year floodplain.

TNRCC files note that wastewater has been discharged to the Jefferson Canal in violation of the Texas Water Code.

## **Targets**

Target Distance Limit (TDLs) for the SLC are as follows. Since there are two distinct areas of observed contamination (source area 1: SE-20 and SE-21; source area 2:SE-16 and SE-19), there are two distinct PPEs: PPE<sub>1</sub> and PPE<sub>2</sub>. See Figure 2 for the locations of the PPEs.






## Source Area 2


HRS In-Water Segment 1 (approximately 1.10 miles) is defined as the in-water distance from PPE<sub>2</sub> (MFGP40/SE-16) along Star Lake Canal to sample location SE-07 (MFGP49). This is the farthest downstream observed release for this source (see Figure 5). No surface water use permits exist within this in-water segment. No drinking water intakes exist near PPE<sub>2</sub>. This segment is not used as a fishery. No flow rate data is available for the Star Lake Canal as it is a tidally influenced man-made ditch that flows into other surface water (HRS Guidance, page 207). Wetland areas exist along both sides of both branches of this in-water segment (Reference 10). A search of the Texas Biological and Conservation Data System revealed the presence of sensitive species and natural communities in the vicinity of the study area (Reference 8).

HRS In-Water Segment 2 (approximately 0.29 miles) is defined as the in-water distance from sample location SE-07 (MFGP49) along Star Lake Canal to its confluence with the Neches River (see Figure 5).

HRS In-Water Segment 3 (approximately 3.04 miles) is defined as the in-water distance along the Neches River (from its point of confluence with Star Lake Canal) to Sabine Lake (see Figure 6). One surface water use permit exists along this in-water segment for industrial purposes. No drinking water intakes exist along this in-water segment. Average discharge in this in-water segment is 1,200 cubic feet per second (Reference 5). This in-water segment is documented as a fishery (Appendix B). Wetland areas (estuarine emergent) exist along this in-water segment (Reference 10). A search of the Texas Biological and Conservation Data System revealed the presence of sensitive species and natural communities in the vicinity of the study area (Reference 8). This in-water segment is used as a resource by sport fishermen (Reference 11) and is designated for contact recreation (Reference 5).

HRS In-Water Segment 4 (11.67 miles) is defined as the in-water segment in Sabine Lake to the 15 mile TDL (see Figure 6). No surface water use permits exist along this in-water segment. No public drinking water intakes exist along this in-water segment. No flow rate data is available for this in-water segment as it is a coastal tidal water. This in-water segment is designated as a fishery (Reference 11). A search of the Texas Biological and Conservation Data System revealed the presence of sensitive species and natural communities in the vicinity of the study area (Reference 8). This in-water segment has resource uses for contact recreation, high quality aquatic habitat and shellfish waters (Reference 5).





Nineteen sediment samples, including two field duplicates and three background samples, were collected to assess sediment contamination via transport along the surface water pathway (see Table 3 and Figure 2). Samples SE-01, SE-02 and SE-03 are background samples. Samples SE-04, SE-05 and SE-06 were target samples taken at the confluence of SLC with the Neches River. Samples SE-07, SE-08, SE-09, SE-10, SE-11, SE-12, SE-13, SE-14 and SE-15 were target samples taken along and within wetlands bordering SLC. The remaining five samples were taken in the source areas (see Waste Containment/Hazardous Substance Identification).

Table 3: Sediment Sample Locations

Sample Matrix	Sample ID#	Sample Location
Sediment	SE-01	Background sample upstream in Neches River
Sediment	SE-02	Background sample upstream in Neches River
Sediment	SE-03	Background sample upstream in Neches River
Sediment	SE-04	Target sample immediately upstream of confluence of SLC with Neches River
Sediment	SE-05	Target sample at confluence of SLC with Neches River
Sediment	SE-06	Target sample immediately downstream of confluence of SLC with Neches River
Sediment	SE-07	Target sample taken along bank of SLC
Sediment	SE-08	Target sample taken along bank of SLC
Sediment	SE-09	Target sample taken in marsh approximately 1/3 of a mile downstream of the Sara Jane Road bridge
Sediment	SE-10	Target sample taken at confluence of Molasses Bayou with SLC
Sediment	SE-11	Target sample taken in Molasses Bayou
Sediment	SE-12	Target sample taken in marsh approximately 1/8 of a mile downstream of the Sara Jane Road bridge
Sediment	SE-13	Target sample taken in SLC at the public boat ramp adjacent to Sara Jane Road
Sediment	SE-14	Duplicate sample of SE-13
Sediment	SE-15	Target sample taken in SLC immediately upstream of Sara Jane Road bridge
Sediment	SE-16	Source sample taken in Jefferson Canal
Sediment	SE-19	Source sample taken at the confluence of the Jefferson Canal with SLC
Sediment	SE-20	Source sample taken in SLC at the dam
Sediment	SE-21	Duplicate of sample of SE-20

All sediment samples were taken with a 2 foot long, stainless steel, soil coring device. In the case of samples SE-01, SE-02, SE-03, SE-04, SE-13 and SE-14, the soil coring device, and removable tip, was decontaminated (per procedures outlined in the QAPP) after each sampling location. In the case of samples SE-05, SE-06, SE-07, SE-08, SE-09, SE-10, SE-11, SE-12 and SE-15, a dedicated polyethylene zero-contamination tube was inserted into the soil coring device at each sample location. All sediment samples were placed in dedicated, decontaminated stainless steel bowls. Samples were taken from this with dedicated, decontaminated stainless steel spoons and loaded into certified clean 4 ounce glass jars with a Teflon lined lid.

The highest background and inorganic releases for sediment samples are presented in Table 4.

Table 4

Highest Background and Inorganic Releases for Sediment Samples					
CLP Traffic Report No./	% Solid	Hazardous Sustance			
Sample Location No.		Barium	Mercury	Thallium	Cyanide
Background MFGP55/SE-01	42.2	61.8	0.17	0.81J1	0.59U
Background MFGP56/SE-02	73.5	0.75	18.0	0.07U	0.27U
Background MFGP57/SE-03	65.3	60.0	0.07U	0.65Jเ	0.38U
Background Eastern US Soil Values	N/A	7.4	640	0.12	8.6
MFGP46/SE-10	39.8	94.2	0.10	3.3	0.62U
MFGP47/SE-11	34.4	109	1.6	2.60	4.3
MFGP48/SE-12	45.6	100	0.10	2.1	0.54U
MFGP43/SE-13	50.1	142	0.090	0.81	0.49U
MFGP44/SE-14 (dup.SE-13)	51.4	155	0.09U	0.64	0.49U
MFGP45/SE-15	49.2	297	0.1	2.6	0.5Ų
MFGP49/SE-07	48.2	114	0.10	2.5	0.52U
MFGP50/SE-08	46.9	116	0.09U	0.93	0.53U
MFGP51/SE-09	36.4	128	0.13U	1.2	0.57บ
MFGP52/SE-04	72.6	30.6	0.07U	0.27	0.34U
MFGP53/SE-05	70.9	57.1	0.06บ	2.1	0.35U
CRDL mg/K	9	40	0.1	2	5

#### Notes:

- J = The value is an estimated concentration because one or more quality control criteria have not been met.
- U = Analyte concentration is undetected at the sample quantitation limit.
- J! = The value is estimated and biased low.

Shaded values for samples represent releases of attributable hazardous substances.

Four target samples indicate releases of hazardous substances attributable to the site: SE-07 for thallium; SE-10 for thallium; and SE-11 for mercury and cyanide; and SE-15 for barium and thallium.

The highest background and organic releases for sediment samples is presented in Table 5.

Table 5

Highest Background and Releases for Sediment Samples					
Organics μg/Kg	FEY92 Background [SQL] SE-01	FEY83 [SQL] SE-10	FEY84 [SQL] SE-11	CRQL μg/Kg	
Naphthalene	780 U		210000 [61000]	330	
2-Methylnaphthalene	780 U	2300 [890]	84000 [30000]	330	
Acenaphthene	780 U	2700 [890]	7000 Jt [30000]	330	
Fluorene	780 U	1500 [890]	61000 [30000]	330	
Phenanthrene	780 U	2700 [890]		330	
Pyrene	60 J [780]	1400 [890]	48000 J† [30000]	330	
% Moisture	58	63	67		

## Notes:

- CRQL listed in the table are for low concentration soils.
- U = Analyte concentration undetected at the reported sample quantitation limit.
- [SQL] = Sample quantitation limit provided within the brackets.
- J = The value is an estimated concentration because one or more quality control criteria

#### have not been met.

The value is estimated and biased high.

Analytical results of two target samples (SE-10 and SE-11) indicate releases of naphthalene, 2-methylnaphthalene, acenaphthylene, acenaphthene, fluorene, phenanthrene and pyrene.

All other attribution and target samples (SE-04, SE-05, SE-06, SE-07, SE-08, SE-09, SE-12, SE-13, SE-14 and SE-15) were nondetect for the organic hazardous substances listed above.

## **SOIL EXPOSURE PATHWAY AND TARGETS**

#### **Characteristics**

J١

The SLC site consists of contaminated sediments at the bottom of the Star Lake and Jefferson Canals. Adjacent land is undeveloped, residential and industrial. Entry into either canal by boat from the Neches River, or the boat ramp adjacent to Sara Jane Road, is unrestricted. The SLC canal is used for recreational purposes by boaters and fishermen. Telephone conversations with TNRCC Region 10 personnel revealed that individuals occasionally swim in the canal at the Sara Jane Road boat ramp.

Soils within the study area are of the salt water marsh-Tidal marsh association, Morey-Crowley-Hockley association and the Beaumont-Morey association. Occupying approximately 3% of the county, the salt water marsh-Tidal marsh association soils are made up of boggy beds of organic material over permanently waterlogged clay, sand and shells. These areas are at or below sea level and may be covered daily by tides. The Morey-Crowley-Hockley association is nearly level and better drained than the marsh soils. Primarily, they are silty soils that occupy approximately 18% of the county. The Beaumont-Morey association is made up of clayey and silty soils that are poorly drained, occupying approximately 46% of the county (Reference 10).

## Targets

No workers were documented along either canal who may come in contact with contaminated sediments. There are no schools, day care centers, parks, or other established recreational areas within 200 feet of the site. The nearest occupied residence is approximately 300 feet from the site.

The following are estimates of the number of persons living in the vicinity of SLC (Reference 11):

Zero -0.25 miles = 0 0.25 to 0.5 miles = 0 0.5 miles to 1 mile = 190 1 mile to 2 miles = 5,728 2 miles to 3 miles = 17,052 3 miles to 4 miles = 20,376

Total estimated population within 4 miles of SLC is 43,346 persons.

NOTE: The estimated population was computed by averaging the Latitude and Longitude values for either end of SLC and assuming that the center of the site is at that geographic midpoint (see Appendix E, page 2).

The soil exposure pathway was not evaluated during this SSI.

## AIR PATHWAY AND TARGETS

#### Characteristics

No analytical data was available to document off-site migration of airborne transported hazardous substances from existing on-site sources.

Wind rose analysis indicates that the prevailing wind is from southeast (Reference 6).

No air samples were taken to assess releases to the air pathway. The site consists of canal sediments and the air pathway cannot be evaluated during this SSI.

# SECTION 3 ANALYTICAL DATA ASSESSMENT

Nineteen sediment samples were collected during the Superfund Site Investigation (SSI) of the Star Lake Canal site. The samples were analyzed for Contract Laboratory Program (CLP) metals and cyanide by Analytical Resources, Inc. in Seattle, WA. Volatiles, semivolatiles and pesticides were analyzed by Compuchem in Research Triangle, NC. The resulting CLP data packages were reviewed and validated by EPA Region 6 according to the USEPA CLP Statement of Work for Inorganic Analysis (Document Number ILMO4.0), Organic Analysis (Document Number OLMO3.1), and National Functional Guidelines for Organic Data Review (EPA 1994) and Inorganic Analyses (EPA 1994). The EPA data validation reports are included in **Appendix C**.

## A. Quality Assurance/Quality Control Review

In accordance with the Quality Assurance Project Plan (QAPP) for the TNRCC Preliminary Assessment/Site Inspection Program (FY 96), the TNRCC has reviewed the inorganic and organic analyses to ensure accuracy, precision, representativeness, comparability, field custody and completeness. The following is the result of that review presented as an account for the acceptance or rejection of data for its use in Superfund decision-making, including the scoring of this site.

## Accuracy

For inorganics, the ICP Interference Check Samples (ICS) were analyzed at the beginning and end of each sample analysis run and no analytes were detected at levels near the interferant levels. Lab Control Samples (LCS) were conducted at adequate frequencies and the analytes had acceptable percent recoveries.

For organics, the Bromoflourobenzene (BFB) and Decafluorotriphenylphosphine (DFTPP) instrument performance checks met the ion abundance criteria.

Volatile internal standards for the samples did not vary by more than a factor of two. Most semivolatile internal standards were within criteria. One sample in SDG FEY95, sample FEY97, and one sample in SDG FEY80, sample FEY93, both had low area counts in IS6 (Perylene-d<sub>12</sub>). The samples were reanalyzed resulting with slightly improved quality control. The TNRCC chooses to use reanalysis of these sample. No releases were affected.

Volatile and semivolatile surrogates recoveries were acceptable for all samples in SDG FEY95. Pesticide surrogate recoveries for a single column (Decachlorobiphenyl) in samples FEY96 and FEY97 were under 30% recovery. No qualifications were necessary and no releases were affected.

Volatile surrogate recoveries were acceptable for all samples in SDG FEY80; however,

most semivolatile surrogates for sample FEY93 were high. The TNRCC chooses to use the reanalysis of this sample. Analyte responses associated with IS6 (2,4,6-Tribromophenol) are qualified as estimated. The EPA data summary table accurately delineates the qualifications. No releases were affected.

Several pesticide samples had high recoveries in a single column for at least one surrogate response. EPA data reviewers did not qualify any data as a result of a single poor surrogate response. DDT in sample FEY84 is qualified as estimated and meets release criteria, but is estimated because of two column quantitation difference of greater than 25%.

Two of the inorganic matrix spike recoveries were outside the 75-125% control limit for SDG MFGP43; selenium and antimony. Four matrix spike recoveries were low for SDG MFGP63; selenium, antimony, thallium, and arsenic. Antimony results are not usable for either package because the concentrations are below IDL and the recovery was 19.2% reported in SDG MFGP43, and 0% reported in SDG MFGP63. Affected selenium, arsenic, and thallium results are estimated and biased low. The quality control problem is attributable to digestion effects. Several releases were affected. The EPA data summary tables associated with these SDG packages reflect the qualifications appropriately.

Spike recoveries were not analyzed for the rinsate and field blank samples in SDG FEY95. For SDG FEY80, all low level analysis spike recoveries were within limits. For medium level analysis of semivolatiles for sample FEY84, three spike recoveries were high and most duplicate spike recoveries were high. Several analytes met release criteria in this sample. The TNRCC qualified analytes acenaphthene and pyrene as estimated and biased high due to the high matrix spike recoveries and high relative percent difference.

Soil inorganic preparation blanks and calibration blanks detected concentrations of several metals. No results were affected in SDG MFGP63. In SDG MFGP43, lead and zinc rinsate sample results were affected by blank contamination. The EPA data summary tables reflect the qualifications and presents several of the results as undetected with raised sample quantitation limits (SQLs). The raised SQLs did not affect release calculations results.

The common laboratory contaminants, acetone and methylene chloride were detected in the organic method blank analyses. Additionally, in SDG FEY80 medium level analysis, the blank contained naphthalene, phenanthrene and anthracene. None of these concentrations were great enough to significantly affect the results and no qualifications were necessary. Pesticide blanks in SDG FEY80 contained delta-BHC, Heptachlor, DDE and Endrin at low levels such that no qualifications were necessary.

## Precision

Two sediment samples were collected and designated appropriately as duplicates. All of the analytes detected in the duplicate pairs were within 50% relative percent difference (RPD) of each other.

Inorganic laboratory duplicates were within criteria for SDG MFGP43. In SDGP63, aluminum, arsenic, calcium, and chromium laboratory duplicate results were higher than the technical limits. The TNRCC chooses not to qualify the results based on this one quality control problem. Arsenic was already not unusable due to a low matrix spike recovery for both data packages.

A matrix spike duplicate was analyzed for each organic sample. Low level volatile, semivolatile and pesticide matrix spike duplicates were within the %RPD criteria. Medium level relative percent differences were high for acenaphthene and pyrene. Both these analytes are qualified as estimated and biased high by the TNRCC.

Nickel result for sample MFPG50 is estimated because of an inconsistent ICP replicate reading. The coefficient of variation exceeded 20 percent. No releases were affected.

## Representativeness

Three equipment rinsate samples were collected of the sampling equipment used to collect the sediment samples. Equipment rinsate data results are located in SDG FEY95 and SDG MFGP43. Several analytes were detected, but at levels which did not critically affect the sample results. No qualification of the results were necessary.

Two field blanks were also collected and accompanied the equipment rinsate volatile organic samples to the laboratory. No analytes were detected in these samples.

All sediment samples were mixed in dedicated bowls and spoons. For the equipment decontamination of the dedicated bowls and spoons used at the Star Lake SSI, one equipment rinsate sample and one field blank sample were collected and analyzed for CLP metals and cyanide by Analytical Resources Inc. in Seattle, WA, and for CLP organics by ATAS in Maryland Heights, MO. The resulting data packages were reviewed and validated by EPA Region 6. The EPA data verification reports are included in **Appendix C**.

The following is a brief summary of the TNRCC review of the inorganic and organic analyses of these samples.

The analysis of the equipment rinsate sample, MFGL31, revealed detectable amounts of the following analytes:

<u>Analyte</u>	Concentration	<u>IDL</u>	CRDL
	(µg/L)	(μg/L)	(μg/L)
Calcium	115	20	5000
Chromium	5.8	5.0	10
Copper	17.9	2.0	25
fron	41.8	20	100
Lead	3.8	1.0	3.0
Manganese	4.7	1.0	15
Sodium	404	50	5000
Zinc	10	4.0	20

The sample results for these analytes detected in the equipment rinsate sample are considered contamination introduced by the decontamination procedure. Please note that the field blank, sample MFGL32, composed of only ultra distilled water, contained calcium at 28  $\mu$ g/L and lead at 3.0  $\mu$ g/L.

The contamination incurred through TNRCC decontamination procedures did not cause any concentrations of the inorganic target analytes from this site screening inspection to be disqualified as releases. The TNRCC concludes that the decontamination procedures of the bowls and spoons did not critically contribute contamination to the organic fraction of the samples.

The equipment rinsate samples FEY95, FEY96, and FEY97, had low concentrations of analytes acetone and/or phthalates and were detected at levels well below the CRQL of 10  $\mu$ g/L. Since these analytes are common laboratory contaminants, they are not considered a concern by the TNRCC. DDE was detected in rinsate sample FEY95 at a low concentration, below the sample quantitation limit. This did not have any affect on the sediment samples.

Samples were collected on October 22 and 23, 1996. The laboratories received all samples by October 25, 1996. The samples were analyzed within holding time criteria. Cooler temperatures were reported at or below 4° C.

## Comparability

Standard EPA methodology was conducted. ICP inorganic analyte recoveries from calibration solutions met criteria and were conducted at adequate frequencies. ICP standard calibrations for the analytes were generally acceptable. ICP serial dilutions were within 10% difference for all results.

Most organic target analytes met the percent relative standard deviation initial calibration criteria and the percent difference continuing calibration criteria. A few target analytes were outside percent difference criteria, but did not affect the data.

The instrument detection limits, the ICP interelement correction factor, and the ICP linear range requirements were met.

EPA contractual assessment of the data packages documented several contractual non-compliances. These non-compliances are listed by SDG number in the EPA data validation reports included in Appendix D. These non-compliances did not disqualify any release constituents.

## Field Custody

Custody seals were all present and intact. Sample condition was reported as intact for each sample received.

## Completeness

Nineteen (19) of the results were rejected; therefore, data from these packages is 99.4% complete which meets the 90% completeness objective. All acceptable CLP inorganic and organic data reported herein represent good quality data of reasonable confidence, and are suitable for use in Superfund decision-making, including the scoring of this site.

# SECTION 4 FIELD AUDIT REPORT

In accordance with the QAPP for the TNRCC Preliminary Assessment/Site Inspection Program (FY 95), the TNRCC has implemented a systems audit of the TNRCC performance of the project activities and documentation during the Superfund investigation of the Star Lake Canal site. This audit includes all TNRCC site sampling activities and the quality control program of the laboratories. A completed field audit checklist is included as Appendix H.

## **TNRCC Site Sampling Activities**

Sample collection involved obtaining nineteen sediment samples with a sediment corer during the Superfund Site Investigation (SSI) of the Star Lake Canal site. Field blanks were collected and included in each ice chest containing rinsate volatile organic analysis. The sampling team members were Daniel Benson, Wesley Newberry, Debra Hendricks and Marshall Cedilote.

Brief safety meetings were held at the start of each day of sampling for the sampling team. Each member signed and dated the briefing sheets.

Each sample was appropriately logged in the field logbook with the date, time, location, weather conditions, and identification of each sample, along with the sampler's name. All samples were preserved within thirty minutes of the time of collection.

The samples were collected using proper procedures. VOA samples were collected prior to all other chemical fractions and shielded from light immediately following collection. Disposable gloves were discarded before the next sampling event.

Samples were split with Huntsman representatives. The volatile samples for TNRCC were collected first, then the Huntsman volatiles were collected second. The other organic fractions and the metals and cyanide for TNRCC were collected. Lastly, the other organic fractions and metals and cyanide were collected for Huntsman.

## TNRCC Sample Custody

Samples were properly preserved, tagged, sealed and labeled, protected from breakage, and shipped by Airborne Express within twelve hours (12) of the last sample collected. No breach of custody was noted. Traffic reports were completed with the duplicate samples designated appropriately.

The field logbook was maintained by the site investigation manager or his designee during the field investigation. Each page was initialed and/or signed by the author after each entry of each day. All entries were made in pen and field observations were

presented accurately in the field logbook, including photographs logged with the date, time, location, sample number and the photograph number, the name of person taking the picture, and the type of sample taken.

## **Analytical Procedures**

Four data packages were reviewed and validated by EPA Region 6 according to the USEPA CLP Statement of Work for Inorganic Analysis (Document Number ILMO4.0), Organic Analysis (Document Number OLMO3.1), and National Functional Guidelines for Organic Data Review (EPA 1994) and Inorganic Analyses (EPA 1994). The EPA data validation reports are included in **Appendix C**. All data packages were considered by EPA to be technically provisional.

Appropriate analytical procedures were conducted. Some of the data was qualified as estimated, "J", or as unusable, "R" for Superfund purposes due to quality control criteria failures by the laboratory. The accuracy and completeness of the data associated with this project may be used with reasonable confidence to determine the score and/or current status of the Star Lake Canal site investigated by the TNRCC.

## **Audit Close-Out**

In accordance with the Quality Assurance Project Plan (QAPP) for the TNRCC Preliminary Assessment/Site Inspection Program (FY 95), the TNRCC has completed the systems audit of the TNRCC performance of the project activities and documentation during the Superfund investigation of the Star Lake Canal site. No further action by the Technical Director, Program Manager, or Site Investigation Manager is necessary to assure the quality, controllability, accountability, and traceability of the work performed during this Superfund investigation within the TNRCC PA/SI Program.

# SECTION 5 CONCLUSIONS

The surface water pathway has been evaluated for contaminant migration from the Star Lake Canal (SLC) site. Complete analytical results are given in Appendix C.

The hazardous substances attributable to this site are acenaphthene, acenaphthylene, anthracene, arsenic, barium, benzo(b)fluoranthene, benzo(k)fluoranthene, cyanide, fluoranthene, fluorene, mercury, 2-methylnaphthalene, naphthalene, PCB (aroclor-1254), phenanthrene, pyrene, and thallium (see Table 1).

A total of nineteen (19) sediment samples collected at this site. Based upon analyses of the samples collected, twelve (12) organic and five (5) inorganic hazardous substances were detected in source sediment samples (SE-16, SE-19, SE-20 and SE-21). Releases of six (6) organic and four (4) inorganic hazardous substances were detected in target samples (SE-05, SE-07, SE-10 and SE-11). Wetlands border both source and contaminated target areas.

The SLC is approximately 2 miles long and empties directly into the Neches River in Port Neches, Jefferson County, Texas. The groundwater, soil exposure and air pathways for this site are inactive.

A sampling inspection by the TDWR in March, 1983, documented the presence of hazardous substances in material dredged from the banks of the Jefferson Canal. This canal was used by local chemical companies as an outfall for stormwater and wastewater for more than 50 years. The Jefferson Canal confluences with SLC in an area between State Highway 366 and Sara Jane Road, a.k.a. East Port Neches Avenue. TNRCC files note that wastewater has been discharged to the Jefferson Canal in violation of the Texas Water Code. TNRCC Region 10 Environmental Assessment Program sampling results document the presence of metals in the SLC at a point 0.25 miles upstream of its confluence with the Neches River.

A search of the Texas Biological and Conservation Data System revealed the presence of sensitive species and natural communities within a 4 mile radius of the site.

## REFERENCE LISTING

- 1. US Environmental Protection Agency. <u>Guidance for Performing Site inspections Under CERCLA</u>, Office of Emergency and Remedial Response, Hazardous Site Evaluation Division, Publication 9345.1-05, September, 1992. 125 pages.
- 2. US Environmental Protection Agency. 1993 Superfund Chemical Data Matrix (SCDM). March, 1993.
- 3. TNRCC file information, 98 pages. Included as Appendix D.
- 4. Texas Department of Water Resources. Report 236. <u>Stratigraphic and Hydrogeologic Framework of Part of the Coastal Plain of Texas</u>. July, 1979.
- 5. Texas Natural Resource Conservation Commission. <u>The State of Texas Water Quality Inventory</u>, Volume 2. 1994.
- 6. Texas Department of Water Resources. <u>Climatic Atlas of Texas</u>. December, 1983.
- 7. Texas Parks and Wildlife Department correspondence. October 10, 1996. Included as Appendix E.
- 8. United States Department of Agriculture Soil Conservation Service. <u>Soil Survey Jefferson County, Texas</u>. February, 1965.
- 9. National Wetland Inventory Map, Port Arthur North Quadrangle. 1995. Included as Appendix I.
- 10. Texas Parks and Wildlife Department, Fisheries and Wildlife Division. <u>Trends in Finfish Landings and Social and Economic Characteristics of Sport-Boat Fishermen in Texas Marine Waters. May 1974-May 1989.</u> Management Data Series, No. 56, 1991.
- 11. TNRCC Interoffice Memorandum: Population Around Star Lake Canal, Jefferson County, Texas. September 16, 1996. Included as Appendix F.

**APPENDIX A** 



Photo 1 (Facing West) Date: 10/22/96 Photographer: Marshall Cedilote Equipment decontamination prior to sampling.



Photo 2 (Facing South) Date: 10/22/96 Photographer: Daniel Benson SE-1(background) sample location on the Neches River.



Photo 3 (Facing South) Date: 10/22/96 Photographer: Daniel Benson SE-2 (background) sample location on Neches River.



Photo 5 (Facing Southeast) Date: 10/22/96 Photographer: Daniel Benson SE-3 (background) sample location on Neches River.



Photo 6 (Facing North) Date: 10/22/96 Photographer: Daniel Benson SE-4 sample location on Neches River upstream of confluence with Star Lake Canal.




Photo 7 (Facing East) Date: 10/22/96 Photographer: Daniel Benson SE-13 sample location at boat ramp in Star Lake Canal at Sara Jane Road.



Photo 8 (Facing East) Date: 10/22/96 Photographer: Daniel Benson SE-14 sample location (duplicate of SE-13).



Photo 9 (Facing Northeast) Date: 10/23/96 Photographer: Daniel Benson SE-5 sample location at confluence of Star Lake Canal with Neches River.



Photo 10 (Facing North) Date: 10/23/96 Photographer: Daniel Benson SE-6 sample location downstrean of Star Lake Canal's confluence with Neches River.



Photo 11 (Facing Northwest) Date: 10/23/96 Photographer: Daniel Benson SE-7 sample location in Star Lake Canal.




Photo 12 (Facing Southeast) Date: 10/23/96 Photographer: Daniel Benson SE-8 sample location in Star Lake Canal.



Photo 13 (Facing Southeast) Date: 10/23/96 Photographer: Daniel Benson SE-9 sample location in marsh adjacent to Star Lake Canal.




Photo 14 (Facing Northwest) Date: 10/23/96 Photographer: Daniel Benson Documentation that sport fishermen use areas adjacent to Star Lake Canal.



Photo 15 (Facing South) Date:10/23/96 Photographer: Daniel Benson SE-20 and SE-21 sample locations upstream in Star Lake Canal.




Photo 16 (Facing South) Date: 10/23/96 Photographer: Daniel Benson SE-19 sample location at confluence of Jefferson Canal with Star Lake Canal, NOTE: This photo was overexposed and is therefore unavailable.




Photo 17 (Facing North) Date: 10/23/96 Photographer: Daniel Benson SE-16 sample location upstream in Jefferson Canal.



Photo18 (Facing West) Date: 10/23/96 Photographer: Daniel Benson SE-15 sample location in Star Lake Canal upstream of Sara Jane Road bridge.



Photo 20 (Facing East) Date: 10/23/96 Photographer: Daniel Benson SE-11 sample location in Molasses Bayou adjacent to Star Lake Canal.



Photo 21 (Facing Southwest) Date: 10/23/96 Photographer: Daniel Benson SE-10 sample location in Molasses Bayou adjacent to Star Lake Canal.



Photo 22 (Facing Southwest) Date: 10/23/96 Photographer: Daniel Benson SE-12 sample location in marsh adjacent to Star Lake Canal.




Photo 23 (Facing West) Date: 10/23/96 Photographer: Marshall Cedilote Decontamination of equipment.




Photo 24 (Facing West) Date: 10/23/96 Photographer: Marshall Cedilote Taking sample ER-3 (equipment rinsate).





Photo 25 (Facing West) Date: 10/23/96 Photographer: Marshall Cedilote Taking sample FB-2 (field blank).


## **APPENDIX B**

T-61- 3	B	Camples	to he	Collected

Semble Semble Semble Semble Control Services November November Services November Nov	**************************************	<u> </u>		Table .	<ol><li>Proposed Samples to be</li></ol>	Collected			
Secure a same on northern supplies 2.  \$1.2 Segment same on northern supplies and the Market Righar 2.  \$1.3 Segment same on northern strains was in the factor of figure 2.  \$1.4 Segment same a same same and confinence of \$1.5 with the texture of the factor figure 2.  \$1.5 Segment same a same was a figure 2.  \$1.5 Segment same a confinence of \$1.5 with the texture of \$						Rationale	] —		—
see of the Neches Finder on statement of the Neches Finder on the Neches Finder of the Neches Finder of the Neches Finder of See of the Neches			Sediment	SE-1	side of the Nethes River in	Background sample			
side of the Naches River in particular and the Naches River in Sedement sample west of confinence of SLC und the receives Never Injury 3.  \$5.5 Sedement sample scales River of SLC and the Versions of SLC and the Versions River 3.  \$5.6 Sedement sample associated the SLC with the Naches River (Righer 3.).  \$5.6 Sedement sample seas of confinence of SLC with the Naches River (Righer 3.).  \$5.7 Sedement sample seas of confinence of SLC with the Naches River (Righer 3.).  \$5.8 Sedement sample in SLC selected to versions Rights of the Naches River (Righer 3.).  \$5.8 Sedement sample in SLC selected to versions Rights of the Naches River (Righer 3.).  \$5.8 Sedement sample in SLC selected to versions Rights of confinence of the Naches River (Righer 3.).  \$5.9 Sedement sample in versions Rights of confinence of the Naches River (Righer 3.).  \$5.1 Sedement sample in versions Rights of confinence of the Naches River (Righer 3.).  \$5.1 Sedement sample in versions Rights of Confinence of the Naches River (Righer 3.).  \$5.2 Sedement sample in versions River (Righer 3.).  \$5.3 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.4 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in the total post of the Naches River (Righer 3.).  \$5.5 Sedement sample in		<del></del>		SE 2	side of the Neches River in	Background sample			
sessis and Presents flower services of the communitation of this Nectors River (some your communitation of the Nec	<u>·</u>	<del>.</del>	-	SE-3	side of the Neches River in	Background sample			
of 3CL and the Neches River (Figure 3).  Sed - Sediment sample east of confinence of USCL with the Neches River (Enter)  Sediment sample east of confinence of USCL with the Neches River (Enter)  Replace The Neches River (Engure 2).  Sediment sample in SLC adjacent to verlands (Figure 3).  Sediment sample in SLC adjacent to verlands (Figure 3).  Sediment sample in verlands (Figure 3).  Sediment sample in verlands (Figure 3).  SE 8 Sediment sample in verlands (Figure 3).  SE 9 Sediment sample in verlands (Figure 3).  SE 10 Sediment sample in verlands (Figure 3).  SE 11 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation of verland area.  SE 11 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation of verland area.  SE 12 Sediment sample in verland seast of consummation in verland area.  SE 12 Sediment sample in verland seast of consummation in verland area.  SE 13 Sediment sample in verland seast and consummation in verland area.  SE 14 Sediment sample in verland seast and consummation in verland area.				5E-4	confluence of SLC with the	assess and characterize any contaminanation of the Neches River			
SE-6 Sediment sample east of confluence of SEC with the hisches New (Riguer 3).  SE-7 Sediment sample in SEC adjacent to vertication in state of sediment sample in SEC adjacent to vertication in state of sediment sample in SEC adjacent to vertication in settled and sediment sample in vertication in settled sediment sample in vertication sediment se					of SLC and the Neches River	assess and characterize any contaminanation of the Neches River			<del>&gt;</del>
SE-7 Sediment sample in SLC adjacent to wetlands in-gure 31.  SE-8 Sediment sample in wetlands area in wetcastook but now a move of it this area is wetcastook but now a move of it this area is wetcastook but now a move of it this area is wetcastook but now a move of it this area is wetcastook but now a move of it this area is wetcastook but now area.  SE-10 Sediment sample in lett prong of Molasses Bevou (Figure 3).  SE-11 Sediment sample in lett prong of Molasses Bevou (Figure 3).  SE-12 Sediment sample in lett prong of Molasses Bevou (Figure 3).  Target sample to assess and consummation in wetcast area.  Target sample to assess and consummation in wetcast area.  Target sample to assess and consummation in wetcast area.  Target sample to assess and consummation in wetcast area.				SE-6	Sediment sample east of confluence of St.C with the	Target sample downstream in TD1 to assess and characterize any contamination of the Naches River			
adjacent to wetlands (Figure 3).  SE-9 Sediment sample in wetlands area (Figure 3). This sample to sesses and constrainter any contamination in water of the series of the	en e		:	SE-7	adjacent to wellands inigure	Target sample (classess and characterize any contamination in		CAR PAR CARACAS EAR MANA	* *
area (Figure 3). This sample location may be moved if the location may be moved if the large is inaccessable by post during the SSI.  SE-10 Sediment sample in lett prong of Moiasses Bayou (Figure 3:  SE-11 Sediment sample in lett prong of Moiasses Bayou (Figure 3):  SE-11 Sediment sample in lett prong of Moiasses Bayou (Figure 3):  SE-12 Sediment sample southeast of boot ramp in marshland (Figure 3):  Target sample to essess and creat-arrante any contamination in wettand area.  Target sample to essess and creat-arrante area.				SE-8	adjacent to wetlands (Figure	charactrenze any contamination in		-	<u> </u>
SE-11 Sediment sample in lett prong of Molasses Bavou (Figure 3).  SE-12 Sediment sample southnast of bost ramp in marshland (Figure 3).  SE-12 Sediment sample southnast of bost ramp in marshland (Figure 3).  Target sample to assess and characterize any contamination in waitand area.  Target sample to assess and characterize any contamination in waitand area.				SE-B	area (Figure 3). This sample location may be moved if this area is inaccessable by bost	charactretize any contamination in			
SE-11 Sediment sample in lett prorg of Molasses Bavou (Figure 3).  SE-12 Sediment sample southeast of bost ramp in marshand (Figure 3).  Target sample to assess and characterize any contamination in wettand area.  Target sample to assess and characterize any contamination in wettand area.				SE-10	Sediment semple in lett prong of Molasses Bayou (Figure 3).	charactrarize any contamination in			
boat ramp in marshland (Figure characterize any contamination in wetland area.	:	*		SE-11	Sediment semple in lett prong of Molasses Bayou (Figure 3).	charactrerize any contamination in			
		_		\$E-12	bost ramp in marshland (Figure	characterize any contamination in			
	·								
					15		····		_
				<u>.</u>	<u> </u>		<del></del>		<del></del> -
		under Historia					<del></del>		
						<b></b>			
		Z.					·		
			N/S=:						

24							
1							
•	1						i
,	{						ľ
<del>~</del> `	Į į						3
'	1						•
		<del></del>	·		<u> </u>		
							•
					<del></del>		
	<u> </u>	•				_	
	<del></del>	Sample Matrix	Sample ID	Sample Location	Rationale	-	
	<u></u>	· · · · · · · · · · · · · · · · · · ·		<u>'</u>		_	
!		Sediment	\$E-13	Sediment sample taken at	Target sample at PPE		ł
	<del></del>	Segment	36.13	boat ramp (Figure 3).	arger sample at g	-	
			SE-14	Sediment sample taken at boat ramp (Figure 3). This is	Target sample at PPE.	-	
			CE 1F	not a duplicate of SE-13		_	
			\$E-15	Sediment source sample in SLC (Figure 3).	Semeste and Characterize source.		,
			5E-16	Sediment source sample in Jefferson Canal (Figure 3)	Deimeate and characterize source.	_	
-			\$E-17	Sediment source sample from headwaters of Jefferson Cartal (Figure 3).	Delineate and characterize source.	_	
		•	SE-18	QA-QC	Duplicate sample taken at same	_	
Transport			SE-19	Secument source sample in	Liocation as SE 17:  Deliheate and characterize source.	<u>-</u>	
			05.00	SLC (Figure 3).	Del.		
<u> </u>		and the second s	SE-20	Sediment source sample atdam across SLC (Figure 3).	Delineate and characterize source:	-	
		· · · · · · · · · · · · · · · · · · ·	SE-21	QA/QC	Duplicate sample taken at same		
	1	7		<b>*</b>	location as SE-20		
	Ţ : ·	Rinsate	R-1	Rinsate sample from Eckman dradge and core sample: prior	34.00	_	
		•		to Day 1 of sediment sampling.		_	
_			R-2	Rinsate sample from Etxman	34 3¢		
		-	n-4	dredge and core sampler after	27.00	_	
	<u> </u>	-		to Day 1 of sediment sampling.		_	
			8.3	Pinsate sample from Eckman	GA OC		
		-		dredge and core sampler after	3- <b>3</b> -	_	
		<u></u>		Day 2 of sediment sampling.		_	
_	Í		FS-1	Field blank collected at same time as R-1.	<b>34 QC</b>		
	<del></del>		FB 2	Field blank collected at same	ÇA OC '	-	
		_	F 0 4	time as A-3.	ÇA 00	<u> </u>	
	1	<u></u>		<del></del>			
	<del> </del>	_				_	
	<u></u>	_				_	
							•
	<del> </del>	_					
	<u> </u>	_				_	
	!						
	1	_		16		_	
	[		*				
	<del>- j</del>				· · · · · · · · · · · · · · · · · · ·		
<del></del>	ļ	<u> </u>					
	1						
	<del> </del>	·-				_	,
<u></u>	<u> </u>						<del></del>
	[						





٠	The April 19 September 19 Septe	
6		
	Contacts:	
	Tim Praznik 409 723-3431	
	Greg Conley 409 898-3838 Mobil 409 782-2842	
	<del></del>	
		<del></del> -
		ر و در اور در
	***	Sec. 3
*		-
<del></del>		
		<u></u>
<u> </u>		
		<del></del>

....

Marshall	Culilia	10/22/96
----------	---------	----------

ļ	Marshall Certili-10/22/96	
] }		7
	16/22/96	
	Arrived at size at 7:35 da	F
	Aut Tim Pragnik. Hunteman	- N
	Daniel Benson conducted Safety Briefing	
	Mary Briggs Huntsman arrived 750 AM	
	Beyon setting up do con the core samples	
<u> </u>	issand Dann left site @ 8125 for wal mark for bothe brish	
<u> </u>	hall get zera contamination takes sent from Austra by bus	
·	Greg icaley arrived Kizs	
· · · · · · · · · · · · · · · · · · ·	Debia and burniel verified that one we ted and was calibrated	
	9:11 Am - Regar taking timeate and field blank samples	
	bett streets man bont rown at 10:15 AM	
	10:37 arrived at SE-01 sample location - directly accross	
	from Di D plant dock. This is a background supple on Abchos Pive	
	Gray clay organic mater stight ofor extremely not clay (Ship Channel	)
	Photo # 12 by D. Benson Locking Sent hat SEI sample location.	
	(Sample taken by Debra Hendricks) across Feches River	
	(at 10:40 am) M. Codilate used care sampler and Dura mixed compos	مراز
	Sample depth appier 1' below water surface	
	Weather is cool 168°F cloudy with no sun wind out of the	
		····
	No et about 15-20 inph	
··· -	Change of the Sales 17 1200 in the 1 for	· se · 1
-	Star is splitting Sumples of THECE Using their own containers (for	
	this A + Cr 2   1 month	···
	11/10 Arrive at SE-2 location approx 200 yards from confluence of	<del></del>
- ~	Ship channel and Neches River. Depth of sample apprex 1.5' behis water surface	
· ·	Photo #3 by. D. handon looking south across Neclies River toward ship	2.57"
	TOTAL THE STATE OF	Victor .
	Scample is chirk black gray eley, silly sandvalso- organic matter (roots) wat sligh	tslæen
	Sample by D. Handricks at 11:15 am - Star du not split SE-2	
·—-	All samples taken today will utilize dedicated spoins/bowls from December	<u> 14   (</u>
Dan	il Berson 19/22/16	

- . ..... . .

		Marshall Cichlo 10/22/96
	8	
	0	10/22/96
_		11:42 Arrived at SE-Location SE-3. Depthof sample approx 2 below
		water surface We are downstream from SE at Neches River & Ship Channel
-	<del></del>	West bank of Cld Neches River Bettorn is very sandy and sumple retrained
<u> </u>	<u>.                                    </u>	is difficult (low recovery) Moving out from hink approx 15th no luck-trying park
~		Photo #4 SE-3 looking South James Ship Channel Photo by A. Benson
<u> </u>		D. Hendricks much composite sample and filled jars once we get to No. 1/4
		book and recovered SE-3. Star did not split sample
<del>-</del>		Weather is still cool, no rain yet although it was raining earlier, no Sun
<b>-</b>	· · · · · · · · · · · · · · · · · · ·	WILA FULL IN DIO
 	12 74	SE-4 lecution is an upstream side of out fall of Canal and Newhos River
	<del></del>	intersection Cappear 30 yoks from canal) Sec page 31 for additional information
		Distotle & DBousen looking North at SE-4 location
!	<u> </u>	Ster is splitting this sample with us:
<u> </u>	2:35	SE-13, SE-14 Sediment samples taken appear 40 downstream from =
<del> </del>	<del></del>	E. Pt Neihes Avenue bridge and near the public bout ramp
~		SE-14 is field auplicate of SE-13
~		Photograph 7 by D. Benson freing East looking at SE-13 sample location
		Kecovery of this sample was difficult. Black stiff clay-all the way
		We to plane mater as follows: 13 and 14 were taken on afternoon
~		ef 1917/11, SE-14 1: a diplicute of SE-13
~		
~ <u>.</u>	·	Franch work of size at Sicopy
		Conded comple coolers into truck
~		Droffed eff at Airhorne Express at 5:30 PM
~	<del> </del>	
<b>-</b>		Marial (3d la
	<del></del>	10/2011
	<del></del>	Daniel Brason idental
1		


	Markall Calita 10/23/96
- !	9
	10/23/96
	Acrised int side 7:35 AM
1	
:#/	Daniel Benson conducted safety briefing
MAK.	wes Newbury and Grey Cooley took boat to get
<u></u>	615 cocydinants for SE-1, SE-2, SE-3, IE-4
<u> N. 1/2</u>	Diamba Epperson called sample management office to
	not by of samples shipped on 10/22/al
<u> </u>	Setup deces area under pavillion
_ +	Situa decua ara pièr
	Bart Curellas (Ela) arrived ~ 4:10 Am
	keft thurtsman best ramp about 9:30 am
	10 cc 10/23/96 GPS INFORMATION AS PROTOTO By TWEEZ Gray Conty
	SE-5 Sample location FILEH RIOZ315A
	Position: N 29° 58' 5811" Willy 53" 54 44" - This is a corrected position.  This sample location is on the sath bank of star carried at Junction with
	(Ali) by i) I - 1) C ( + cancel at Junction with
	(CU) Neches Kiver (ship cannel). SE-5 is first sed. sumple collected today
	Ster will split samples with TNRCC.
	Whather today is clear surmy, breezy-winds out it north at 10-15 mph
	Temperature is about 63°F.
<u> </u>	Ence con sample was obtained the zero contamination take was removed.
<u></u>	the Control of the Carrier
	A sterile intrik dove was used along with a push rod to extract the sample from tube. Sample recovery was Their mixed in dedicated speen & boul from decon event #10.
 _	araicated speen & Down from never event -10
	1:35 Sample location SE-Ob-annext at location - GPS information
	First R10231SB N 24°58'58"04" 93° 53' 47.18" (corrected)
	Sample location is apprex. 300' downstream of cutfell of Stur Canal
	and Naches Piver - collected on the Neches
<u>-</u>	Star Split Sample w/ TNIRCC
	Sec sample notes 0.33
	Daniel Bengan 10/23/96


4.0	Marshall California 10/23/90
10	
	File # R102316# N 29°58 46.51" 93°54'06.06"corrected
	SE-07 arrived: contents
	400 yds upstreams from Stare-tfull and Niches River intersection
	Ster is splitting this sample of TNRCC
·	See Sample notes p.34
÷	
··	Weather: Still swall and breezy, warming up to about 70°F
* <u></u>	Char sties.
	corrected position 1246"
10/23/96/11	35 SE-08 Filett 1023168 N 29°58 4370" W93°54 +3715
	Approx 200 yds upstream from SE-7 on Star lake canal (north bank)
** <u>*</u>	Canal was thicked to a small degree following the passage of a
1	large sea going vessel (tanker ship), Water level returned a few minutes.
}	Leter. Star is splitting Samples with TURCC.  See page 35 for additional information
	Des jarge 55 for abelitional Intermation
10/23/96/12:	20pm SE-9 location is on pend area approximately 200' (Seath) of Stear
*	canal File# R1023174 N 29°58'24.99 W 93°54'29.59"
	(corrected position)
* <u></u>	Sample laratum is cust of star canal in tidal flat marsh area
; 	And distributed forders
v	All samples were mixed in dedicated spains and how's from decon buent #10
~	
	20 File PHE3319A - P102319B N29°58'02.89" W93°55'13.74"
1923/96 4	Arrived at SE 20/21 sample location approx 200 feet downstream of
~	damm on Star Lake Canal and upstream of Grossie road bridge (burnedout)
~	1st attempt at corring was not good enough to recover enough sample.
~ <u>~</u>	material. Moved downstream another 100'
<u> </u>	
	OVA reading 2:30 is 1.2 ppm Will have to collect at least 5 core tubes to have enough Sample to recover
Damphing 13/46	Will have to collect at least 5 core tubes to have enough Sample to recover


-	lof	Marshall Cahlo- 10/23/96 11
راحا.		
		SE-21 is duplicate of SE-20 taken at same location
tites.		- approx 50' West of Old Grossie Road Bridge
<u> </u>		These are Source Samples.
	<u>.</u>	
		'Veather - has warmed to about 78°F, clear and sunny, wind has a
<u>-</u>		dieddownto K5mph Slight breeze only Warm now.
	. 1	Consider protion
1246"	10/23/96	3:30 pm GPS: File # 1202320A N 29.58 4.07 1893 54 58.28"
1 13.21"		SE-19 sample location is East bank of Stur Canal approx. 200' No of Soundy Pump station on Stur Canal near Jefferson Canal intersection
<u>)                                    </u>	· ·	Thought rump station on Start anal hear Jetterson Canal intersection
	······································	UVA reading DA ppm
, <u>udrs_</u>	1/2/91	2:50 ST 1/5 1 1 (1/5 T   # D10 27 0 28 50 02 21 A)
	1012717	2:50pm SE-16 Sample Location GPS Tilett R1023B 2958'03.21'N Approx. 50' South of SE-19-on Jefferson Clanal 93° 54 59.45" W
	<del></del>	right hefore confluence of Star Like Ganal-down from pump station
<del>-</del> -		Fright 1448 conflict to Star lake Canal - down from Jump Station
	10/23/90	4:05 M. Cedilite indicated SE-17 SE-18 will not be collected
	. , , , , , ,	due to maccessability
		Class. dah:
	10/23/40	4:20 SE-15 Affect location : 6PS R102321A N 29°58' 109.12"
	<del></del>	W 93 54 57.61"
		Appear 50' South of Pt Niches Road Bridge on Ster Canal
<u>'</u> 4 ″	<del></del>	Star is splitting sample.
		W-24-58-16-6-2"
ne ( ent).	10/23/96	5:40 Arrived at SE-11 GPS FILET RIOZ372B W93-54 3.74"
		We are appro15 yds upstream on VN classes Bayou - upstream of interaction
		of Molegas and Starifonal.
<del></del>	<del></del>	Waather: cooler sun geing down, winds back up around 10:15 mph
<u>-r</u>	Hamilton Control of the State o	Daviel Revon 10/23/96


المالماتيان المراويين بيارات المالي


		1
	Marshall California 10/23/ac	
12	20.33" position 37.63"	;
<b>-</b>	SE-10-GB FIGH RI02323A N 29°58-18.73° W93"54"38.94"	
10/22/90	Arrived at 6:00 pm to SE-10 location at confluence of left prong	
	of Molasses Bayon and Star Lake Canal. We are downstream	•
	of SE-11 by about 60 yards.	<u></u>
-	Sample SE-10 has heavy odor w/ sheen like appearance	· · ·
•· • <u>•                                  </u>	We are in vicinity of a sunker boot which is approx, 20 feet 50+12	
·	of sample location.	
~	( 10 C)	<del></del> ;
10/23/96	SE-12 GPS F.let R102323B N 29°58 11.47" W 93° 54' 40.39"	
<u> </u>	Armed at 6:25 pm Sun is soingdown it's getting cold.	3.2
	to the canal, - On private property	
·	to the tand, on private property	
	·	
	F.1と#	
	SE-13 1023036	
***	6 - r - N 29° 58 10.17"	<del></del> ;
~. <u> </u>	ω 93° 54' 52.51"	<u> </u>
<u>~</u>	·	
<u> </u>	Decorned Equipment	
**	Cleaned up site	•
	Left Hantsman property at 7:45 PM	<del></del>
	Arrived back at betel 8:00 PM	
~ <u></u>		
<u> </u>		
×	12 miles 10/23/106	
***************************************	2)(a) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	<del></del>
~ <u></u>	11 100 10101	
<u> </u>		
		<del></del>
_		


























7					
	22				
	POIL #1	Silajeut	<u>birechen</u>	Time /	Photographer
		Equipment decon		10/22 #1.15	Cedilate -
	2	SE-I	S	10/22/ 10:37	
—	3	SE-2		10/22 11:10	D Bensey
<u> </u>	4	SE-3 (1stlry-west bank)	5	10/22 11:42	
r—	_ 5	SE-3 North brink oldneshes Rue	SĒ	10/22 12.00	D. Benson
i I	_6	SE-4 Upstran Hundoutfall	N	14/22 12:33	D. Benson
<b>!</b>	1	SE-13	E	10/22 2 35	D Benson
ľ	_{8	SE-14	E	10/28 2:45	
<b>\</b>	9	SE-5	NE	10/23 10:10	D Banson
<u> </u>	10	SE-60	N	1923 10:45	D. Benson -
·	<u> </u>	SE-7	NW	10 23 11 65	D Benson
*	12	S€-8	SE	10/23 11:40	D. Bengon -
·—	13	SE-9 Fina in background From SE-9 location - discussion	SE	10/23 12:20	DBenson !
<u> </u>	14	From SE. 4 ocation - discurrenting	NW	10/23 12:30	
<b> </b>	15	SE-20-21	S	10/23 7.30	OBenson Ma
1	16	SE-19	S	10/23 238	D. Bouron
	17	SE-16	N.	10/23 4/20	DBensen
ļ	18	SE-15	W	19/23 4:20	DBerson
<sup>6</sup> 6	19	Project Nanager	5	10/23 5:00	DBenson.
	20	SE-11	E	10/23 5 40	DBerson
· .	21	SE-10	SW	10/23 6:05	Benson
	22	SE-H12	SW	10/23 6.25	Deuson.
` 	2.2	Decor of equipment	w	1 '	M. Corilote
ſ~~-·	24	Taking sumple = 2.3	<u>ب</u>	1/23 7(25	M (rdiiote
**.—	25	Taking ER-2	<u> </u>		M. Cedilde
·	·			<u> </u>	<del></del>
<u> </u>		!			- + -
[~-				1	
-			<u> </u>	<u> </u>	·
~—	<del>-</del>	1) -1) -1		<del> </del>	
`~-'.	<del> </del>	Daniel Benson 10/22/96	 <del> </del>	<b> </b>	· · · · · · · · · · · · · · · · · · ·
, , , ,		Janiel Benson 10/23/96			
<u> </u>		, , ,		<u> </u>	

-	_					
			All and programmed the second of the Allendan State of the Allenda			
Roil # 2	Subject		Time!	P1-109-1		
	<u> </u>					
			1			
	: <sup>1</sup> /4 : <sup>1</sup> /2 •					
		Hab				
	10/10					
· · · · · · - <del> · · · · · · · · · · ·</del>	<u>;</u>					
				,		

_						
•						
24				<del></del>		
Pell #3	Subject.	Donelton	J'are	Photographer	12,	
····						
<del></del>						
		/	Í————			
	<u>.                                    </u>		<u> </u>			
				······································		
			1			
·· <del>····</del>		. W	<del> </del>	10 (1) (1) (2) (1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1		
		1.9				
	· \(\frac{1}{2}\)	12.10 A	-			
<u></u>		(3)				
	A NAME OF THE PARTY OF THE PART					
·—						
·—						
· <u> </u>						
· <u> </u>						
<del>-</del>	· / · · / · · · · · · · · · · · · · · ·			<del></del>		
·						
·	<del>· /</del>					
·	<del>. /</del>	<u> </u>				
<u> </u>	: <u>/</u>		<del> </del>	<del></del>	<u> </u>	
					<b>-</b>	
<u> </u>	<u>:                                      </u>			<u> </u>	<b>-</b>	
<u> </u>					<b>-</b>	
·	!			<del></del>		
~, <u>/</u>	<u></u>					
·_						
<del>-</del>	·					







	Background	
	Star Lake Outfall Canal Case #25093 Station No. SE-01 SAMPLE ID # C.O.C. #  VOA FEY92 6-016659  VOA FEY92 6-016661 EXT FEY92 6-016661 EXT FEY92 6-016662 TM MFGP55 6-016663 CYN MFGP55 6-016664	
Idadas S	Such that they are harden in the de Committee of the	the cours
191444	Sumpled at 10:40 - background gample SE-ci direct From C&O plant dock (Texace) - on the Neches Rive	Y 444-253
	ce page 7 for additional Simpling information.	
	Sampled by D. Hendricks.	
	,	
	Davil Burgon 10/2-196	<del> </del>

		the could be a second to the challenge of the co-	877-28-1		
30					Ī
00		Back	grand		
			3		
			•		
	Star La Case #2	ke Outfall	l Canal		
	Station	No. <u>SE-03</u>			
	VOA FI	AMPLE ID # EY94	<u>C.O.C. #</u> 6-016671		
	VOA FI	EY94	6-016672		
	EXT FI	E <u>Y94</u> E <u>Y94</u>	<u>6-016673</u> <u>6-016674</u>		
·	TM ME	FGP57 FGP57	<u>6-016675</u> 6-016676		<del></del>
			<u> </u>		
· .··•		(1) (2) (3) (4) (4)			
(0)22/96	12:00, an SE-3 to	aken from Nort	h Bunk of Old Nuches	s - bicause we get	no recovery
(0)22/56	n: com SE-3 to	aken from Nort	h Bunk of Old Neches	s - bicause we get I Neches to part	to benk
(6)22/56	n: com SE-3 to let location des D. Hendrix m	chied in B &	the Bunk of Old Naches we moved across old ite and filled jurs	s - bicourse we get 1. Niches to part	h bank
(6/22/56	D. Hendrix m	ined in 13 8	ite and filled jurs	1 Neches to nect	h benk
(6/22/56	D. Hendrix m Sample is da	wk black cla	ite and filled jers  y, wet, and sticky	1 Neches to nect	h bank
10/22/96	D. Hendrix m Sample is da	wk black cla	ite and filled jurs	1 Neches to nect	h bank
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no nevery !
10/22/56	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	ite and filled jers  y, wet, and sticky	1 Neches to nect	no nevery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no nevery
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no record ?
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no nevery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class to 5 pm T	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery !
10/22/96	D. Hendrix m Sample is da Taken at 12	citied in 13 8 wixed compressions that class class class class compressions to the compressions	te and filled kers  y, wet, and sticky.  his is another backey	1 Neches to nect	no recovery ?

		INORGANIC A	ANALYSES DATA S	SHEET	EPA SAMPLE NO.
ab Name: ANAL	YTICAL_RESO	URCES_INC.	Contract: 68	B-D5-0134	MFGP61
					SDG No.: MFGP4
atrix (soil/w	ater): SOIL	_		Lab Sampl	e ID: 5368S
evel (low/med	): LOW_	_		Date Rece	eived: 10/25/96
Solids:	_45.	0			•
Co	ncentration	Units (ug	/L or mg/kg dry	y weight):	MG/KG
					<del>,,</del>
	CAS No.	Analyte	Concentration	C Q	М
	7429-90-5		28800		P_
	7440-36-0	Antimony_	21.6		P
		Arsenic	1.9	B	F_
	7440-39-3	Barium_	179 1.5	_	P_ P_
	7440-41-7 7440-43-9	Beryllium Cadmium	0.86		P_ P_
	7440-70-2	Calcium	24700	"	p-
		Chromium	46.0		P_ P_
		Cobalt	6.3	B	P_ P_ P_
	7440-50-8	Copper	67.1	1 1	P
•	7439-89-6	Iron	17300		p
	7439-92-1	Lead	63.5		F_ P_ P_
	7439-95-4	Magnesium			P_
	7439-96-5	Manganese	181		P_
	7439-97-6	Mercury	0.76		c⊽
	7440-02-0	Nickel	15.2	<sup>B</sup>	P_ P_
	7440-09-7 7782-49-2	Potassium Selenium_	3390	$\left  \frac{1}{U} \right  - \frac{1}{N}$	P
	7440-22-4	Silver_	1.3	77	F_ P_
	7440-23-5		3100	"	P_
	7440-28-0	Thallium	2.1	<u></u>	-  F-
	7440-62-2	Vanadium	47.8		F_
	7440-66-6	Zinc	93.4		P_
		Cyanide	0.55		CĀ
olor Before:	BROWN	Clari	ty Before:		'—' Texture: FINE
olor After:	GREEN		ty After: CLO	אסע	Artifacts:
omments:		<del>-</del>			
<del></del>				<del></del>	<del></del>

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

FORM I - IN

# U.S. EPA - CLP

# INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MFGP62
--------

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Matrix (soil/water): SOIL\_

Lab Code: ARI\_\_\_\_ Case No.: 25093\_ SAS No.: \_\_\_\_\_ SDG No.: MFGP43

Lab Sample ID: 5368T

Level (low/med): LOW\_\_\_

Date Received: 10/25/96

% Solids:

\_59.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

			<del></del>	
Color After:	GREEN	Clarity After:	CLOUDY	Artifacts:
Comments:				

Clarity Before:

FORM I - IN

ILM04.0

000026

Texture:

Color Before: BROWN

9E	PA	United State Co	es Enviro Intract La	omental iboratori	/ Progran	on Agend	y			Chal	i <b>n of</b> r Orgal	Traffic Custo No CLP !	Repo dy Re Inalysis	ort cord )		Case 2	No. 509	13		• •	4
1. Project Code	Accou	nt Code	2. F		No. Sar		č.	11.								6. Ma (E)	itrix nter			esetvi nter ii	
Regional Inform	nation	<u></u>	San	npler (f		<u>NK</u>	<u>CC</u>	3	Airbill N	umber.		BORNE	<u> </u>	<u>ukes</u>	20 m	in	Column	-	Co	olumn	0)
			li	افخاء	YN	ewb.	٠٩٠٠		<b>358</b>	614	丹却	320	8.7	<b>0</b>		.2.	Surface Ground	Water	2.	HCI HNO3	
Non-Superfund	Program	# 140 10	Sar	npley S	ignatur	مترا	4			To vie			<b>282</b>	ON F		74.	Leachat Field Q0	)	4.	NaHS H2SO	(4 ½ i⊈ −
itê Name		<u>⊼</u> :: •0	3. F	urpose	Enty	Action :	Z	Š		npu		DULT.	PN.	<b>正</b> など <b>ク</b> ごらい	O E E	6.	Soil/Sec Oil (High Walana		<b>6.</b>	Ice or Other	£ 4
STAR LA	AVE CA	NA/	燮			PA :=	الشا⊼.					TelA		-	7200		Waste (High or Other <i>(</i> \$	ıly)	ļ ;	(Spec Colum	
ity, State		Spill ID		PRP ST		RI:		1016	15				(1/圣学,	and a	47	8.	Otner (S in Colum	specity nn A)	]} N.	. Not . prese	rved
Wernes,	TX*/>			FED		ESI E	NE N	VPLD	TEATT	MΒ	736	MEle		25	S.H.O	· ·	···	_ <del></del> ,	<u> </u>		_1_
CLP	A B Matrix Conc	C Sample P	D reser	RAS A	L a Sig ∖nalysis	1	\$ 4 A	leglor	iai Spec ng Numi	iio		G Stati	on som	E	H Mo/Day/		Corresp	onding	Sample	Fie	d OC
Numbers	(from Low) Box 6) Med High	Compu	rative (from sox 7)	44	B) Hig	Mil.	d C	rackir or Tag	ng:Numl Numbe	er we		Locat denti	ion # 75 fier 8	1 2 3	ear/Time Sample :	! I	CLP Inc Sampl	organic le No.	Initials	B-Bar	alifier S-8000
	ther a	ساه داد	ther:	BNA	ARC	4 ° ~ `	. <u></u>						3.8	C	ollection			,	(	PE - P	S = 8phe Jupicate Pinsale r Home Bell L QC Sample
	5 Lon	GEAR S	5		<b>V</b>	# 5/#=	-017	:24	925	2		SE	93.6	Wial	36 15	30	MFGF	261	WN		8
E792	5 100	60AB	4	γĺγĺ	x 4:	0/54	AIT	279	1230	DU		SEF	is.	77			MEGA		WN	2.5	*
2/1/2	SLOW	GRAR	5 >	CX	V 5	6	017	282		18	44	SEX.3	16	<del>, , , , , , , , , , , , , , , , , , , </del>			MFGP		WN	. <u>.</u>	4
E202	5 · 100	GRAIS .	5-1	xX	X	2 7 E	OF T	<b>7</b> 5′	5 mm / E	<b>4</b>	D143 *	SE***	20:	10/2	1964	:30	MFGB	62_	WN		4
E203	5. Low	COMP	5_	ΣX	X	6	<u>017</u>	36	1756	4334	海營 1	SE-	2	10/23	77.		MF6F		WN		1_
<b>67.97</b>			<u>5                                     </u>	K	1 - Apr (	6	-016	(55	<i>0:</i> –₹	7/4/		M'ER-	031	0/23	2.1		MFGF	260		R.	
EV92		<del></del>	<u>5 1</u>	( ( )		6	-0 <i>16</i>	65	7-5	277 W		#F.GC	22.4		<u>19619:</u>				אש	$B_{\perp}$	- 74 ·
EZUZ	3 100	COMP C	<u>5- )</u>	\   X,	<u>^ 3</u> 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	<b>اع)</b> الارداد	-OI 1	/ <u>35</u>	<u> </u>	OF S		数ととこ	2 <i>0</i> %。	0/23/	<u>7617-</u>	<u>ال3</u>	MIFGP	<b>6</b> -4	WN		3 3 11 d
211			<u> </u>	5 g	10 N 1	V. 5	<u> </u>	SOLE CO						34 3 1	7. %		<del>-</del>		-	<del> </del>	<u> </u>
hipment for Ca	se 🧆 .	age	Sample	e(s) to	be Used	for La	borator	y QC		Addit	onal Sa	mpler Sig	natures		255	1	Chain of C	Custody S	Seal Num	ber(s)	
omplete? (Ø)	" 1	of 📗				* 1								* 11 5	전 16 전 15						
REAL PROPERTY.	I	17 25	1	10 Hz	14 H	1244	. 19 <b></b>					RECORD			द्ग						. 4
lelinquished by	r: (Signature		Date	/ Time	, ∣Re	ceived	l by:≝(S	ignate	ure) (4.4 vi		Heling	ished by	: (Signa	aturė)	S D	ate / "	i iwe	Received	roy:(Sig	nature	事
Mindrell (	ed to	70	124/90	8.	o M	3.4				拼稿					<u>č</u>  :	$\perp$					<u>. R</u>
elinguished by	r. (Signature	4	Date	/Time	Re	celved	by: सुंS	ignati MC	ure) : 13		Reling	uished by	(Signi	ature)	a D	ate / `	Time	Received	l by: (Sig	nature	ない。
elinquisted by	r. (Signature	<u> </u>	Date	/ Time	Re (S	ceived	for Lat	orato	ry by:		D	le /, Time	R			ody se	al intact	Y/N/no	ne	ā š	***

SEE REVERSE FOR ADDITIONAL STANDARD INSTRUCTIONS SEE REVERSE FOR PURPOSE CODE DEFINITIONS 365580

	olect Cod			nt Code	tates Erri Contract	* <u> </u>		)- Kr	47 - Ağı	***			1000	(Foi <sub>s</sub> Oi	ganic C	stody LP Ana	lysis)				25	093	3	
			AGOOD	ni Code		2. Regi	ON 191	red a	-	CC.		10/	241	2.81	amera IRRO	ENE	έx	DR€	SS	+ $a$	latrix Enter n Colum	n Al	(E	eservativ inter in Diumn Di
Region	onal Inton	nation		ध्यात्र ेश्व	9 i i	ample UES	90		erf	γ.		84 Airbi	ll Numb	er4	09	9.84	44	A 40		1 2	. Surlac . Ground	e Water d Water	1. 2.	HC1
Non-	Superfun	i Progr	am		:L	ample	2	<u> </u>	وننة	) ***	1 Š	A Commence	hlp Tog		<b>366</b>	riginal distribution of the second se	35	S S S		5	. Leacha Field C . Soil/Se	C ediment	4.	NaHSO4 H2SO4 ice only
FI =:35	Varne :			i.	i i	. Purp	058	$\Box$	Action CLEM	Floor	Priem)	¥	600	SI	CON	DR			273		. Oil (Hi . Waste . High (	gh only)	6.	Other (Specify Column
City,	AR L			AUA Dilliq	╙	PRI PRI ST FEI	:		REM RI: 3 SI: 4 ESI		RD RA O&M					iglic ier		<b>27</b>	709:	8	. Other	(Specify umn A)	. N.	Not preserv
1045	ABEHE	A	B Conc.	C	D	1,72	Ε	alysis	2 a =			DF Sparsping Nu				G G Station		## 7	∴ H Mo/Da	9 5 9 15 W	Corres	ponding	J Sample	K Field C
Nu B	mm : sx	(from Box 6)	LOW!	Type: Comp. Grab	vative (from Box 7	<u> </u>	10	High	2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	T Bun	Track or Ta	ing Nu g Num	Imber ibers			ocation dentifier	e Surce	) F Y	ear/Tir Sampl offecti	ne: e⊰	CLP I	norganic ple No.	Initials	
FFY	<b>3</b> 587	5	Low	GRAB	5	烒	۱X ۱۳	110)		-016	912	241	80	3446	SE	6° 0	P 4	10/23	196	11:40	MFGP	50	mc	Ndia CiC
EE)	196	51		- 2 #4 .	5	Ž,	×χ	· 50 1	60	016	68	338	?&®		36	é Yo:			3)96	idžio	MF6F	<u>53</u>	WN	7 -
E		5		GRAP			dx	7	6-	016	68		2	nasa ana	SE	A	100 A		196		MF6 <sup>3</sup>	D#	WN	
FEY	91	<u>5</u> ``		GRAB	5	X )	ЦX	83		016	685	7.9	2.4		a real size the	<i>₹06</i>		1003		0:40	# . <del>*</del>	- 4: 0	WN	
FE	24 357	5.		GRAB		<del>1 ' Y</del>	X	4 3 7	<u>* 6</u> -	016	675	334	800			<u>ॅंं</u> टॅंं ?			_		MFGF		WN_	- ja - 35
EEY	388	5	ЮW	<u>Grab</u>	5	X	Ϋ́	-5	6-	016	<u> </u>	<b>公下</b> 人	400	A COLUMN	P C	0.72	179- <b>2</b> 7	<i>0</i> /23		1220	MFGI	<u> </u>	MC	
	4 35	TOTAL T	-1 ×1	1 3	,		<u> </u>	lar:	26 Y.			e e e e e e e e e e e e e e e e e e e			<b>松长</b>	A A CALL	8842) 882	<u> </u>	<u>다.</u> 음.왕				<u>:</u>	7 14
	2 (1)	i i i	1	1 to 1	; ;	-  -	-	5	3 5	3 <u> </u>	<u> 구</u> 글	o far			100.0	Part of		3 10	inga. Fr				i	2. 33 A 薩
	Property of	STATE		1 2	<u> </u>		+	Jr. 2	1 4	<u> </u>	90 pd.	力を収	ALCONO.	STATE OF STREET	<b>被实现</b>	Part in	200	7	<u>ार }ः</u> 45 क्षे				<u>:</u>	5 to 9
	neht for Colete? (Y/			age	Sam	ple(s)	to be	4	l for La	aborat	ony CX		14 A		Sample	r Signa	tures		) <u>(</u>	•	Chain of	Custody 9	eal Num	ber(s)
	8 C = 2	<b>p</b>		. 5 .	12 a		Ţ	. 🤾		i i		CHAI			_	ORD	A3:		Ag işi				<del>-  </del>	
	quished b	y. (Sig	nature	<u> </u>	Da Tobul	Hill	ne .oo		ceive	d by: (	(Signa	ture)			nquishe	d by: (	Signal	ture)	7	Date	Time	Received	by: (Sig	nature)
	quished b	y. (Sig	nature K	1 2		te / Tir		_	ceived	d by:	(Signa	tùre)				d by: (	Signal	ture)	11863	Date	Time	Received	by: (Sig	nature) ¿
Relin	dushed b	y: ( <i>Sl</i> g	naturė	<u>'</u>	. Da	te / Tir	ne	Re (Si	ceived	d for L	aborat	ory by			Date /	Time	Rei	marks	ls cı	stody	seal intac	? Y/N/noi	1 <del>0</del>	ã / S
DISTRI	BUTION:	Blue	- Regio	n Copy				Pini	k - CLA	ASS Co	РУ		1.15		EPA For	m 9110-	2					HTIONAL SI		

中 一般有名

			ganic Traffic Report c	ase No.	
<b>PEPA</b>	United States Environmental Prot Contract Laboratory Pro	gram & Ch	ain of Custody Record or Organic CLP Analysis)	2509	3
	- VI		AIRBORNE EXPRESS	. Matrix (Enter in Column A)	7. Preservativ (Enter in Scotumn D)
Regional Information		Nawer 732 862	1076	1. Surface Water 2. Ground Water 13. Leachate	1. HCI 2. HNO3 1 3. NaHSO4
Non-Superfund Program	Sampler Signa 3. Purpose	200MP	<b>经有效的证据的证据的</b>	4. Field QC 5. Soil/Sediment 6. Oil (High only)	4. H2SO4 9 5. Ice only 6. Other
STAR LAKE CA	Spill ID ST	REM RD3		7. Waste (High only) 8. Other (Specify in Column A)	(Specify Column N. Not preserve
CLP Matrix Conc Sample (from Box 6) Mer	Sample Preser RAS Analy Type: vative Comp. (from Grab Box 7)	SOOD STREET BOOKS TO THE	Signation by Collection Collection	Corresponding CLP Inorganic Sample No.	J K Sampler Field Q Initials Qualifie  B = Blank . S = D = Ouglicy T R = Plance PE = Personn.
Estate Service	GRAB 5 XX	TOX 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	D - FR 03 - White 19:2	5 FEY97	WW R
FEY 83: 5 LOW	GRAB 5 XXX	- 2-016907250	#\$E=10** 0/23/96 18:0		WN .
EEN.85 5 LOW		6-016939	THE RESIDENCE PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PART	5 MFGP48	WN
FRYTT HEW	GEAR ST XX	- 16 01609351	ER-03 10/23/96/19:	S MFGP60	WN R
81		5 5 8 4 2 9 3	MER MAN WE	S MFGF60	WV R
ACTION SEC	11 (美) (				1 1 N
		# 8			
Shipment for Case Complete? ((V/N)	Page Sample(s) to be L	Jsed for Laboratory QC ( Ad	Jitlone Sampler Signatures	Chain of Custody S	eal Number(s)
<b>化压制的</b>	13 34 101	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USTODY RECORD		(0)
Relinguished by: (Signatu	76)   Date / Time	Received by: (Signature)	Relinquished by: (Signature) Da	te / Time Received	by: (Signature)
Relinquished by: (Signatur		Received by: (Signature)			by: (Signature)
Relinguished by: (Signatur	re) Date / Time	Received for Laboratory by:	Remarks Is custo	dy seal intact? Y/N/non	9 383

14	rojec	Code	0	Accou	Int Cod	e .	_	egior	No	San	pling	Co,	***		4 D:	ite Si	nippe	Cai			E F	Žn.	~ S S		Matrix (Enter				reserv	
Re	gloneal	Inform	ation		0.100g	#	Sam DÉ	pler	1	A	HEL				YES	Nur 76	nber 2	開		0.0	· ・	FI Constitution of the con	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	221.0	in Col 1. Sur 2. Gro	face und	Water Water	1. 2.	olumn HCI HNO3	3 ?
Sh X	Name State		ķe	CH	Spill ID	92	3. P.	inpos	κÜ	X.	dion 22		<b>가</b> 가 그 C	Sö ID3 A	Sec. 18 4. 18. 95		10 To	が見る。		を記録	は、大きのでは、	PA		Topografia	6. Oil 7. Was (Hig 8. Oth	id Q: t/Se: (Hig ste gh o er (:		5. 6.	NaHS H2SO Ice or Other (Spec Colur Not presc	04 nly r cify mn
	CLP Sampl tumbe (from labels	e ir <b>š</b> į	A fatrix (rom lox 6)	B Conc. Low Med High	Type Comp	Die Pres vation (fro Box	er i	T	8	ysis High only ARO TOX		#10#	JAN TI	egion ackir r Jag	F P al Sp tg Nu	ecilic imber	被			G Statio Locati Identif	n t	meur	Mo/ Year Sar Colle	Day/ Day/ /Time inple X sction	CL	.P In	l ponding lorganic ble No.	J Sample Initials		sali
F	riy c	5	Ч,		Gra		Ž	X	X	21	6	-0	6	6:41	3		<u>)</u>		Virginia -	(EQ	14.44	19/	7 4	f:a	ן אין	<b>6</b> 6	P58	ML	P	
FI	37.	18.	4	Low		<del></del>	<u> </u>  X	(	1	.00 (s) 	-	0	35	-53	4	36			€F(	C C		10/.		<u> 1:13</u>				ML	<u>* 13</u>	<u>.</u>
E	<u> </u>	<u> </u>	<u>ئ</u> ۔	Low	Gral		X	X	X.	72 400	-	Ól	66	**5 <u>4</u>		(5), (6)	1000	***	<u>作)に</u> ※とき	A C		10/2	<u> </u>	िलिना			P 55	04		_
	: 7 <u>4 7</u>	747	<u>5</u>	אסע הייטק	604			X	×	8 2	100 1	01 01	/ C	<u>- 63</u>		12.		No.	#St		<u>}</u>	-1-7-	796	<u> </u>	<del></del>		956 957	04	┼	<u>.</u>
L'E	7:4	14	u П	4w	Graf	<del>`                                    </del>	╗	<b>X</b>	<b> </b>	1 4 4 1 4 4	6	, A	11	H										1620		70	<u> </u>	0#	0	12.
	<b>1</b> 24	n.		ξü:	13	-	^		- 1	65	g \$		F.		O.				_				775	,	TAC	. <del>(</del> )	<u></u>	1 10.		<u>.</u>
$\overline{}$	Š.			्र च	1		ì			37	3		3	1,20	3.4		4/5				TO STATE OF		8						- 1. M	. 1
376	が	<b>3</b>	346		13	<b>a</b> 3		. 3	6.7	- <del></del>	2	9.19	¥1	1	1			数					, <u>y</u> ,					ŧ	2) 5	, <u>.</u> .
渔	<b>1</b>	Ä,	极	Te .		<b>;</b>				i U	บ		(1) (1)	将其	4						A de	<b>j</b> (1)	33	λ				1	3.3	3
/ 接	pment nplete	1	-	<u>.</u>	age of 1	ု Sa ့် ါ	mple(	s) to	be t	Jsed			3)				M	W		U	nature	[il.	ď	<u> </u>	Chai	n of (	Custody S	Seal Nun	rber(s)	1000
_					. l ; .	2	1	3. 1	<u> </u>	l D				., .,									, , , , , , , , , , , , , , , , , , ,	F -	a / To-		Deschio	d h /61		
	inquis ///	136		lul.	100	iolz	late /	. 1	تورید	7	PALICE CO.	u by:	, S	gnatu				TO TO	Juisil P		(Sign	aiure K	busing (	, Da	le / Time	•	Received		նայն <u>ա</u> գ	1
Flei	inquis	red by	(Sig	nature	<b>"</b> 計		ate /				eive	d by:	(SI	gnali	ire) #			Relin	qúlsh	ed by	(Sign	ature	) 5	Da	e / Time	•	Received	d by: (Si	gneture	138.63
Ref	induisi	ned by	(Sig	nature	7 8	\$ D	ate /	Time		Rec (Sig	eive Inatu	d for	Leb	orato	ry by				ale/	(Time)	F	emar lemar	ks Tis	custoo	ly seal in	ntact	? Y/N/no	NO.	891	-

#1 7 (b) 1 (b)

A 3 40 M	Martin Charles of the contract		- 1 10 2 (n) A (n)	<b>(19) (19) (19) (19) (19) (19) (19) (19) </b>		•
	@EDA	United States Environmental Prote	oction Agency Org		ase No.	
<b>B</b> 1	YEFA	Contract Laboratory Prog	mem CIDA III COLON	niof Custody Record	2509	ζ
	1: Project Code Account	t Code 2. Region No.	Sampling Co. 44 Date Shippe	d Cambra surveys	. Matrix	7. Preservative
	ar interest	6	一つとこの説を	A Tobolica (Rypiess)	(Enter ⊊in Column A)	(Enter in Act
	Regional Information	Sampler (Nam	一名 うぶっき 医乳腺液溶 は砂砂砂砂砂砂砂	2 19 19 19 19 19 19 19 19 19 19 19 19 19	1. Surface Water	1. HCI
				CHH5-0472	2. Ground Water 3. Leachate	2. HNO3 3. NaHSO4
E	Non-Superfund Program	Sampler Signa	H ond who is ship to	Marical Color of the Color of t	4. Field QC 5. Soil/Sediment	4. H2SO4 5. Ice only
8	Ste Name in the State of the	3. Purpose	CLEM Action	OC Still Con Drive	6. Oil (High only)	6. Other
	Shirlike Cane	f ilLead ##		EMPER TREE LEVE	∆7. Waste ;;; (High only)	(Specify in Column D)
	City, State	I IPAP 121	RATT	2 4 30709	8. Other (Specify in Column A)	N. Not a
	Virtrales 14	, FED FED	ESI E NPLD ATTNES	HINDICKER ESTESSION	<u> </u>	
	CLP Matrix Conc. S	C D E		Station B G Mo/Day/	( Corresponding	Sampler Field QC
	Sample M (from Low!)	Type: vative	ligh 5 / 4 = Trackling Number	Gocation System Sample	CLP Inorganic Sample No.	Initials Qualifier
		Grab   Box 7) [중 [좆 [또]]	only RO/	Collection	Salitpie WO.	G=Ouplant
· LA.	20 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A	Cat a	LOX 3. SECTION	TO THE RESIDENCE OF THE PARTY O		PE = Partorn, Ball — = Not a QC Surrefu
2.	<del></del>	<del>~, ~~   ~   ~   ~   ~   ~   ~   ~  </del>	6-017677 90		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	10 廿 13 8 * *
		GAS ST XXX	617593E2716	15 DE 13 1 144		101
		Crab ST X X X	6-61695 EASH	\$P\$一次第一个中华的一个	2 MFGP 44	DH O(FEYS
e e		Corret 5 XX	- 6 UTC6 16 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	Communication of the party of t		<b>A</b>
		<del>[21.1(31   2   1   1   1   1   1   1   1   1   </del>	6-616647-200		0 mF6P59	OH Ra
	1.6 32 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 5 5 5				- <b>4</b>
<b>A</b>	<b>変更が多数</b>	!				<u> </u>
15	Controlled the State of the Control	13 1		Committee of the	<del></del>	1 2278 34
	A PROPERTY OF THE PROPERTY OF				<del>_</del>	
S	Shipment for Case	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	An a 14th or and metabolic states and stream throughout	onal Samitten Signatures	Chain of Custody S	cal Number(s)
	Complete? (YD)	Sample(s) to be U	The second secon	#10#7790#7 / PENDENT	l committee costoby c	1
		0.	CHAIN OF CUS	TONVESCORD		
	Relinquished by: (Signature)		Received by: (Signature)		te / Time Received	by: (Signature)
		[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]	5 9 2		4 1	
	Markett Letter	- 10/22/94 5:45	Received by: (Signature)	Boll (sullabed by (Standard)	te / Time Received	by: (Signature)
	Relimpuished by: (Signature)	Date / Time	Heceived by: (Signature)	relinquisited by (Cignature)	I I I I I I I I I I I I I I I I I I I	by. (Signature)
	<b>43133</b> (371) 6 1	[秦] [[秦] [[秦]]	100 TO 10			3.8° 自
	Relinitalished by: (Signature)	Date /:Time	Received for Laboratory by (Signature)	Date/Alime	dy seal intact? Y/N/nor	10
			p e			
1-	DISTRIBUTION: Blue - Region	n Copy	Pink - CLASS Copy	EPA Form 9110-2 SEE REVE	ISE FOR ADDITIONAL ST	ANDARD INSTRUCTIONS
		Copy for Return to Region	Yellow - Lab Copy for Return to CLASS		ISE FOR PURPOSE COD	E DEFINITIONS
•	: :		; ·	7. W. 4	•	370210

#### U.S. EPA - CLP

		v.s.	EPA - CLP		
		INORGANIC A	1 ANALYSES DATA S	SHEET	EPA SAMPLE NO.
ab Name: ANAL	YTICAL RESO	URCES INC.	Contract: 68	3-D5-013	MFGP56
	. –	<del></del>			
ab Code: ARI_	Ca	se No.: 25	093_ SAS No.	·	SDG No.: MFGP4
atrix (soil/w	ater): SOIL			Lab Sam	ple ID: 5368E
evel (low/med	l): LOW_	<del>-</del>		Date Re	ceived: 10/23/96
Solids:	_73.	5			
Co	ncentration	Units (ug,	/L or mg/kg dry	y weight	): MG/KG
	1		1	· · · · · · · · · · · · · · · · · · ·	<del>-                                    </del>
	CAS No.	Analyte	Concentration	c Q	м
	7400 00 5	37	1.550	-	-  <del>-</del> -
	7429-90-5		1650 13.3	<sub>U</sub>	
	7440-36-0	Antimony_ Arsenic	0.75		- -
	7440-38-2 7440-39-3	Barium	9.8		-  <del>-</del> -
	7440-41-7	Beryllium			P P
	7440-43-9	Cadmium_	0.53		- 5-
	7440-70-2	Calcium	204		P P P P P P P P P P P P P P P P P P P
	7440-47-3	Chromium	3.2		-[5-]
		Cobalt	1.4	=	- 5-
	7440-48-4		2.7	=	- 5-
	7439-89-6	Copper	1740		- 5-
	7439-92-1	Lead	12.0		- F-
	7439-95-4	Magnesium		=	-   F-
	7439-96-5	Manganese			-  p-
	7439-97-6	Mercury	0.07	[;;]	- cv
•	7440-02-0	Nickel -	3.0		
	7440-09-7	Potassium			P P P P P P P P P P P P P P P P P P P
		Selenium_	0.27		~
	7440-22-4	Silver	0.80		- 5-
	7440-23-5		1100		-   F-   -   P-   -   P-
	1	1	0.27		
	7440-28-0	Thallium_  Vanadium	3.9	\$	- F-
	7440-66-6	Zinc	8.9	*	- p-
	/440-00-6	Cyanide_	0.34		- CĀ
		Cyamide_	0.34		-   CA
olor Before:	BROWN	Clari	ty Before:		Texture: FINI
olor After:	GREEN	Clari	ty After: CLO	UDY	Artifacts:
omments:					
				<u> </u>	<del> </del>
·	· ·········· -				
				77720	
<del></del>			<u> </u>		_ <del></del>

FORM I - IN

ILM04.0

000020

# U.S. EPA - CLP

	1		
INORGANIC	ANALYSES	DATA	SHEET

EPA	SAMPLE	NΩ

	INORGANIC ANALYSES DATA	SHEET	
Lab Name: ANALYTICAL	RESOURCES INC. Contract: 6	8-D5-0134	MFGP56
ab Code: ARI	Case No.: 25093 SAS No.		SDG No.: MFGP43
_Matrix (soil/water):	soil_	Lab Sample	D: 5368E
<pre>Jevel (low/med):</pre>	LOW	Date Recei	ived: 10/23/96
−% Solids:	_73.5		
Concentr	etion Unite (wa/L or ma/ka dr	v weight).	MG/KG

	CAS No.	Analyte	Concentration	С	Q	М	
	7429-90-5	Aluminum	1650	-		P :	
	7440-36-0	Antimony	13.3	ַ טֿן	<u> </u>	₽_	
ĺ	7440-38-2	Arsenic	0.75	В		F-	
	7440-39-3	Barium	9.8	В		₽_	
	7440-41-7	Beryllium	0.27	ប		P_	
i	7440-43-9	Cadmium	0.53	ָט	<del></del> !	P_	
	7440-70-2	Calcium	204	В		P_	l
		Chromium	3.2			P_	
	7440-48-4	Cobalt	1.4	B		P_	
	7440-50-8	Copper	2.7	В		P_	ı
	7439-89-6	Iron —	1740			P	ı
	7439-92-1	Lead	12.0	-		F	ı
	7439-95-4	Magnesium	490	B		P_	
	7439-96-5	Manganese	18.0			P_	ı
	7439-97-6	Mercury	0.07	บิ		c⊽	ı
	7440-02-0	Nickel	3.0	В		P	ł
	7440-09-7	Potassium	228	В	<del></del>	P_	ŀ
	7782-49-2	Selenium	0.27	ָּט	N	F <sup>-</sup>	
	7440-22-4	Silver	0.80	U		P	
ĺ	7440-23-5	Sodium	1100	В	<del></del>	P	ŀ
	7440-28-0	Thallium	0.27	U		F	
	7440-62-2	Vanadium	3.9	B		P_	
	7440-66-6	Zinc	8.9			p_	ļ
		Cyanide	0.34	บิ		CĀ	l
			<del></del>				
		·		. —	• ———	_	

Col	or	Before:	BROWN	Clarity	Before:	<del></del>	Texture:	FINE_
ole	or	After:	GREEN	Clarity	After:	CLOUDY	Artifacts:	
—om	meı	nts:						
		~						
<b>-</b> .				- <del></del> -				<del></del>

FORM I - IN

ILM04.0

000020



## **UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

# REGION 6 HOUSTON BRANCH 10625 FALLSTONE RD. HOUSTON, TEXAS 77099

## **MEMORANDUM**

Date:	12-11-1996
-------	------------

Subject: Contract Laboratory Program Data Review

From: Melvin L. Ritter, ESAT RPO, 6MD-HC

To: B. Canellas , 6SF-RA

Site: <u>STAR LAKE CANAL</u>

Case#: <u>25093</u>

SDG#: <u>FE-Y80</u>

The EPA Region 6 Houston Branch ESAT data validation team has completed a review of the submitted Contract Laboratory Program (CLP) data package for the referenced site. The samples analyzed and reviewed are detailed in the attached Regional data review and assessment report for this case.

The data package was found to be:

- ( ) Acceptable: No major problems with data package.
- (X) Provisional: Use of data requires caution.
  Data is acceptable for Regional use. Problems are noted in the review report.
- ( ) Unacceptable: Some or all of data should not be used. Problems are noted in the review report.


Questions regarding the data review report can be addressed to me.

Attachments

cc: R. Flores, Region 6 CLP/TPO

M. El-feky, Region 6 Data Coordinator

Files (2)



## LOCKHEED MARTIN SERVICES GROUP 10101 SOUTHWEST FREEWAY, SUITE 500 HOUSTON, TX 77074

#### MEMORANDUM

DATE: December 4, 1996

TO: Dr. Melvin Ritter, ESAT RPO, Region VI

FROM: Dr. Tom C.H. Chiang, ESAT ETM, Region VI

SUBJECT: CLP Data Review

REF: TDF # 6-7063A ESAT # 0-1768

Attached is the data review summary for Case # 25093 SDG # FEY80

Site Star Lake Canal

 $\mathcal{F}_{\bullet} \circ \gamma = \gamma$ 

#### COMMENTS:

I. CONTRACTUAL ASSESSMENT OF THE DATA PACKAGE

The data package contained the following contractual non-compliance as determined by hard copy data review and CCS audit.

The laboratory extracted the following 13 Pest/PCB samples 1 day past the contractual holding time limit (OLM03.0, page D-20/PEST, Section 8.4.1):

FE-Y77, FE-Y82, FE-Y83, FE-Y84, FE-Y85, FE-Y86, FE-Y87, FE-Y88, FE-Y90, FE-Y91, FE-Z01, FE-Z02, and FE-Z03.

This deficiency did not affect sample results.

II. TECHNICAL USABILITY ASSESSMENT OF THE DATA PACKAGE

The total number of results reviewed was 2,375 for this data package. The data package is technically provisional because of the following significant technical problems.

- 1. One BNA sample had a low internal standard response.
- The laboratory was unable to completely resolve benzo(b) fluoranthene and benzo(k) fluoranthene in one BNA sample.
- 3. Acetone results for 17 VOA samples were qualified because of a calibration problem.

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 6

# HOUSTON BRANCH

# 10625 FALLSTONE ROAD HOUSTON, TEXAS 77099

### ORGANIC REGIONAL DATA ASSESSMENT

SDG# SOW#RAS_	COMPU 68-D5-0004	NO. MAT	OF SAMPLE TRIX	NOT ESD) MEWalla	19 Oil
SAMPLE NO.	FE-Y80 FE-Y81 FE-Y82	FE-Y83 FE-Y84 FE-Y85 FE-Y86	FE-Y87 FE-Y88 FE-Y89 FE-Y90	FE-Y92 FE-Y93 FE-Y94	FE-Z02
3. CALIBRA 4. BLANKS 5. SMC/SUR 6. MATRIX 7. OTHER Q 8. INTERNA 9. COMPOUN 10. PERFORM	UNE/INSTR. P TIONS ROGATES SPIKE/DUPLIC C L STANDARDS D ID/QUANTIT ANCE/COMPLET	ATE ATION	VOA O M O O O O O M	O N	ST O O O O O O O O O M

- O = Data had no problems.
- M = Data qualified due to major or minor problems.
- Z = Data unacceptable.
- NA = Not applicable.

# ACTION ITEMS: None.

AREA OF CONCERN: VOA Acetone and methylene chloride failed technical %RSD and/or %D calibration criteria. BNA One analyte failed technical minimum RRF criteria. One sample had a low internal standard response. The laboratory was unable to completely resolve benzo(b) fluoranthene and benzo(k) fluoranthene in one sample. Pest/PCB The laboratory extracted 13 samples 1 day past the contractual holding time limit. Two Pest/PCB samples had inconsistent two column quantitation results for several analytes.

NOTABLE PERFORMANCE: The data package was 10 days early.

# COMMENTS/CLARIFICATIONS REGION VI CLP QA REVIEW

CASE 25093 SDG FEY80 SITE Star Lake Canal LAB COMPU

The following is a summary of sample qualifiers used by Region 6 in reporting this CLP data:

No.	<u> Acceptable</u>	Provisional	<u> Unacceptable</u>
VOA	2	17	
BNA	14	5	
PEST	17		

COMMENTS: The case consisted of 19 soil samples for complete RAS organics analysis. The OTR/COC Record designated sample FE-Y89 for MS/MSD analyses and samples FE-Y80/FE-Y81 as a field duplicate pair. The data package arrived 10 days early for the contractual 35-day turnaround time. However, the laboratory extracted 13 Pest/PCB samples one day past the contractual holding time limit.

TCL analytes reported above CRQL's included 2-butanone, xylene, ethylbenzene, PAH's (polynuclear aromatic hydrocarbons), DDT, endrin ketone, aroclor 1254, and blank contaminants acetone and methylene chloride. The laboratory performed a medium level analysis for BNA sample FE-Y84. All VOA and other BNA samples were analyzed at the low level.

BNA Because of high concentrations (up to 210,000 ug/Kg) of PAH's, sample FE-Y84 was analyzed at medium level and low level samples FE-Y77 and FE-Z01 required dilutions. The laboratory reanalyzed sample FE-Y93 because of low internal standard (IS) responses. The reviewer recommends using the reanalysis results because of better overall QC performance. The laboratory was unable to completely resolve benzo(b) fluoranthene and benzo(k) fluoranthene in sample FE-Z01.

Some data are provisional for 17 VOA, 5 BNA, and 2 Pest/PCB samples because of problems with calibration, IS performance, and compound identification and quantitation. The technical usability of all reported sample results is indicated by ESAT's final data qualifiers in the attached Data Summary Table. An Evidence Audit was conducted for the Complete Sample Delivery Group File (CSF), and the Evidence Inventory Checklist is attached to this report.

NOTE: THE FOLLOWING REVIEW NARRATIVE ADDRESSES BOTH CONTRACTUAL AND TECHNICAL ISSUES. THE ASSESSMENT MADE FOR EACH QC PARAMETER IS SOLELY BASED ON THE TECHNICAL DATA USABILITY, WHICH MAY NOT NECESSARILY BE AFFECTED BY CONTRACTUAL PROBLEMS.

1976 - March

CASE 25093 SDG FEY80 SITE Star Lake Canal LAB COMPU

- 1. Holding Times: Acceptable. The laboratory extracted Pest/PCB samples FE-Y77, FE-Y82, FE-Y83, FE-Y84, FE-Y85, FE-Y86, FE-Y87, FE-Y88, FE-Y90, FE-Y91, FE-Z01, FE-Z02, and FE-Z03 one day past the contractual holding time limit. Since the holding time was not excessive, the reviewer did not qualify the results. All other samples met contractual holding time criteria.
- 2. Tuning/Performance: Acceptable. The BFB and DFTPP analyses met ion abundance criteria. All sample analyses met instrument performance guidelines.
- 3. Calibrations: Provisional. TCL compounds met contractual calibration criteria. The reviewer qualified the methylene chloride result in sample FE-Y81 and all acetone concentrations above CRQL's as estimated because these analytes failed technical %RSD and/or %D calibration criteria. The reviewer also qualified the 2,4-dinitrophenol quantitation limits as estimated for 3NA samples FE-Y80, FE-Y81, and FE-Y89 because the analyte failed technical minimum RRF criteria.
- 4. Blanks: Acceptable. The method, storage, and instrument blanks met contractual QC guidelines. The method blanks contained methylene chloride, acetone, naphthalene, phenanthrene, anthracene, delta-BHC, heptachlor, DDE, and endrin below the upper contractual limit. The reviewer recommends that the laboratory "B"-flagged results, except naphthalene in BNA sample FE-Y84, should be considered as undetected (U) because the sample concentrations were less than 10% the associated method blank values. All other laboratory blanks were free of TCL contamination.

Rinsates/Field blank: The following field QC samples are associated with this SDG:

rinsate samples FE-Y95, FE-Y96, and FE-Y97 from SDG FEY95 and rinsate sample FE-W52 from Case/SDG 25013/FEW52; and

field blank samples FE-Y98 and FE-Y99 from SDG FEY95 and field blank sample FE-W53 from Case/SDG 25013/FEW52.

Rinsate sample FE-W53, collected about one month before the samples for this SDG were collected, contained chloroform, 2-butanone, and bis(2-ethylhexyl)phthalate above CRQL's. One or more of the following compounds were detected below CRQL's in the other field QC samples:

CASE 25093 SDG FEY80 SITE Star Lake Canal LAB COMPU

#### 4. Blanks:

Rinsates/Field blank: (continued)

methylene chloride, acetone, bromodichloromethane, phenol, 2-hexanone, diethylphthalate, di-n-butylphthalate, heptachlor, and DDE.

The user is advised to use results for these analytes in the soil samples with caution because of possible field/equipment contamination.

5. System Monitoring Compounds (SMC's)/Surrogates: Acceptable. The SMC and surrogate recoveries generally met QC criteria except as noted below.

BNA Many surrogate recoveries exceeded QC limits for sample FE-Y93. The reviewer recommends using data from the reanalysis, FE-Y93RE, because only one surrogate recovery is outlying. Data qualification is not required. Samples FE-Y84MS/MSD had a high S6 recovery, but the unspiked sample had acceptable surrogate recoveries.

Pest/PCB Sample FE-Y82 had high DCB recoveries on both columns. Result qualification was unnecessary because no TCL analytes were reported above CRQL's in the sample. DCB had high recoveries on one column for samples FF-Y84, FE-Y91, and FE-Z01. Result qualification was not necessary because the second column had acceptable recoveries. The laboratory misreported several other surrogate recoveries, but the reviewer verified that the recoveries were within the advisory QC limits.

6. Matrix Spike/Matrix Spike Duplicate: Acceptable. The MS/MSD results generally met QC criteria for accuracy and recovery, and exceptions are noted below.

Medium Level BNA MS/MSD: Many spike compounds had high MS and/or MSD recoveries, and two analytes also had outlying %RPD's. The high recoveries would only affect results for the spike analytes detected above CRQL's in the native sample FE-Y84, which are acenaphthene and pyrene. These two compounds had high MSD recoveries but acceptable MS recoveries. The reviewer did not qualify results for these two compounds because the outlying MSD recoveries may not be accurate as explained below.

CASE \_25093 SDG \_FEY80. SITE \_\_\_Star Lake Canal \_\_\_ LAB \_COMPU\_

6. Matrix Spike/Matrix Spike Duplicate:

Medium Level BNA Ms/MSD: (continued) The MSD sample contained much higher concentrations of non-spike compounds (up to 8.9% higher) than the native or MS sample, probably attributed to inhomogeneous matrices. This may very well be the case for spike analytes acenaphthene and pyrene. Since the native concentrations used for the MSD recovery calculation were taken from the unspiked sample analysis, which may be substantially lower than the actual concentrations, high biased recoveries were very likely for these two compounds.

# 7. Other QC:

Field Duplicate: Acceptable. Duplicate results were generally consistent.

8. Internal Standards (IS): Provisional. The IS responses met QC criteria except those noted below.

BNA Samples FE-Y93 and FE-Y93RE had low IS6 responses. The reviewer recommends using the reanalysis results because of better overall QC performance. However, the reviewer qualified analyte results associated with IS6 as estimated for sample FE-Y93RE with quantitation limits biased low.

9. Compound Identity/Quantitation: Provisional. Sample spectra met identification criteria for all reported VOA and BNA analytes.

**VOA** The samples contained 2-butanone, xylene, and ethylbenzene, and several blank contaminants above CRQL's.

BNA Sample FE-Y84 was analyzed at medium level and required a dilution (2X) because of high PAH concentrations (up to 210,000 ug/Kg). Samples FE-Y77 and FE-Z01 were also diluted because of high PAH concentrations. The laboratory could not resolve benzo(b) fluoranthene and benzo(k) fluoranthene in sample FE-Z01 and reported the same peak for both isomers. The reviewer qualified benzo(b) fluoranthene and benzo(k) fluoranthene results in sample FF-Z01 as estimated and biased high because of the coelution. The laboratory reported inconsistent concentrations (up to 8.9X difference) for the unspiked analytes in the MSD sample and the unspiked sample of FE-Y84. The reviewer did not qualify any results because the MS analysis confirmed unspiked sample results.

CASE 25093 SDG FEY80 SITE Star Lake Canal LAB COMPU

# 9. Compound Identity/Quantitation:

Pest/PCB The analytes reported above CRQL's were DDT and endrin ketone in sample FE-Y84 and aroclor-1254 in sample FE-Y77. The laboratory also reported aroclor-1254 and pesticides in several samples below the CRQL's. All reported positive results met compound identification criteria, and GC/MS confirmation was not required. The reviewer qualified results as estimated for aroclor 1254 in sample FE-Y77 and DDD and endrin ketone in sample FE-Y84 because the two column quantitation results differed by more than 25%.

The endrin ketone identification is questionable for sample FE-Y84 because of the absence of its commonly co-existing pesticide endrin. The laboratory reported extremely low concentrations (less then one tenth of CRQL's) for many sample analytes. The reviewer raised these unrealistic concentrations to the CRQL's and flagged them as undetected per Region 6 guideline.

- 10. Performance/Completeness: Acceptable. The data package was complete but had some deficiencies. The laboratory was contacted for the necessary resubmissions (see attached Fax Record Log).
- 11. Overall Assessment: Data are acceptable for 2 VOA, 14 BNA, and 17 Pest/PCB samples.

VOA: Some results are provisional for the following samples because of calibration deficiencies:

FE-Y77, FE-Y80, FE-Y81, FE-Y82, FE-Y83, FE-Y84, FE-Y85, FE-Y86, FE-Y87, FE-Y89, FE-Y90, FE-Y92, FE-Y93, FE-Y94, FE-Z01, FE-Z01, and FE-Z03.

BNA: Some results are provisional for samples FE-Y80, FE-Y81, FE-Y89, FE-Y93RE, and FE-Z01 because of problems with IS performance, calibration, compound quantitation.

Pest/PCB: Some results are provisional for samples FE-Y77 and FE-Y84 because of problems with compound identification and quantitation.

## ORGANIC DATA QUALIFIER DEFINITIONS

The following definitions provide brief explanations of the ESAT-Region 6 qualifiers assigned to results in the Data Summary Table.

- U Not detected at reported quantitation limit.
- N Identification is tentative.
- J Estimated value.
- R Unusable.

12 m

- A High biased. Actual concentration may be lower than the concentration reported.
- Low biased. Actual concentration may be higher than the concentration reported.
- F+ A false positive exists.
- F- A false negative exists.

- B This result may be high biased because of laboratory/field contamination. The reported concentration is above 5% or 10% the concentration reported in the method/field blank.
- UJ Estimated quantitation limit.
- T Identification is questionable because of absence of other commonly coexisting pesticides.
- \* Result not recommended for use because of associated QA/QC performance inferior to that from other analysis.

INORGANIC/ORGANIC COMPLETE SDG FILE (CSF) INVENTORY CHECKLIST

PA Lab ID:	СОМРИ		ORIGINALS	YES	NO	N/A
ab Location:	RTP. NC		CUSTODY SEALS			
tegion:	6 Audit No.: 25093/FEY80		Present on package?	x		
e_Submitted C	SF? Yes N	o <u>X</u>	2. Intact upon receipt?	Х		
ox No(s):	ONE		FORM DC-2			
OMMENTS:			3. Numbering scheme accurate?	X		
			4. Are enclosed documents listed?	X		
		•	5. Are listed documents enclosed?	X		
			FORM DC-1			
			6. Present?	X		_
			7. Complete?	X		·
			8. Accurate?	Х		
			CHAIN-OF-CUSTODY RECORD(s)			
			9. Signed?	x		1
	,		10. Dated?	x		
	·	-	TRAFFIC REPORT(s) PACKING LIST(s)			
			11. Signed?	l <sub>x</sub>		
			12. Dated?	x	-	
		•	AIRBILLS/AIRBILL STICKER	<del> </del>	$t^-$	
			13. Present?	X *		
			14. Signed?	х		
	· · ·		15. Dated?	x		
			SAMPLE TAGS		1	
		0	16. Does DC-1 list tags as being included?	x		-
			17. Present?	х		
			OTHER DOCUMENTS	İ		
			18. Complete?	x		
			19. Legible?	Х	1	
		•	20. Original?	†	x	<del>                                     </del>
er for addition	nal comments.		20a.lf "NO", does the copy indicate where original documents are located?	х		
dited by:	Wallace Doons		Wallace Doong / ESAT Data Reviewer	Dat	_	2/03/96
dited by:				Da	te	
dited by:				Dat	te	
	Signature		Printed Name/Title			
		TO BE COM	PLETED BY CEAT			
Date Recyd	by CEAT:		Date Entered: Date Reviewed:			
E	Intered by:				<del></del>	
Re	viewed by:					
	Signature		Printed Name/Title			

Case No.: 25093

SDG:

FEY80

Reviewer:

W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

	FLAG	FLAG_	FLAG	FLAG	FLAG	FLAG_	FLAG
EPA SAMPLE NUMBER:	FE-Y77	FE-Y80	FE-Y81	FE-Y82	FE-Y83	FE-Y84	FE-Yes
hloromethane	28 U	20 U	19 U	20 U	27 U	30 U	24 U
romomethane	28 U	20 U	19 U	20 U	27 U	30 U	24 U
'inyl chloride	28 U	20 U	19 U	20 U	27 U	30 U	24 U
hloroethane	28 U	20 U	19 0	20 U	27 U	30 T	24 V
ethylene chloride	28 U	20 U	23 UJ	20 U	27 U	30 V	24 U
cetone	89 W	79 UJ	130 UJ	96 UJ	60 W	74 UJ	48 W
arbon disulfide	20 U	20 U	19 U	20 U	27 U	30 U	24 U
,1-Dichloroethene	28 U	20 U	19 U	20 U	27 U	30 U	24 U
,1-Dichloroethane [	28 U	20 U	19 U	20 Ų	27 U	30 U	24 U
.2-Dichloroethene {total}	28 0	20 U	19 U	20 U	27 U	30 U	24 U
hloroform	28 U	20 U	19 U	20 U	27 U	30 U	24 U
,2-Dichloroethane	28 U	20 U	19 U	20 U	27 U	30 U	24 U
-Butanone	28 U	20 U	19 U	21	14 J	13 J	24 U
,1,1-Trichloroethane	28 U	20 U	19 0	20 U	27 U	30 U	24 U
arbon tetrachloride	28 U	20 U	19 0	20 U	27 U	30 U	24 U
romodichloromethane	28 V	20 U	19 U	20 U	27 U	30 U	24 U
,2-Dichloropropane	28 V	20_ U	19 U	20 U	ט ל2	30 U	24 U
is-1,3-Dichloropropene	28 T	20 U	19 U	20 U	27 ט	30 U	24 U
richloroethene	28 U	20 U	19 U	20 U	27 U	30 U	24 U
ibromochloromethane	28 U	20 U	19 0	20 U	27 U	30 U	24 U
,1,2-Trichloroethane	28 U	20 U	19 U	20 U	. 27 U	30 U	24 U
enzen <del>a</del>	28 U	20 U	19 U	· 20 U	27 U	30 U	24 U
rans-1,3-Dichloropropene	28 0	20 U	19 0	20 U	27 ប	30 U	24 U
romoform	28 U	20 U	19 U	20 σ	27 U	30 U	24 ਹੈ
-Methyl-2-pentanone	28 U	20 U	′ 19 T	20 0	27 U	30 U	24 U
-Hexanone	28 U	20 U	19 U	20 U	27 0	30 Ū	24 U
etrachlorosthene	28 U	20 U	19 U	20 U	27 ט	30 U	24 U _
,1,2,2-Tetrachloroethane	28 U	20 U	19 U	20 0	27 U	3.0 tf	24 U
oluene	28 U	20 U	19 U	20 U	27 U	7 3	24 U
hlorobenzene	28 U	20 U	19 U	20 U	27 U	30 U	24 U
thylbenzene	8 J	20 U	19 U	20 U	27 U	310	38
tyrene	28 U	20 U	19 U	20 U	27 U	30 Ŭ	24 U
ylenes (total) [	70 J	20 U ,	19 U	20 U	27 U	120	17 J
Sample wt (g):	5.0	\$.0	5.0	5.0	5.0	5.0	5.0
*Moisture:	64	50	48	50	63	67	50
Dilution Factor:	ı	1	1	1	1	1	1
Level:	LOM	LOW	LOW	LOW	LOW	LOW	LOW
•							

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

_	VOLATILES		_FLAG_		_FLAG_		FLAG_		_FLAG_		FLAG		_flag_		PLAG
_	EPA SAMPLE NUMBER:	FE-Y86		FE-Y07		FE-Y88		FE-Y69		FE-Y90		FE-Y91		FE-Y92	
Ct	loromethane	19	Ų.	28	Ū	34		16		15		16		24	U
Br	romomethane	19	U	28	U	34	Ü	16	a	15	ប	16	ŭ	24	U
Vi	inyl chloride	19	U	20	ט	34	U	16	Ū	15	Ü	16	ŭ	24	ט
-	loroethame	   19	71	26	n	34	11	16	n	15	11	16	n	24	73
	thylene chloride	19		28	-	34	-	16	-	15	-	16	-	24	_
	etone		w	•	UJ	34			ΰJ		UJ	16	_		w
	!			28	••	34	**	16	**	15		16		24	
	rbon disulfide	19   19	-	28	-	34	_	16	_	15	_	16			ซ
	1-Dichloroethene			28	-	34	_	16	-	15	_	16	_	24	
1.	1-Dichloroethane	19 	U	28	U	34	٠	10	Ū	15		10	u	24	·
	2-Dichloroethene (total)	19		28	-	34	_	16	_	15	-	16	-	24	-
	loroform	19	-	28	-	34	-	16	_	15	-	16	-		U
1,	2-Dichloroethane	19	U	26	Ü	34	U	16	σ	15	Ų	16	U	24	Ū
2 -	Butanone	19	Ū	28	U	34	-	16	U	15	U	16	υ	24	ט
1.	1.1-Trichloroethane	19	U	28	υ	34	υ	16	ซ	15	ט	16	υ	24	Ū
Ca	rbon tetrachloride	19	Ų	28	ט	34	U	16	Ü	15	Ü	16	Ū	24	Ü
Br	omodichloromethane	19	σ	28	ט	34	ט	16	Ü	15	U	16	ŭ	24	U
	2-Dichloropropane	19			Ū	34		16	Ü	15		16			Ü
	is-1,3-Dichloropropene	19			<b>"</b>	34	U	16	ŭ	15	ט	16	U	24	ŭ
т.	ichloroethene	19	11	28	U	34	TT	16	tī	15	11	16	77	24	U
	ibromochloromethane	19	-		Ü	34		16	_	15	-		ŭ		Ü
	1,2-Trichloroethane	19			ŭ	34	-	16	-	15	-	16			Ü
D.	enzene	   19		28	U	34	п	16	11	15	π.	16	п	24	ũ
	ans-1,3-Dichloropropene		ָ <sub>ט</sub>		Ü	34	-	16	-	15	_		ש		Ü
- B:	comoform .		Ü		ŭ	34	-	16	-	15	_		D.		Ŭ.
		· -	_								•	٠.			
	-Methy1-2-pentanone	19			U	34	_	16	-		ū		Ū		٠.
	Hexanone		U		ŭ	34		16	_	15	-		ט		Ŭ
_ Te	etrachloroethene	19	ŭ	28	ŭ	34	ט	16	U	15	U	16	ŭ	24	<u> </u>
1.	1,2,2-Tetrachloroethane	] 19	U	28	U	34	Ū	16	-	15	ט	16	U	24	U
To	luene	] 19	Ü	28	U	34	ט	16	ט	15	Ü	16	U	24	υ
CI:	nlorobenzene	] 19	ū	28	U	34	Ū	16	ט	15	υ	16	a	24	Ū
Et	hylbenzene	   3	J	28	U	34	U	16	υ	15	σ	16	υ	24	ט
St	rrene	j 19	Ţ	28	Ū	34	ช	16	υ	15	U	16	Ţ	24	U
X	vlenes (total)	19	U	. 28	Ü	34	ū	16	U	15	ū	16	U	24	. ט
•		] [													
	Sample wt (g):	5.0		5.0		5.0		5.0		5.0		5.0		5.0	١
	%Moisture:	48		64		71		36		. 32		38		58	ι
	Dilution Factor:	1		1		1		1		1		1		1	,
	Level:	Low	·	LOW	r	LOW		LOW		LOW		LON	ı	LOW	,
-	Number of TIC's:	i   5		1		0		0		0		o	ı	c	)
		I													

Case No.: 25093

SDG:

FEY80

Reviewer:

W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

VOLATILES	FLAG	FLAG_	FLAG	FLAG	FLAG	FLAG	_FLAG
EPA SAMPLE NUMBER:	FE-Y93	FE-Y94	FE-201	FE-202	FE-203		•
Chloromethane	18 0	14 U	22 U	ט 17	ט 17		
Bromomethane	18 U	14 U	22 Ü	ט לב	17 U		
Vinyl chloride	10 U	14 U	22 U	17 U	ט 17		
Chloroethane	18 U	14 U	22 U	17 ט	17 U		•
Methylene chloride	18 U	14 U	22 U	17 ט	ט 17		
Acetone	56 UJ	83 UJ	91 UJ	49 UJ	36 J		
Carbon disulfide	18 0	14 0	22 U	17 U	17 U		
1,1-Dichloroethene	18 U	14 U	22 U	17 U	17 0		
1,1-Dichloroethane	18 U	14 U	22 U	17 U	ט 17		
1,2-Dichloroethene (total) Chloroform	16 U	14 U 14 U	22 U 22 U	ט 17 17 ט	ט 17 17 ט		
1,2-Dichloroethane	16 U   18 U	14 U	22 U	17 U	17 U		
1,2-Dichioroethane	180	14 0	22 0	170	17.0		
2-Butanone	18 U	14 U	22 U	17 ซ	17 U		
1,1,1-Trichloroethane	18 U	14 0	22 U	17 U	ט 17		
Carbon tetrachloride	18 U	14 U	22 U	17 U	17 U		
Bromodichloromethane	18 U	14 U	22 U	17 0	ט לנ		
1,2-Dichloropropane	18 U	14, U	22 U	17 U	ט 17		
cis-1,3-Dichloropropene	18 U	14 U	22 Ü	17 ט	ט 17		
Trichloroethene	18 U	14 U	22 U	ַ 17 ט	ָ 17 ט		
Dibromochloromethane	18 U	14 U	22 U	17 0	17 U	• •	-
1,1,2-Trichloroethane	18 U	14 U	22 U	17 U	ט לב		
Benzene	18 0	14 U	22 U	17 U	17 U	e de la companya de	
trans-1,3-Dichloropropene	18 U	. 14 U	22 U .	17 U	17 U		
Promoform	18 U	14 U	- 22 U	17.0	17 U	f = f	•
4-Methy1-2-pentanone	18 U	14 U	22 U	ט דב .	17 U		•
2-Hexanone	19 U	14 U	22 U	17 U	17 U	•	•
Tetrachloroethene	18 0	14 U	22 U	17 0	17 U		
1,1,2,2-Tetrachloroethane	18 U	14 U	22 U	17 U	17 U	1	
Toluene	18 U	14 0	22 U	17 U	17 U		
Chlorobenzene	] 16 U 	14 U	22 U	17 U	17 U		_
Ethylbenzene	18 U	14 U	22 U	ט 17	17 U		
Styrene	18 ប	14 U	22 U	17 U	ט 17		
Xylenes (total)	180	14 U ,	18 J	17 U	ט לב		
Sample wt {g}:	5.0	5.0	<b>5</b> .0	5.0	5.0		
· · · · · · · · · · · · · · · · · · ·	İ						
*Moisture:	43 	31	55	40	42		
Dilution Factor:	1	1	1	1	1		
Level:	LOW	LOW	LOW	LOW	LOW		
				_	_		
Number of TIC's:	) 0 	Ó	17	5	C		

Case No.: 25093

SDG:

FEY80

eviewer: W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

SEMIVOLATILES		_FLAG	_	FLAG	<u></u>	FLAG		FLAG_	<del></del> -	FLAG		FLAG.	<del></del>	_FLAG
EPA SAMPLE NUMBER:	FE-Y77		FE-Yeo		FE-Y81		FE-Y82		FE-Y83		PE-Y84	1	E-Y84DL	
·   Phenol	9000	ប	660	υ	630	U	650	σ	890	υ	30000	υ	61000	υ÷
bis(2-Chloroethyl)ether	9000	U	660	U	630	Ų	650	Ü	890	υ	30000	υ	61000	۵÷
2-Chlorophenol	9000		660	υ	630	U	650	ប	890	U	30000	υ	61000	U*
   1,3-Dichlorobenzene	9000	U	660	U	630	U	650	ū	890	υ	30000	U	61000	<b>U</b> +
1,4-Dichlorobenzene	9000	U	660	U	630	U	650	υ	890	U	30000	U	61000	D*
1,2-Dichlorobenzene	9000	ช	660	U	630	U	650	Ü	890	ט	30000	U	61000	U*
2-Methylphenol	9000	U	660	Ţ	630	-	650	-	890	•	30000		61000	
2,2'-0xybis(1-chloropropane)	9000	Ų	660	ט	630	Ü	650	-	890	U	30000	U	61000	
4-Methylphenol	9000	υ	660	U	630	U	650	U	890	U	30000	U	61000	U*
N-Nitroso-di-n-propylamine	9000	υ	660	Ţ	630		650	-	890	-	30000	_	61000	_
Hexachloroethane j	9000	ū	660	ט	630		650	-	890		30000		61000	
Nitrobenzene	9000	ů.	660	υ	630	ט	650	ŭ	890	Ū	30000	U	61000	U*
Isophorone	9000		660		630		650		890		30000		61000	
2-Nitrophenol	9000		660		630		650		890		30000		61000	
2,4-Dimethylphenol	9000	ŭ	660	Ü	630	U	650	U	890	U	30000	U	61000	U*
bis (2-Chloroethoxy) methane	9000		660		630		650		890		30000		61000	
2,4-Dichlorophenol	9000		660		630		650		890		30000		61000	
1,2,4-Trichlorobenzene	9000	U	660	. 0	630	ŭ	650	Ū	890	U	30000	ט	61000	<b>U*</b>
Naphthalene	4600		660		630	-	650	-	590	-	250000		210000	
4-Chloroaniline	9000		660		630		650		890		30000		61000	
Hexachlorobutadiene [	9000	ס	660	Ū	630	U	650	Ū	. 890	U	30000	Ū	61000	U*
4-Chloro-3-methylphenol	9000		660		630		650		890	ט	30000	Ū	61000	,
2-Methylnaphthalene	7200	_	660		630		650	_	2300		84000	_	68000	
Hexachlorocyclopentadiene	9000	U	660	υ	630	U ·	650	U	. 890	U	30000	u	61000	U*
2,4,6-Trichlorophenol	9000		660	_	630		650		890		30000		61000	
2.4.5-Trichlorophenol	23000		1700		1600		1600		2200		76000		150000	
2-Chloronaphthalene	9000	σ	660	U	630	u	650	Ų.	890	u	30000	U	61000	
2-Nitroaniline	23000		1700		1600		1600		2200		76000		150000	
Dimethylphthalate	9000		660		630		650		890		30000		61000	
Acenaphthylene	12000		660	Ü	630	Ų	650	Ų	660	J	25000	J	16000	•
2,6-Dinitrotoluene	9000		660		630		650		890		30000		61000	
3-Nitroaniline	23000		1700		1600		1600		2200	U	76000	Ų	150000	
Acenaphthene	14000		660		630	U	650	U	2700		70000		57000	
2,4-Dinitrophenol	23000		1700		1600		1600	_	2200		76000	-	150000	
4-Nitrophenol	23000		1700		1600		1600		2200	-	76000		150000	
Dibenzofuran	9000	U	660	U	630	U	650	U	890	U	30000	U	61000	0-
2,4-Dimitrotoluene	9000		660		630	-	650		890		30000		61000	
Diethylphthalate	9000		660		630		650 650		890		30000		61000	
4-Chlorophenyl-phenylether	9000	Ü	660	U	630	U	650	U	890	Ū	30000	Ų	61000	) <b>V</b> *
Fluorene	18000		660		630		650		1500		61000		48000	
4-Nitroaniline	23000		1700		1600		1600		2200		76000		150000	
4.6-Dinitro-2-methylphenol	23000	U	1700	U	1600	U	1600	U	2200	U	76000	U	150000	, u-
N-Nitrosodiphenylamine	9000	-	660		630		650		890		30000		61000	
4-Bromophenyl-phenylether	9000		660		630		650		890		30000		61000	
Hexachlorobenzene	9000	ŭ	660	Ü	630	Ų	650	U	890	U	30000	U	61000	) U•
Pentachlorophenol	23000	U	1700	U	1600	U	1600	U	2200	υ	76000	U	150000	U*
Phenanthrene Anthracene	55000 11000		660 660		630 <b>63</b> 0		650 650		2700 \$80		140000 30000		110000	

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOGNG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Xg

semivolatiles		_FLAG_		_FLAG_		_FLAG_		FLAG		_FLAG_		FLAG	<u> </u>	_FLAG
EPA SAMPLE NUMBER:	FE-Y77		FE-YBO		FE-Y81		FE-Y82		FE-Y83		FE-Y84		FE-Y84DL	
Carbazole	9000	υ	660	U	630	ប	650	Ü	890	U	30000	U	61000	U*
Di-n-butylphthalate	9000	υ	660	U	53	J	650	Ü	890	U	30000	U	61000	Q+
Fluoranthene	12000		660	Ü	630	ū	650	ū	760	J	24000	J	18000	•
Pyrene	22000		660	U	630	U	650	_	1400		48000		40000	•
Butylbenzylphthalate	9000	Ū	660	Ü	630	σ	650	υ	690	Ü	30000	U	61000	U+
3,3'-Dichlorobenzidine	9000	U .	660	α	630	U	650	U	690	Ü	30000	ט	61000	U*
Benzo (a) anthracene	5600	J	660	U	630	Ū	650	U	340	J	12000	J	12000	•
Chrysene	5300	J	660	υ	630	ט	650	U	350	J	12000	J	9400	•
bis(2-Ethylhexyl)phthalate	9000	U	130	J	120	J	72	J	110	J	30000	U	61000	U*
Di-n-octylphthalate ]	9000	U	660	บ	630	ŭ	650	ū	890	ŭ	30000	ט	61000	U+
Benzo(b) fluoranthene	2700	J	660	ט	630	U	650	Ü	280	j	6000	J	5600	*
Benzo(k)fluoranthene	3000	J	660	υ	630	U	650	a	240	J	6800	3	6200	•
Benzo(a) pyrene	3900	J	660	U	630	U	650	σ	280	J	9400	J	8000	٠
Indeno(1,2,3-cd)pyrene ;	720	J	660	Ü	630	-	650	-	890	Ü	30000	Ü	61000	Ų*
Dibenz(a,h)anthracene	9000	U	660	ט	630	υ	650	Ō.	890	Ü	30000	U	61000	Û.
Benzo(g,h,i)perylene	860	J	660	Ü	630	U	650	U	890	ŭ	30000	U	61000	U*
Sample wt (g):	30.4		30.0	-	30.3		30.4		30.1		1.0		1.0	
%Moisture:	64		50		48		50		63		67		67	
Dilution Factor:	10		1		1		1		1		1		2	
Level:	LOW		LOW		LOW		LOW		LOW		MED		MED	
Number of TIC's:	30		12		10		3	e, i	31		30	·>	14	

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOONG

Laboratory: COMPU

Matrix: S

SOIL

Units:

ug/Kg

	SEMIVOLATILES		FLAG		_FLAG	FLAC	<b>.</b>	_FLAG	FLAG		FLAG_		FLAG
	epa sample number:	FE-Y8S		FE-Y86		FE-Y87	FE-YB8	FE-	Y89	FE-Y90		FE-Y91	
	Phenol	780	บ	630	a	910 U	1100	י ט	510 U	480	ប	530	ט
	bis(2-Chloroethyl)ether	780		630		910 U	1100		510 U	480	-	530	
	2-Chlorophenol	780		630		910 U	1100		510 U	480	U	530	
_	1.3-Dichlorobenzene	780	U	630	σ	910 U	1100	י ט	510 U	480	U	530	Ü
	1,4-Dichlorobenzene	780		630		910 U	1100	י ט	510 U	480	U	530	Ţ
	1,2-Dichlorobenzene	780	ט	630	Ü	910 U	1100	ט !	510 U	480	υ	530	U
	2-Methylphenol	780	U	630	IJ	910 U	1100	י י	510 U	480	U	530	U
	2,2'-Oxybis(1-chloropropane)	780	U	630	U	910 U	1100	יט פ	510 U	480	U	530	Ţ
	4-Methylphenol	780	U	630	U	910 V	1100	י ט	510 U	480	ŭ	` 530	U
_	N-Nitroso-di-n-propylamine	780	U	630	υ	910 U	1100	י פ	510 U	480	U	530	U
_	Hexachloroethane	780	ט	630	Ų	910 U	1100	υ :	510 U	480	ū	530	Ū
	Nitrobenzene	780	U	630	ū	910 U	1100	Ü !	510 U	480	IJ	530	U
	Isophorone	780	υ	630		910 U	1100	-	510 U	480	_	530	
_	2-Nitrophenol	780	U	630		910 U	1100		510 U	480		530	
	2,4-Dimethylphenol	780	υ	630	Ų	910 U	1100	י ט	510 U	480	U	530	U
	bis(2-Chloroethoxy)methane	780		630		910 U	1100	_	510 U	480	_	530	
_	2,4-Dichlorophenol	780		630		910 U	1100		510 U	480	-	530	_
	1,2,4-Trichlorobenzene	780	Ü	630	U	910 U	1100	υ !	510 T	480	Ū	530	U
	Naphthalene	780		630		910 U	1100		510 U	480	-	530	
_	4-Chloroaniline	780		630	-	910 U	1100		510 D	480		530	
	Hexachlorobutadiene	780	Ū	630	U	910 U	1100	U :	510 U	480	U	530	U
	4-Chloro-3-methylphenol	780	-	630		910 U	1100		510 U	480	_	530 530	
	2-Methylnaphthalene Hexachlorocyclopentadiene	780 780	_	630 630		910 U	1100 1100		510 U 510 U	480 480		530 530	
			•		- '					P4	<b>.</b>		
	2,4,6-Trichlorophenol	780	U	630		910 V	1100		510 U	480		530	
	2,4,5-Trichlorophenol	2000		1600		2300 U	2800		300 U	1200		1300	
	2-Chloronaphthalene	780	Ü	630	U	910 T	1100	י	510 U	480	U	530	U
	2-Nitroaniline	2000		1600		2300 U	2800		300 U	1200		1300	
	Dimethylphthalate	780		630		910 U	1100		510 U	480		530	
	Acenaphthylene	230	J	630	U	910 U	1100	U	510 U	480	U	530	U
	2,6-Dinitrotoluene	760	-	630	_	910 U	1100	-	510 U	480	_	530	
	3-Nitroaniline	2000		1600		2300 U	2800		300 U	1200		1300	
	Acenaphthene	780	U	630	٠.	910 U	1100	U	510 V	400	U	530	U
	2,4-Dimitrophenol	2000	U	1600	U	2300 U	2800	Ŭ 1	300 UJv	1200	U	1300	Ü
	4-Nitrophenol	2000	U	1600	υ	2300 U	2800	U 1	300 U	1200	-	1300	Ü
	Dibenzofuran	780	U	630	IJ	910 U	1100	U	510 U	480	ū	530	U
_	2,4-Dinitrotoluene	780	Ų	630		910 U	1100		510 U	4 B D		530	-
	Diethylphthalate	780	Ų	630		910 U	1100		510 U	480		530	
	4-Chlorophenyl-phenylether	780 	Ü	630	Ü	910 U	1100	U	510 U	480	U	530	U
~-	Fluorene	780		630		910 U	1100		510 U	480		530	
	4-Nitroaniline	2000		1600		2300 U	2800		300 U	1200		1300	
	4,6-Dinitro-2-methylphenol	) 2000 I	Ū	1600	Ū	2300 U	2600	0 1	300 U	1200	U	1300	U
	N-Nitrosodiphenylamine	780		630		910 U	1100		510 U	480		530	
	4-Bromophenyl-phenylether	780		630		910 U	1100		510 U	480		530	
	Hexachlorobenzene	780 	Ų	630	Ū	910 U	1100	IJ	510 U	460	Ü	530	Ū
	Pentachlorophenol	2000		1600		2300 U	2800		300 U	1200		1300	
	Phenanthrene		J	630		910 U	1100		510 U	480		530	
	Anthracene	1 94 	J	630	·	910 U	1100		510 U	480	u	530	U

Case No.: 25093

SDG:

FEY80

Reviewer:

W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

SEMIVOLATILES		FLAG	flag		_FLAG_		_FLAG_		_FLAG_		FLAG_		FLAG
EPA SAMPLE NUMBER:	FE-Y85	FE-Y8	5	FE-Y87		FE-Y88		FE-Y89		FE-Y90		FE-Y91	
Carbazole	780	U 63	o U	910	U	1100	U	510	บ	480	U	530	U
Di-n-butylphthelate	780	υ 63	U	910	-	140	-	510	_	480	•	130	J
Fluoranthene	780	U 63	Ü	910	Q	1100	ט	510	U	480	Ţ	530	U
Pyrene	780	•	ט	910	_	1100	-	510	_	480	-	530	υ
Butylbenzylphthalate	780		o u	910		1100	_	510	_	480		530	
3,3'-Dichlorobenzidine	780	U 63	U	910	U	1100	U	510	ט	480	U	530	ט
Benzo (a) anthracena	780	U 63	ប	910	U	1100		510	v	480	-	530	υ
Chrysene	780	υ 63·	U	910		1100		510	U	480		530	U
bis(2-Ethylhexyl)phthalate	780	U 63	O C	120	J	1100	U .	510	Ŭ	72	J	60	J
Di-n-octylphthalate	780	U 63	o U	910	υ	1100	U	510	-	480	U	530	_
Benzo(b) fluoranthene	780	บ 63	O C	910	Ü	1100	U	510	ū	480	Ü	530	υ
Benzo (k) fluoranthene	780	ປ 63	O U	910	ū	1100	U	510	υ	480	ŭ	530	U
Benzo (a) pyrene	780	υ 63	υo	910	U	1100	U	510	U	480	U	530	υ
Indeno(1,2,3-cd)pyrene	780	U 63	U	910	U	1100		510	-	480	Ų	530	U
Dibenz(a,h)anthracene	780	U 63	0 U	910	IJ	1100	U	510	U	480	ā	530	ū
Benzo(g,h,i)perylene	780	υ <b>63</b>	O U	910	ט	1100	U	510	ប	400	ט	530	Ū
Sample wt (g):	30.2	30	2	30.2		30.4		30.4		30.3		30.3	
*Moisture:	58	4	8	64		71		36		. 32		38	
Dilution Factor:	1		1	. 1		. 1		1		1	4.	. 1	
Level:	FOM	, ro	И	LOW		LOW		TOM		LCW	- 	LOW	A.
Number of TIC's:	2		4	5		14		16	٠.	6		13	

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

	SEMIVOLATILES		_FLAG_		FL	AG	FLAG		FLAG		FLAG_		_FLAG_		FLAG
	EPA SAMPLE NUMBER:	FE-Y92		FE-Y93		FE-Y93RE		FE-Y94		FE-201		FE-202		FE-Z03	
	Phenol	780	•	580	114	580	rt	480	•	2900	**	550		570	.,
	bis (2-Chloroethyl) ether	780		580 580	_	580	_	480	_	2900		550 550	-	570 570	-
	2-Chlorophenol	780		580	-	580		480	_	2900		550		570	-
	1,3-Dichlorobenzene	780	***	580	T?±	580	TŤ	480	rı	2900	rt	550	T3	\$70	17
	1,4-Dichlorobenzene	780		580	-	580		480	-	2900		550		570	
	1,2-Dichlorobenzene	780		580	U*	580	บ	480	Ü	2900	U	550	U	570	
	2-Methylphenol	780	U	580	U*	580	U	480	U	2900	U	550	U	570	α
	2,2'-Oxybis(1-chloropropane)	780	-	580	_	560		480	_	2900		550	-	570	-
	4-Methylphenol	780	Ü	580	U*	580	ט	480	Ü	. 2900	U	550	U	570	U
_	N-Nitroso-di-n-propylamine	780	_	580	-	580	-	480	-	2900	_	550		570	
	Hexachloroethane	780	-	580	-	580		480		2900	-	550	-	570	
	Nitrobenzene	780		580	U*	580	U	480	U	2900	U	550	Ų	570	Ū
	Isophorone	780	υ	580	Ü*	580	υ	480	a	2900	U	550	U	570	ט
	2-Nitrophenol	780	_	580		580		480		2900		550	_	570	_
	2,4-Dimethylphenol	780	Ü	580	U*	580	Ü	480	U	2900	Ü	550	ŭ	570	ט
	bis (2-Chloroethoxy) methane	780		580	-	580		480	_	2900	_	550	-	570	
	2,4-Dichlorophenol   1,2,4-Trichloropenzene	780 780	-	580 580	-	580 580		480 480	-	2900 2900		550	-	570 570	
	1,2,4-Ifichiorobenzene	780	บ	380	۰.	360	•	400	u	2900	U	550		214	U
	Naphthalene	780		580		580	-	480	-	6700		550		570	
_	4-Chloroaniline	780	-	580		580		480		2900		550		570	
	Hexachlorobutadiene	780	Ū	580	U=	580	V	480	U	2900	Ū	550	U	570	Ū
	4-Chloro-3-methylphenol	780		580		500		480		2900		550		570	
	2-Methylnaphthalene Hexachlorocyclopentadiene	780	_	580	_	500 500		480	_	8000	_	550	-		J
<del></del>	nexacniorocyclopencaciene	780	U	580	Ψ-	380	·	48D		2900	U	550		570	٠.
	2,4,6-Trichlorophenol	760		580	_		υ: ·	480	_	2900		550	U	570	U
	2,4,5+Trichlorophenol	2000		1400		1400		1200		7300		1400		1400	
_	2-Chloronaphthalene	780	ס	580	Ü*	580	U	480	Ū	2900	U	550	Ų	. 570	Ū ,
	2-Nitroaniline	2000	U	1400	U+	1400	υ	1200	U	7300	U	1400	U	1400	U
	Dimethylphthalate	780		580		580		480		2900		550		570	
_	Acenaphthylene	780	Ü	580	<b>Ü</b> *	580	U	480	U	7300	U	82	J	98	J
	2,6-Dinitrotoluene	780	_	580		580		480	_	2900	-	550	_	570	
	3-Nitroaniline	2000		1400		1400		1200		7300		1400	_	1400	
	Acenaphthene	780	ū	580	U=,	580	U	480	U	8800	U	550	U	570	Ū
_	2,4-Dinitrophenol	2000	-	1400		1400	-	1200	-	7300	-	1400		1400	
	4-Nitrophenol	2000		1400		1400		1200		7300		1400		1400	
	Dibenzofuran	780	U	580	U*	580	Ū	480	υ	2900	Ū	SSO	υ	570	ט
_	2,4-Dinitrotoluene	780	U	580	U*	580		480	U	. 2900	ប	550	U	570	ŭ
	Diethylphthalate	780		580		580		480		2900		550		570	
	4-Chlorophenyl-phenylether	780	U	580	Ū*	580	U	480	U	2900	Ü	550	U	570	U
_	Fluorene	780	-	580		580		480		9200		550		570	-
	4-Nitroaniline	2000		1400		1400		1200		7300		1400	_	1400	
	4,6-Dinitro-2-methylphenol	2000	U	1400	۳.	1400	J	1200	U	7300	U	1400	Ü	1400	U
	N-Nitrosodiphenylamine	780		580	_	580		480		2900		550		570	
	4-Bromophenyl-phenylether	760	-	580		500		480		2900		550		570	
	Hexachlorobenzene	780	Ų	580	U*	500	U	480	u	2900	U	550	ט	570	U
	Pentachlorophenol	2000		1400		1400		1200		7300		1400		1400	
	Phenanthrene Anthracene	780 780		580		580 580		480		21000		550		570	
	Wirth actif	/80	v	580	٠.	260	,	480	U	5000	U	550	U	570	U

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

	PESTICIDES/PCBs	FLAG	FLAG_	FLAG_	FLAG_	FLAG_	FLAG_	FLAG
	EPA SAMPLE NUMBER:	   FE-Y77	FE-Y80	FE-Y61	FE-Y82	FE-Y83	FE-Y84	FE-Y85
	alpha-BHC	4.7 ਹ	3.4 U	3.2 U	3.4 U	4.6 U	2.9 3	4.0 U
	beta-BHC	4.7 0	3.4 U	3.2 U	3.4 U	4.6 U	2.9 U	4.0 U
	delta-BHC	4.7 0	3.4 U	3.2 U	3.4 U	4.6 U	2.6 J	4.0 U
	3334 234		• • •			•••		
_	gamma-BHC (lindame)	4.7 U	3.4 U	3.2 U	3.4 U	4.6 U	0.67 J	4.0 U
	Heptachlor	4.7 U	3.4 U	3.2 U	3.4 U	4.6 U	5.2 U	4.0 U
	Aldrin	4.7 U	3.4 U	3.2 U	3.4 U	4.6 U	2.4 J	4.0 U
-	Heptachlor epoxide	ט 4.7 ט	3.4 U	3.2 U	3.4 U	0.91 J	5.2 U	4.0 U
	Endosulfan I	4,7 U	3.4 U	3.2 U	3.4 U	4.6 U	5.2 U	4.0 U
	Dieldrin	9.2 U	6.6 U	6.3 U	6.6 U	8.9 U	10 U	7.8 U
_	4,4'-DDE	9.2 Ư	6.6 U	6.3 U	6.6 U	8.9 ℧	10 U	7.8 ប
	Endrin	9.2 ປັ	6.6 U	6.3 U	6.6 Ų	8.9 Ü	10 U	7.8 U
	Endosulfan II	9.2 T	6.6 U	6.3 U	6.6 U	1.1 J	10 U	7.8 U
	4,4'-DDD	9.2 ซ	6.6 U	6.3 U	6.6 U	8.9 U	10 U	7.8 D
	Endosulfan sulfate	9.2 ซ	6.6 U	6.3 U	6.6 U	8.9 U	10 U	7.8 U
	4,4'-DDT	9.2 ប 	6.6 U	6.3 U	6.6 U	8.9 U	20 J	7.8 U
	Methoxychlor	47 U	34 U	32 U	34 U	46 U	52 U	40 U
	Endrin ketone	9.2 0	6.6 U	6.3 U	6.6 U	8.9 U	18 NJ	7.8 U
	Endrin aldehyde	4.0 J	6.6 U	6.3 U	6.6 U	8.9 Ü	10 0	7.8 U
	alpha-Chiordane	2.8 J	3.4 U	3.2 U	3.4 U	4.6 U	5.2 U	4.0 ΰ
_	gamma-Chlordane	4.3 J	3.4 T	3.2 T	3.4 U	1. <b>4</b> J	5.2 U	4.0 U
_	Toxaphene	470 U	340 U	320 U	340 U	460 U	520 U	400 U
	Aroclor-1016	92 U	66 U	63 U	66 U	89 U	200 U	78 U
	Aroclor-1221	190. T	130 U	130 U	130 U	180 U	200 U	160 U
	Aroclor-1232	92 U	66 U	63 U	66 U	89 U	100 U	78 U
	Aroclor-1242	92 <del>U</del>	66 U	63 D	66 U	89 U	100 U	78 U
	Aroclor-1248	92 0	66 U	63 U	66 U	89 U	100 U	78 U
	Aroclor-1254	130 J	66 U	63 U	66 U	89 U	100 U	78 U
	Aroclor-1260	92 U	. 66 U	63 U	66 U	89 U	100 U	78 U
_	Sample wt (g):	30.0	30.1	30.2	30.0	30.0	30.0	30.0
	%Moisture:	64	50	48	50	63	67	58
	Dilution Factor:	1	1 .	1	1	1	1	1
	· · · · · · · · · · · · · · · · · · ·	•						

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

semivolatiles		FLAG_		FLA	.G	FLAG_		_FLAG_	<del></del>	_FLAG_		_FLAG_	<del></del>	FLAG
EPA SAMPLE NUMBER:	FE-Y92		FE-Y93		FE-Y93RE		FE-Y94		FE-Z01		FE-202		FE-203	
arbazole	780	υ	580	U+	580	ប	480	ช	2900	Ų	550	υ	570	י ט
i-n-butylphthalate	780	U	580	U+	580	U	480	U	2900	Ų	120	J		-
luoranthene	37	J	61	•	580	U	480	U	9500	J	550	U	570	U
yrene	60	_	170		94	-	480		11000	_	550	_	570	-
utylbensylphthalate	780	_	590		580		480		2900	_	550	_	570	
,3'-Dichlorobenzidine	780	tr '	580	Ų*	580	U	480	ŭ	2900	U	550	ט	570	ט
enzo (a) anthracene	780	Ü	580	-	580	_	480		4200	-	550	-	570	-
hrysene (	780	U	580	U*	81	-	480		4900		550	*	570	ט
ois (2-Ethylhexyl) phthalate	780	ט	580	U+	80	J	60	J	400	J	220	J	100	J
i-n-octylphthalate	780	ט	580	U*	580	ひジャ	480	-	2900	υ	550	U	570	U
enzo(b) fluoranthene	780	บ	130	*	72	J	480	-	4200	-	550	-	570	_
enzo(k) fluoranthene	780	U	140	•	65	Ĵ	480	υ	4700	J	. 550	ŭ	570	Ū
enzo(a) pyrene	780	ט	580	-	580		480	_	3300	-	550	_	570	-
ndeno(1,2,3-cd)pyrene	780	-	580	-	580		480		720	-	550	_	570	_
ibenz(a,h)anthracene	780	U	580	Ü+	580	IJν	480	υ	2900	U	550	U	570	Ü
enzo(g,h,i)perylene	780	ט	580	U*	500	ひブッ	480	Ū	580	J	550	ŭ	570	ט
Sample wt {g}:	30.2		30.1	-	30.1		30.0		30.3		30.1		30.1	
*Moisture:	58		43		43		31		55		40		42	٠
Dilution Factor:	1		1		1		1		4		1		1	
Level:	LOW		LOW		LOW		LOW		LOW		LON		LOW	
Number of TIC's:	31		30		30		8		: 30		14		11	

For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ESAT Organic Data Qualifiers. The ESAT flags indicate the technical usability of the reported results.

Note:

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

PESTICIDES/PCBs	FLAG	FLAG	FLA	FLAC	FLAG	FLAG	FLAG
EPA SAMPLE NUMBER:	FE-Y86	PE-Y87	FE-Y08	FE-YB9	FE-Y90	FE-Y91	FE-Y92
alpha-BHC	3.3 U	4.7 U	5.9 U	2.6 U	2.5 U	2.7 ช	4.0 U
beta-BHC	3.3 U	4.7 U	5.9 U	2.6 U	2.5 U	2.7 ט	4.0 U
delta-BHC	3.3 ប	4.7 U	5.9 T	2.6 U	2.5 U	2.7 U	4.0 U
gamma-BHC (lindane)	3.3 ប	4.7 U	5.9 U	2.6 U	2.5 0	2.7 U	4.0 U
Heptachlor	3.3 0	4.7 U	5.9 Ü	2.6 U	2.5 U	2.7 ប	4.0 U
Aldrin	3.3 U	4.7 U	5.9 U	2.6 U	2.5 U	2.7 ט	4.0 U
Heptachlor epoxide	3.3 U	4.7 U	5.9 T	2.6 U	2.S U	2.7 U	4.0 U
Endosulfan I	3.3 U	4.7 U	5.9 U	2.6 U	2.5 U	2.7 🗸	4.0 U
Dieldrin	6.3 U	9.2 U	11 U	\$.1 U	4.8 U	5.3 U	7.8 U
4,4'-DDE	6.3 U	9.2 U	11 U	5.1 U	4.8 U	5.3 U	0.81 J
Endrin	6.3 U	9.2 U	11 U	5.1 U	4.8 U	5.3 U	7.8 D
Endosulfan II	6.3 U	9.2 U	11 U	5.1 U	4.8 U	5.3 U	7.8 U
4,4'-DDD	6.3 U	9.2 U	11 U	\$.1 U	4.8 U	5.3 U	3.6 J
Endosulfan sulfate	6.3 U	9.2 U	11 U	5.1 U	4.B U	5.3 U	1.5 J
4,4'-DDT	6.3 U	9.2 U	11 U	5.1 U	4.8 U	5.3 U	7.8 U
Methoxychlor	33 U	47 U	59 U	26 U	25 U	27 U	40 D
Endrin ketone	6.3 U	9.2_U	11 U	5.1 U	4.8 U	5.3 U	7.8 U
Endrin aldehyde	6.3 U	9.2 U	11 U	0.62 J	4.8 U	5.3 U	1.6 J
alpha-Chlordane	3.3 U	4.7 U	0.64 J	2.6 U	2.5 U	2.7 U	4.0 U
gamma-Chlordane [	3.3 U	4.7 U	5.9 U	. 2,6 U	່ 2.5 ປ	2.7 U	4.0 U
Toxaphene	330 🖰	470 U	590 U	260 U	250 U	270 U	400 U
Aroclor-1016	63 U	92 Ü	110 U	51 U	48 U	53 U	78 U
Aroclor-1221	130 U	190 U	. 230 U	100 U	98 U	110 U	160 U
Aroclor-1232	63 U	92 U	110 D	51 U	48 U	53 U	78 U
Aroclor-1242	63 U	92 U	110 U	S1 U	48 U	53 U	78 U
Aroclor-1248	63 U	92 U	. 110 U	51 U	48 U	53 U	78 U
Aroclor-1254	63 U	92 U	110 U	51 U	48 U	53 U	78 U
Aroclor-1260	63 U	92 Ü	110 U	\$1 U	48 U	53 U	78 U
   Sample wt (g):	30.0	30.0	30.0	30.1	30.0	30.0	30.3
Moisture:	48	64	71	36	32	38	58
Dilution Factor: ]	1	1	1	1	1	1	1

- 16 ·	1.1.1		
- 14			1
	32		
	<b>7</b>		<u> </u>
_•			
:- <del></del>			
^:			
		Star Lake Outfall Canal	
^*,			
	•	SAMPLE ID # C.O.C. #	
:			
		VOA     FEY90     6-016684       EXT     FEY90     6-016685	<del></del>
·	<u> </u>		
:: <u>;</u> ,	<u> </u>	TM MFGP53 6-016687  CYN MFGP53 6-016688	
	:		
	:	<del></del>	
			102
· 	123 96 10:	10 Sample obtained by Wes Newberry	1 1
 _ ^	`: <u>B</u> I	co Sample obtained by Wes Newberry lack clay, no sand or silt, no odor. Stocky wet black clay	7
			<u> </u>
一。	S&	- page 9 for additional information on this sample location	:- : <u>-</u>
— 	:		:
- ,- م	!		
— "; <del>-</del> ~ ——			
	·		
	•	•	
_*			
<del>-</del> 1. —			
— ·			
	:		
<del>-</del> -~. —	, <u>;</u> ;		
<b></b>		· · · · · · · · · · · · · · · · · · ·	<del></del>
_~. —			<del></del>
<u> </u>		2 mill Rouson, 10/23/96	<del></del>
·		TANTA LANGE MILES IN	

		,		<del></del>	
					33
					33
		•			
		_			
	_	_ Star Lake Outfa: Case #25093	ll Canal		<del></del>
		Station No. SE-			
	<del>-</del>	VOA FEY91	6-016689		
	_	VOA <u>FEY91</u> EXT <u>FEY91</u>	<u>6-016690</u> <u>6-016691</u>		
		EXT FEY91	<u>6-016692</u> 6-016693		
·		TM <u>MFGP54</u> CYN <u>MFGP54</u>	6-016694		
·			<u>.</u> .		
			0 . 1 .		
ો <b>ે</b> 23 '	ffa lauta d	SE-06 collected by M	Cedilote and mi	ked Sami	pled by
				. / *	,
		wberry		. / ·	
	w.w.	wberry			<u> </u>
	Sample	is black to grey d			<u> </u>
	Sample Upper	is black to gray d. Zinches was silty.	cy with some som	ne o	der.
	Sample Upper	is black to gray d. Zinches was silty.	cy with some som	nd, ne or	der.
	Sample Upper Used co	is black to grey de Zinches was silty. Le sampler with dedic	ey with some sown	nd, ne or ery from f tube	der. Tube Mus
	Sample Upper Used co	is black to grey de 2 inches was silty. Linches was silty. Linches was silty. Linches was silty. Linches was of sticky du ed nitrile glove with	ey with some sown	nd, ne or ery from f tube	der. Tube Mus
	Sample Upper Used co	is black to grey de 2 inches was silty. Linches was silty. Le sampler with dedice of sticky du ed intrile glove with	ey with some sown	nd, ne or ery from f tube	der. Tube Mus
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du and intrile glove with	ey with some some some some some stand tubes. Recovery not coming out of yield road to extract	ery from f tube sample t	tube hous
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some stand tubes. Recovery not coming out of yield road to extract	ery from f tube sample t	tube hous
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some stand tubes. Recovery not coming out of yield road to extract	ery from f tube sample t	tube hous
	Sample Upper Used co difficul use us	is black to grey de 2 inches was silty. Linches was silty. Le sampler with dedice of sticky du ed intrile glove with	ey with some some some some some stand tubes. Recovery not coming out of yield road to extract	ery from f tube sample t	tube hous
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some stand tubes. Recovery not coming out of yield road to extract	ery from f tube sample t	tube hous
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some state of the some some some of or push rod to extract	ery from f tube sample t	two two cond
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some state of the some some some of or push rod to extract	ery from f tube sample t	two two cond
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some state of the some some some of or push rod to extract	ery from f tube sample t	two two cond
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some state of the some some some of or push rod to extract	ery from f tube sample t	two two cond
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	ey with some some some some some state of the some some some of or push rod to extract	ery from f tube sample t	two two cond
	Sample Upper Used co difficul use us	is black to gray de 2 inches was silty. Linches was silty. Le sumpler with dedice of study du ed nitrile glove with	etrd tubes. Recovery not coming out of yush you to extract was not enough to make and alighing	ery from f tube sample t	two two cond

		78.0
Francisco de la compansa de la compa		
34		
*- <u>-</u>		
<u> </u>	Star Lake Outfall Canal	
	Case #25093	
	Station No. SE-07 SAMPLE ID # C.O.C. #	
	VOA <u>FEY86</u> 6-016695	
	VOA <u>FEY86</u> 6-016696 EXT <u>FEY86</u> 6-016697	
	EXT FEY75 6-016698	
	TM MFGP49 6-016699  CYN MFGP49 6-016700	
·		্
¬		Ĵn
	11:05 SE-07: collected by M. Cedelote Sempled by W. Decherry	3
10/23/96	1 December by M. Ceasters Semples of December 9	
		3 18
	Sit alot with come database at a marked of city	
	Sity day with some detritus at upper end of column	14 d
	Silty clay with some detritus at upper end of column dark gray in color w/ slight decaying order.	95 27
(923,79	dark gray in Ecolor w/ Slight decaying oder.	9/2
(923.79	Sample recovery was sufficient to full all lars ofter filling	9/2
(92479	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all lars ofter filling	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2
	Sample recovery was sufficient to full all jars after filling tube of core sampler twice. Sample was them much after UDA's were	9/2

_		· · · · · · · · · · · · · · · · · · ·
		•
		35
	Star Jaka Gut Gua	<del></del>
	Star Lake Outfall Canal Case #25093	
	Station No. SE-08	
	VOA FEY87 6-016915	
	VOA FEY87 6-016916	
	EXT FEY87 6-016917 EXT FEY87 5-016918	
	TM MFGP50 6-016919	
	CIN MFGP50 6-016920	
<del></del>	10/23/46	<u> </u>
	11:40 Sample SE-8 collected by 10. Newberry - Sampled b	M Carlit
<del></del>	11:40 Sample SE-8 collected by 10. Newberry - Sampled b Weare on north bank 2500' upstream from Star or	+411 . 4 1 . 7 . D
	confluence	. The out Leches Fiver
	Sample is self black of the	
	7/ tolong start of the same detritus, same	ple depth approx
	Sample is sulty black day, of smedetritus, same 2' below wester surface. Slight hydrogen sulfid	e smell.
		<u></u>
	See page 10 for additional information.	<u> </u>
		<del>-</del>
	<del>                                     </del>	
		· <del></del>
<del></del> .		
	Mill Bensen - 10/23/96	
	White 10 996	

. 488							i v
				-			
	36						1
			<u>.</u>				
			<del></del>	· · · · · · · · · · · · · · · · · · ·			
			tar Lake Outi	all Canal			7
		C	ase #25093				
		: 	tation No. <u>SI</u> SAMPLE II	) # C.O.C. #			
			OA <u>FEY88</u> OA <u>FEY88</u>	<u>6-016921</u> 6-016922			[
		E	XT FEY88	<u>6-016923</u> 6-016924			_
	<u> </u>		M MFGP51	6-016925	<u> </u>		
	10/23/96	<u>:</u> c	YN MFGP51	6-016926	2		
	12:0	o Collecta	سعدط والمالي والم	1 - Sampled by	M Callto		<del>-</del>
	(2,1	15+ 10+	of Scientific and	ecounic debut	7na foit is	sildy class	
		mixed	with decaying r	reganic debris	S oder	2.1 171-9	
		i		<u></u>	. <u> </u>		
		2 cores .	ware taken Gr	composite Sta	r is splitting	5 Samples	
	-12-13-1	with TA	UR(C	•			
		· <u>·                                    </u>			<u> </u>		
		Jew Pary	e 10 toradolte	enal Informatria	on The le	entien.	<del>-</del>
			·				
		<u>.                                    </u>	·				
		:				·	
		<u> </u>					}
		1	<u>.</u>	·		·	
		i					
	·					<u></u>	
					•		
		-					
		1	timel Den ou	n 10/23/96		· · · · · ·	
			ココルコンマシ ぶんへがし	n 1917.311 6			ŧ
		<u> </u>	2000 W	10/1			

<b>1</b>		· .
		37
	Star Lake Outfall Canal Case #25093 Station No. SE-10 SAMPLE ID # C.O.C. VOA FEY83 6-0169 VOA FEY83 6-0169 EXT FEY83 6-0169 EXT FEY83 6-0169 TM MFGP46 6-0169 CYN MFGP46 6-0169	127 128 129 130
l°	13/96 6:05 Sampled obtained by W. New!	berry
	Black Sifty sand w/some day, wet to ver	we not with be pare
	Glenical oden	y to the hours
	See page 12 for sample location	intermation.
	Star is splitting sample	
		**************************************
	<del></del> ;	
<del> </del>	Danie Senson	10/12/19/2
		1905
		1031.4

1		
38		
38		
T\tau		1
	Star Lake Outfall Canal	
<u> </u>	Case #25093	_
· ·	Station No. SE-11 SAMPLE ID # C.O.C. #	ļ
·	VOA FEY84 6-016933 VOA FEY84 6-016934	╂
A <u></u>	EXT FEY84 6-016935	┼—
^ <b>T</b> :	TM MFGP47 6-016937	╁—
	CYN <u>MFGP47</u> 6-016938	<del>                                     </del>
10/23		1
\ <u></u>	5:40 Sampled by W. Newberry	
	Black sity sand wisene clay - 2 distinct layers	
^- <u></u>	Strong Chemical prior - sheen/rainbow color to matrix	ļ
_^ <u>,</u>		-
<b>-</b> *-\	Star is splitting sample with TWECC.	<del> </del>
	See page 11 for description of Sample location	<u> </u>
;	see page 11 to description of sample location	
	Sample obtained at approx depth of 2.5' below inter surface	
	,,,,,	
<u></u>		<u> </u>
~~`` <u>~</u>		-
<u> </u>		
		_
, · · · · · · · · · · · · · · · · · · ·		
		<u> </u>
		<u> </u>
	1 100	-
	Smill Bowson 10/23/96	
	m to the second temporal temporal to the second temporal	

<b>N</b> ::		
		39
	Star Lake Outfall Canal Case #25093	
	Station No. SE-12 SAMPLE ID # C.O.C. #	
	VOA FEY85 6-016939 VOA FEY85 6-016940 EXT FEY85 6-016941	
	EXT FEY85 6-016942 TM MFGP48 6-016943	
	CYN MFGP48 6-016944	• .
	10/23/96 Sampled by W. Newberry at 6:25 pm	
	RIGORIAN AND AND AND AND AND AND AND AND AND A	(//
	Bluck, Soundy sitt, little or no clay, Neavy ador an	4 Sheen
<u> </u>	Star is not splitting This sample	
	See page 12 for location information	
face.		
	· · · · · · · · · · · · · · · · · · ·	
<del></del>		
	Daniel Benson 10/23/96	
		· ·

	40						
			Case Stat	Lake Outfall #25093 ion No. SE-13 SAMPLE ID # FEY80 FEY80 FEY80 FEY80 MFGP43 MFGP43	Canal  C.O.C. # 6-017273 6-017274 6-017275 6-017276 6-017277 6-017278		
	10/22	196	_	<del></del>			
	2 4	Sample	taken	by D Hendricks	: Approx 40' from E.	Ptileones Ave 6	Bridge
<u></u>		See mar	? Gras	iditional informati	en.		
		' '		•			X.A.
		Black +	o dark	aren clay diant od	er and organic matter	Sticky Slow	
•		Vecoury	fram	cue sampler		,	e de la composition della comp
		· · · · · · · · · · · · · · · · · · ·					9,
		i					
<del></del>	······································	Ster is	shliti	ne semple of th	is location Inade	alicate faster)	der in
<del></del>		Ster is	spliti	ng sample at th	is location (no day	plicate for Star)	der-
<u></u>		Ster is	spliti. Javs u	ng sample at the	r because of lows	plicate for Star)	igner.
		Ster is Only 4	spliti. Jars w	ng Sample at the	r because of lows	plicate for Star) sample recover	igner.
		Ster is	spliti.	ng sample at the	r because of lows	plicate for Star)	der e
		Ster is	spliti	ng sample at the	r because of low s	plicate for Star) sample recover	der e
		Ster is	spliti	ng sample at the	r because of lows	plicate for Star)  sample recover	der in
		Ster is	spliti.	ng sample at the	r because of lows	plicate for Star)  sample recover	der-
		Ster is	spliti	ng sample at the	r because of lows	plicate for Star)  sample recover	der in
		Ster is	spliti.	ng sample at the	r because of lows	plicate for Star)  sample recover	der in
		Ster is	spliti	ng sample at the	r because of lows	plicate for Star)  sample recover	igner.
		Ster is	spliti.	ng sample at the	r because of lows	plicate for Star)  sample recover	der in
		Ster is Only 4	spliti	ng sample at the	r because of lows	plicate for Star)  sample recover	igner.
		Ster is	spliti.	ng sample at the	r because of lows	plicate for Star)  sample recover	igner.
		Ster is Only 4	spliti	ng sample at the	r because of lows	plicate for Star)  sample recover	der.
		Ster is	spliti.	ng sample at the	r because of lows	plicate for Star)  sample recover	igner.
		Star is Only 4	Splitti.	and completed for Sta	r because of lows	plicate for Star)  jample recover	igner.

4					
A market			_		41
	Field		Duplicate		
		- Star	Lake Outfall (	Canal	<del></del>
	<del></del>	Case	#25093		
<del></del> -		Stat	ion No. <u>SE-14</u> SAMPLE ID #	c.o.c. #	<del></del>
<del></del>			FEY81	6-016951	
	i		FEY81	6-016952	
		EXT EXT	FEY81 FEY81	<u>6-016953</u> <u>6-016954</u>	
	<u> </u>	TM	MFGP44	6-016955	
	1	CYN	MFGP44	<u>6-016956</u>	
	10/22/16				-,1
e Garage	SE-14 1	s field	diplicate of SE.	-13, Obtained by D	Hendricks
	Samole 1	aken.	A 2:50 m		
				**** *****	
~	· · · · · ·		,	- · · · · · · · · · · · · · · · · · · ·	
	:			· ·	
	!				
.)					<del></del>
ery		<del> </del>			
1					
			·		
	:			•	
	- <del></del>			——————————————————————————————————————	
	· :				
			- <del></del>	<u>,,,, ,, _, ,, _, , _, , _ , _ , _ , _ ,</u>	
			_ <del></del>		
				· ·	<del></del>
ĺ	1				
	_				
			<del></del>		
			Daniel Ber	uson 10/22/96	

	•	1
1.4		4
42		1
<b>6</b> 3		1
\ <u></u>		
	Star Lake Outfall Canal Case #25093	
	Station No. SE-15	
	SAMPLE ID # C.O.C. #	
<u>.</u>	VOA FEY82 6-017279	
A	VOA <u>FEY82</u> <u>6-017280</u> EXT <u>FEY82</u> <u>6-017281</u>	
.N	EXT FEY82 6-017282	
Α.	TM MFGP45 6-017283	
	CYN MFGP45 6-017284	
	2496	2
	4:20 Approx 50' South of At Neches Bridge on Starlake	335
<u> </u>	19:20 Approx 30 South of IT Negles bridge on starfake,	
<u></u>	Collected and by M. Cadolote Sampled by W. Newberry	
<u></u>		
	Black Sitty day no obvious odors. Wet to very wet	<i>महान्द्रहें</i> जन्महें
	Star split sample with TNRCC. Stiff to very stiff clay	200
_~~	Sample recovery was slow; enough material was composited	
	to fill all sample centainers. (3 cores were composited)	
_*.		
~ · · · ·		
	100	
<del>-</del> "\		<del>  -</del>
- <sup></sup>	· · ·	<del> -</del> -
<u> </u>		
	<u>-                                     </u>	
-^		
<u> </u>		
ye.		
ena		
^ ^		
	Thursoft Bay Gam.	
	Daniel Bewon	
	10/23/96	

#4.25 A			
3			43
<u> </u>			
	Star Lake Outfall C Case #25093	anal	
	Station No. <u>SE-16</u>		
	SAMPLE ID # VOA FEY77	C.O.C. # 6-017285	
	VOA FEY77	6-017286	
	EXT <u>FEY77</u> EXT <u>FEY77</u>	6-017287 6-017288 —	
	TM MFGP40	6-017289	
	CYN MFGP40	6-017290	<u>-</u>
10/23/9		·.	
3.	50 pm Sampled by W. Newberry		
	50 pm Sampled by W. Newberry SE-16 obtained in Jefferson Canal b	efore it empties into Sta	rCanal
-ap.	prov 100' North of county pump.	Station and 50' South of	SE-19
_   '	<u>'</u>		
	Black groyey silt wisome day, no	m) consolidated, chemical	odor
- <u>u</u>	ofth silver Sheen on water when	core sample was remove	d
(	Sample was wet to very wet		
	· ·		
	Starsplit sample with TNRCC		
			<u>_</u>
		• ·	
_			
	<u> </u>	·····	
	_	<del> </del>	
	Tay of Day	101	
3.	Daniel July 10/2	>M6	
A grant of the state of the sta	Appropriate (Months) (Control of the Control of the	a od skie i die i i godine i die nagelanje da krit papi o approprijention de skie i die	

Ton-					
1	4.4				
	44	-			1
	<del></del>				
	•	į .			i.
					7
-::/			tar Lake Outfall	Canal	
— <u>"</u> "			ase #25093 tation No. <u>SE-17</u>	<del></del> -	-
<u>-</u> ":\		<del>!</del>	SAMPLE ID #	<u> </u>	
<del>7</del> –			DA FEY78	6-017291	
		VO		6-017292	
		E)		6-017293 6-017294	
- Te,		Tì	MFGP41	6-017295	
<u>^</u> \_		c;		6-017296	
·	<u> </u>	1			
`	1023				
\	:	4:05pm			
		N.s.	Codulate (P	Manager) indicated this sample	
		wend not	be collected due :	to inaccessability of sample lead	ation
		BOWA NOT	DE CELÍCETES AUE -	TO MACCOSS ability of Sample 100	2 2.0
<i></i>		!			1000
<u></u> ~:~	·	<u> </u>			4
—" <u>`</u>		1			
_~ <u>~</u> _					
 }_*.					
, , _	·				1
**************************************					
<u> </u>		1		· · · · · · · · · · · · · · · · · · ·	
<u></u>		1	<u></u>		——-∔
·		·	···		
<u>.                                    </u>		i			
					1
)		 			
1			Day Sol Rouge	23 a/	
			Daniel Benis	w 123 a/	
			Daniel Benso	w . 123 a 6	

And the second s				45
		Star Lake Outfall Case #25093 Station No. SE-18 SAMPLE ID # VOA FEX79 VOA FEX79 EXT FEX79 EXT FEX79 EXT FEX79 TM MFGP42 CYN MFGP42	C.O.C. # 6-017343 6-017344 6-017345 6-017346 6-017347 6-017348	
	10/23/96		i Service (1995) Farting (1995)	<u> </u>
	4:05	M. Cedilote indicate	d this sample work	ld not be
tion		ted due to inaccessa	belity of sample loc	ation.
			•	
			•	
		Daniel Re	uson 10/23/ab	
		Daniel Re		
		Daniel Re		

Name of the second		To You
<b>7.</b>		
46		
<u>-</u>	Star Lake Outfall Canal	-+
	Case #25093 Station No. SE-19	
	SAMPLE ID # C.O.C. #	
	VOA FEZO1 6-017349 VOA FEZO1 6-017350	
	EXT FEZO1 6-017351 EXT FEZO1 6-017352	
	TM MFGP61 6-017353	
	CIN MFGP61 G-01/334	<del></del>
	3/96 3:30 SE- P. 200 North of Pump statum owned	
[0]2	196 J. J. J. J. Law Marino Techno Technology	<del>-                                    </del>
• •	by come (seath) have a Star Command better Command	. 73 1
	By county on East bank of Star Canal and Jeffer son Come	
	By county on East bank of Star Canal and Jeffer son Come	
	By county on East bank of Star Canal and Jeffer son Come	
	Sampled by W. Newberry @ 3:30pm  Black grayey non consolidated Silty wet Slight amount of organic materia  - Chemical odor, some clay	
	Black, grover non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm	
	Black, grover non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grover non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Sampled by W. Newberry @ 3:30pm  Black, greyey ner censelidated Silty Wet, slight amount et organic materia.  - Chemical odor, sene clay  OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below mater Sunface  Star is splitting Samples	
	Black, grovey non consolidated Silty wet Slight amount of organic material OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below water Surface	
	Sampled by W. Newberry @ 3:30pm  Black, greyey ner censelidated Silty Wet, slight amount et organic materia.  - Chemical odor, sene clay  OVA reading was 0.4 ppm @ 3:30 pm  Sample depth approximately 2' below mater Sunface  Star is splitting Samples	

	#. #.	· · · · · · · · · · · · · · · · · · ·
	<u> </u>	47
		Star Lake Outfall Canal Case #25093 Station No. SE-20 SAMPLE ID # C.O.C. #  VOA FEZ02 6-017355 VOA FEZ02 6-017356 EXT FEZ02 6-017357 EXT FEZ02 6-017358 TM MFGP62 6-017359
		CYN MFGP62 6-017360
aterial	B S	30 SE-20 taken approx 200' downstream of damn on Stur  Canal. Sample location from hear north bank  his is a source sample. Sampled by W Nawberry  DVA reading was 1.2 ppm  lack silt, was to very wet slight organic ador (chemical)  see page 10 and 11 for additional location information.  Star is splitting samples (without a duplicate)
		Daviet Benson 10/23/96
·		

48	Field Duplicate	
	Star Lake Outfall Canal Case #25093 Station No. SE-21 SAMPLE ID # C.O.C. #  VOA FEZO3 6-017361 VOA FEZO3 6-017362 EXT FEZO3 6-017363 EXT FEZO3 6-017364 TM MFGP63 6-017365 CYN MFGP63 6-017366	
(0/23/96	a state of he II the Shear's	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Sample obtained by W. Newberry duplicate of SE-70. See pg. 47 for description	3
		jela Jes
	<del></del>	-
·····	<del></del>	
_		
-		
	****	
-		
	Maniel Rencon John 96	
	Daniel Bencon 10/23/96	


				49
		<u></u>		
		Lake Outfall #25093	Canal	
	Stat	ion No. <u>ER-0</u>		<del></del>
		SAMPLE ID#	<u>c.o.c. #</u>	<del></del>
		FEY95 FEY95	<u>6-016640</u> <u>6-016641</u>	
		FEY95 MFGP58	6-016642	
	CYN	MFGP58	<u>6-016643</u> 6-016644	
	· · · · · · · · · · · · · · · · · · ·	<u> </u>		·
	Sample to ter	8 41. 20 AM	_	
	hy marcha			
	1 .		F light house	•
			presidence 4 Heat	
:	Sun his wa	the man or many	p. d by wes we	- MET /
		<del> </del>	<del></del>	
		*		***
	İ			<del></del>
				·
				<u> </u>
		<del></del>		
·			1.1.1	IAU A/
···				10/23/26

A September 1		
50		•
-3		<del>-</del>
_*;\	Star Lake Outfall Canal	
	Case #25093	
-^\	Station No. <u>FB-01</u> SAMPLE ID# C.O.C. #	
		<del></del>
· <u> </u>	VOA FEY98 6-016655 VOA FEY98 6-016656	~~
·>-	VOA FEY98 6-016656	
		<del></del> -
T		<u></u> _
\- <u>-</u>		- 15 m
\	Sample taken at 9:13 AM	- 30-21
\ <sup>-</sup>	by Accessionall Coditions	
·	heather . Overcust 65° F (19ht breeze	1.00 / 7. 1.00 / 7. 1.00 / 7. 1.00 / 7. 1.00 / 7. 1.00 / 7. 1.00 / 7.
- 1		on the same
_~, -	Sample, taken under meter parather on Hurtimer property	2
• •		
	Samples togged and wrapped by was Newberry	
- 10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Samples togged and wrapped by was Newberry	11
- 10	samples togged and wropped by was Newberry	
	Samples tory god and wropped by was Newberry	
	samples tory god and wropped by was Newberry	
	samples tory god and wropped by was Newberry	
	samples togged and wrapped by was Newberry	
	samples togged and wrapped by was Newberry	
	samples togged and wrapped by was Newberry	
	Samples togged and wrapped by was Newberry	
	samples togged and wrapped by was Newberry	
	Samples togged and wrapped by was Newberry	
	samples togged and wrapped by was Newberry	
	Samples togged and arapped by was Newberry	
	Samples togged and wrapped by was Newberry	
	Samples togged and veryped by was bemberg	

1		•	
·		•	51
			31
	Star Lake Ou	tfall Canal	
	Case #25093 Station No.	<b>デ</b> ローハラ	<del></del>
	SAMPLE		<del>-</del>
	TAL BOYA	E_51 EE AE	
	VOA FEY96 VOA FEY96	<u>6-016645</u> <u>6-016646</u>	
	EXT FEY96	<u>6-016647</u>	
	TM MFGP59 CYN MFGP59	<u>6-016648</u> <u>6-016649</u>	
		<del>y                                    </del>	
	Sample taken	at 4:20 PM	
	by Debra. Hen		· · · · · · · · · · · · · · · · · · ·
11. 1400	- rentence.	Sunay You F Light Breeze	
	Same also Julia	n under mutal pavillies en 11	unternan number
5"			
<del>- +</del>	Sampus taya	jed and wrapped by was New bo	<del></del>
	<del>-                                     </del>	<u> </u>	
<del></del>			
		<u> </u>	
			<del></del>
		<del></del>	
<b></b>			
		Kurny	
		11-27	-96
			· <del>7</del>
Ai,			

	<del></del>		
52			
		<u></u>	
	Star Lake Outfa	11 Canal	
_*.\	Case #25093	II Canal	
L".\-"	Station No. <u>ER</u>	<u>-03</u>	
13,	SAMPLE ID#	C.O.C. #	
\	VOA FEY97	<u>6-016650</u>	
- No.	VOA FEY97	6-016651	——————————————————————————————————————
N= 1	EXT FEY97 TM MFGP60	6-016652 6-016653	
EL	CYN MFGP60	6-016654	
			## ##
	Time 7125 PM		
	Token by use No	w bury	
	<b>3</b> - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		. सुन्देश १९४४ जनसङ्
-*:\-			13/24
	*		
	,		
L	***- **-		
	,		
		<del> </del>	
<u></u>	<del></del>		
\		· · · · · · · · · · · · · · · · · · ·	
		Wighty 10/23	196

ł					
1					53
			<u></u> ,		
		Star	Lake Outfall	Canal	
			#25093 ion No. <u>FB-02</u>		·
			SAMPLE ID#	c.o.c. #	<del></del>
		VOA	FEY92	6-016657	
		VOA	FEY92	6-016658	
		· · · · · · · · · · · · · · · · · · ·			
	:	94. 750			
	1	173 3	7	· · · · · · · · · · · · · · · · · · ·	
·	<u> </u>	Taku	n by was Now	:bord	· · · · · · · · · · · · · · · · · · ·
		1.5		7	
	-				74-18-1
	:	<del></del>		- · · - · · · · · · · · · · · · · · · ·	
					1,
······································			1		
_					
				•	
لـــــــــــــــــــــــــــــــــــــ				······································	
ســــــــــــــــــــــــــــــــــــ		····			
				· · · · · · · · · · · · · · · · · · ·	A //
		<del></del>		w	10-23-76
					10-63-74
		· · · · · · · · · · · · · · · · · · ·			The state of the s





### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6
HOUSTON BRANCH
10625 FALLSTONE RD.
HOUSTON, TEXAS 77099

### **MEMORANDUM**

Date:

12-16-1996

Subject:

Contract Laboratory Program Data Review

From:

Melvin L. Ritter, ESAT RPO, 6MD-HC

To:

B. Canellas , 6SF-RA

Site: STAR LAKE CANAL

Case#: <u>25093</u>

SDG#: MFG-P63

The EPA Region 6 Houston Branch ESAT data validation team has completed a review of the submitted Contract Laboratory Program (CLP) data package for the referenced site. The samples analyzed and reviewed are detailed in the attached Regional data review and assessment report for this case.

The data package was found to be:

- ( ) Acceptable: No major problems with data package.
- (X) Provisional: Use of data requires caution. Data is acceptable for Regional use. Problems are noted in the review report.
- ( ) Unacceptable: Some or all of data should not be used. Problems are noted in the review report.


Questions regarding the data review report can be addressed to me.

Attachments

cc: R. Flores, Region 6 CLP/TPO

M. El-feky, Region 6 Data Coordinator

Files (2)



### LOCKHEED MARTIN SERVICES GROUP 10101 SOUTHWEST FREEWAY, SUITE 500 HOUSTON, TEXAS 77074

#### MEMORANDUM

· 4755

DATE: December 13, 1996

TO: Dr. Melvin Ritter, ESAT RPO, Region VI

FROM: Dr. Tom Chiang, ESAT ETM, Region VI

SUBJECT: CLP Data Review (

**REF:** TDF # 6-7071A, ESAT File No. I2060

Attached is the data review summary for Case #25093

SDG #<u>MFGP63</u>

Site STAR LAKE CANAL

#### COMMENTS:

I. CONTRACTUAL ASSESSMENT OF DATA PACKAGE:

The hard copy review detected the following contractual noncompliance. The CCS report was not available at the time of this report preparation.

The data package was submitted without the contractually required custody seals (ILM04.0, Exhibit F, F-8, 2.7.14).

II. TECHNICAL/USABILITY ASSESSMENT OF DATA PACKAGE:

A total of 24 results were reviewed for this data package. The package is technically provisional for the problems summarized below.

- A. The reviewer qualified approximately 17 percent of the results because of technical problems.
- B. Matrix spike recoveries for antimony, arsenic, selenium, and thallium failed to meet QC criteria. The antimony result is unusable because the laboratory reported an antimony matrix spike recovery below 30 percent.

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

### REGION 6 HOUSTON BRANCH

### 10625 FALLSTONE ROAD HOUSTON, TEXAS 77099

### INORGANIC REGIONAL DATA ASSESSMENT

CASE NO. <u>25093</u>	SITE <u>STAR LAKE CANAL</u>
LABORATORY ARI	NO. OF SAMPLES 1
CONTRACT # <u>68-D5-0134</u>	MATRIX <u>SOIL</u>
SDG # MFGP63	REVIEWER (IF NOT ESD) <u>ESAT</u>
SOW# <u>ILM04.0</u>	REVIEWER'S NAME <u>Linda Hoffman</u>
ACCT # <u>7FAXJN10</u> SF # <u>FAXUZZ</u>	COMPLETION DATE <u>December 13. 1996</u>

SAMPLE NO.: MFG-P63

### DATA ASSESSMENT SUMMARY

		ICP	FAA	HG	CYANIDE
1.	HOLDING TIMES	<u> </u>	<u> </u>	<u> </u>	_0_
2.	CALIBRATIONS	<u>_                                    </u>			
. з.	BLANKS		O		
4.	MATRIX SPIKES	<u>_M_</u>	_M_		
5.	DUPLICATE ANALYSIS	0			0.
6.	ICP QC	<u> </u>			
	FAA QC		<u>o</u>	-	•
8.	LCS	0	<u> </u>	_0_	
9.	SAMPLE VERIFICATION	<u> </u>	0	0	0
10.	OTHER QC	0_		<u> </u>	0
11.	OVERALL ASSESSMENT	<u>M</u>	<u>_M</u> _		

ACTION ITEMS: The laboratory submitted the package without custody seals.

AREAS OF CONCERN: The matrix spike recoveries for antimony, arsenic, selenium, and thallium were less than 75 percent.

### NOTABLE PERFORMANCE:

O = Data had no problems.
M = Data qualified because of major or minor problems.

Z = Data unacceptable.

N/A= Not applicable

### INORGANIC QA REVIEW CONTINUATION PAGE

### Case 25093 SDG MFGP63 Site STAR LAKE CANAL Lab ARI

COMMENTS: The package consisted of one soil sample for total metals and cyanide analyses by ILM04.0. The sampler designated samples MFG-P62(from SDG MFGP43) and MFG-P63 as field duplicates. Since a QC sample was not indicated, the laboratory used sample MFG-P63 as the QC sample. The laboratory met the 35-day turnaround time requirement but submitted the package without the required custody seals. Sixty-two percent of the reported results were above the CRDL's.

The antimony result is unusable because the laboratory reported a 0.0 percent antimony matrix spike recovery. The data package is technically provisional because of problems with matrix spike recoveries. The technical usability of all reported results is indicated in the attached Data Summary Table.

An Evidence Audit was conducted for the Complete Sample Delivery Group File (CSF), and the Evidence Inventory Checklist is attached to this report.

NOTE: THE FOLLOWING REVIEW NARRATIVE ADDRESSES BOTH CONTRACTUAL AND TECHNICAL ISSUES. THE ASSESSMENT MADE FOR EACH QC PARAMETER IS SOLELY BASED ON THE TECHNICAL DATA USABILITY, WHICH MAY NOT NECESSARILY BE AFFECTED BY CONTRACTUAL PROBLEMS.

- Holding Times: Acceptable. Contractual holding time and sample preservation criteria were met. Technical holding time criteria have not been established for soil samples.
- 2. Calibrations: Acceptable. All calibrations met contractual requirements. The CRDL standard results indicated that instrument performance near the CRDL's was acceptable.
- 3. Blanks: Acceptable. Preparation and calibration blanks met contractual requirements although the laboratory reported five analytes in the blanks. Calibration and preparation blank concentrations did not affect any sample results.

<u>Rinsates:</u> The rinsate samples reported with SDG MFGP43 may be associated with the sample in this case, so the user needs to evaluate the associated sample results for possible contamination. The laboratory reported analyte concentrations in the rinsates below the CRDL's for eight analytes.

### INORGANIC QA REVIEW CONTINUATION PAGE

### Case 25073 SDG MFGP63 Site STAR LAKE CANAL Lab ARI

- Pre-digestion/Pre-distillation Matrix Spike Recovery:
  Provisional. The laboratory reported matrix spike
  recoveries below the QC limits for antimony, arsenic,
  selenium, and thallium. Since the antimony recovery was
  less than 30 percent and antimony was undetected in the
  sample, the reviewer qualified this result as unusable. The
  reviewer qualified the arsenic, selenium, and thallium
  results as estimated with a low bias because of the outlying
  matrix spike recoveries.
- 5. Duplicate Analysis: Acceptable. The laboratory reported duplicate differences outside the SOW QC limits for aluminum, arsenic, calcium, and chromium. Since these differences met technical QC limits, the reviewer did not qualify any results.
- 6. ICP Quality Control:

<u>Serial Dilution:</u> Acceptable. The laboratory reported acceptable serial dilution differences for all analytes.

<u>Interference Check Sample:</u> Acceptable. Acceptable ICS results indicated satisfactory interelement and background correction.

<u>Coefficient of Variation:</u> Acceptable. Replicate ICP readings were consistent for all analytes.

7. Furnace Atomic Absorption Quality Control:

FAA Analytical Spike Recovery: Acceptable. The laboratory reported a thallium analytical spike recovery that was only marginally low, so the reviewer did not qualify this result.

<u>Duplicate Injection Coefficient of Variation:</u> Acceptable. Replicate instrument readings were consistent.

Method of Standard Addition: MSA analysis was not required.

- 8. Laboratory Control Sample: Acceptable. Acceptable LCS results indicated satisfactory sample preparation and analysis.
- 9. Sample Verification: The reviewer detected numerous reporting errors and contacted the laboratory for resubmission (see attached FAX Record Log).

## INORGANIC QA REVIEW CONTINUATION PAGE

### Case 25073 SDG MFGP63 Site STAR LAKE CANAL Lab ARI

10. Other QC:

<u>Field Duplicate:</u> Acceptable. Field duplicate results demonstrated satisfactory field precision.

11. Overall Assessment: The data package is technically provisional because the reviewer qualified the antimony, arsenic, selenium, and thallium results for matrix related problems.

### INORGANIC DATA QUALIFIER DEFINITIONS

The following definitions provide brief explanations of the ESAT-Region 6 qualifiers assigned to results in the inorganic data review process.

- U Undetected at the laboratory reported detection limit (IDL).
- L Reported concentration is between the IDL and the CRDL.
- J Result is estimated because of outlying quality control parameters such as matrix spike, serial dilution, FAA spike recovery, etc.
- R Result is unusable.
- F A possibility of a false negative exists.
- UC Reported concentration should be used as a raised detection limit because of apparent blank contamination.
- ^ High bias. Actual concentration may be lower than the concentration reported.
- v Low bias. Actual concentration may be higher than the concentration reported.

000641

### DATA SUMMARY

Case No.: 25093

. ; .

SDG. No.: MFGP63

Reviewer: REVIEWER

Laboratory: ARI

Matrix: SOIL

Units:

mg/Kg

_		FLAG	FLAG	FLAG	FLAG	FLAG	COMMENTS
	EPA TR #=>	MPG-P63					
_	ALUMINUM	25,300					
	ANTIMONY	16.8 UR					
<del></del>	ARSENIC	14.2 JV					
	BARIUM	411					
_	BERYLLIUM	1.7					
	CADMIUM	0.67 U					
	CALCIUM	11500					
-	CHROMIUM	32.5					
	COBALT	15.3 L					
	COPPER	20.2					
	IRON	36700					
-	LEAD	27.6					
	MAGNESIUM	3990	<b>~</b>				
_	MANGANESE	468					
	MERCURY	0.08 <del>U</del>					
	NICKEL	19.5		÷ .			
_	POTASSIUM	3900					
	SELENIUM	* 1.7 UJV				•	
	SILVER	1.0 0					•
	SODIUM	1670 L					
-	THALLIUM	2.2 ₺√∨ 					
	VANADIUM	76.9 ]					
_	ZINC	44.5 1					
	CYANIDE	0.42 U					
_							
	* SOLIDS	58.9					

### INORGANIC/ORGANIC COMPLETE SDG FILE (CSF) INVENTORY CHECKLIST

Case No. <u>25093</u>	SDG No. MFGF	SDG Nos. To Follow	SAS No.	Date R	ec <u>11</u>	<u>/29/96</u>
EPA Lab ID:	ARI		ORIGINALS	YES	NO	N/A
Lab Location:	Seattle, WA		CUSTODY SEALS			
Region:		5093/MFGP43	Present on package?	<u> </u>	. Х	
Re_Submitted CSF?	Yes	No X	2. Intact upon receipt?			X
Box No(s):	1		FORM DC-2			T
COMMENTS:			3. Numbering scheme accurate?		Х	
1. The laborat	tory failed to secure the o	lata package with the	4. Are enclosed documents listed?		X	
required custody seals. The laboratory was notified of this omission.			5. Are listed documents enclosed?	х		
			FORM DC-1		-	
report page	C-2-2, the laboratory fai	nher was omitted from the	6. Present?	x		
page betwe	en pages 284 and 285. T	The reviewer made the	7. Complete?	х	. <del>-</del>	<del>                                     </del>
necessary c	corrections and contacted	the laboratory.	8. Accurate?	x		<del>                                     </del>
4. The laborat	tory did not include the F	orm DC-1 page number on	CHAIN-OF-CUSTODY	<del>  ^</del>		<del> </del>
notified the	: laboratory of the omissi	the necessary correction and i	RECORD(s)			İ
20A. The laborat	tory submitted copies of	the TR/COC and the airbill	9. Signed?	х		_
but did not	but did not indicate where the originals were located. The reviewer notified the laboratory of this omission.		10. Dated?	х		
	surice are importatory or c	ins omission.	TRAFFIC REPORT(s) PACKING LIST(s)			
•		-	11. Signed?	x		
			12. Dated?	x		
			AIRBILLS/AIRBILL STICKER			
			13. Present?	x		
			14. Signed?	x		
			15: Dated? 5	х		1
_			SAMPLE TAGS	<del>                                     </del>		
•			16. Does DC-1 list tags as being included?	l x		] }
			17. Present?	1 x		-
			OTHER DOCUMENTS	<del>  ^</del>		<u> </u>
			18. Complete?	l x		
			19. Legible?	X		+
				<del> - ^-</del>		<del> </del>
		•	20. Original?	+	X	
Over for additional o	omments.		20a.If "NO", does the copy indicate where original documents are located?		X	 
Audited by:	Andro 1	Affan	Linda Hoffman /ESAT Data Reviewer	Date	12/0	9/96
Audited by:		10		Date		-
Audited by:				Date		
	Signatu	are	Printed Name/Title	Date		
	· <u>-</u>	TO BE COME	PLETED BY CEAT			
Date Recvd by Cl	EAT:		ate Entered: Date Reviewed:			
Entere	d by:					
Reviewe	d by:					
<u> </u>	Sig	nature	Printed Name/Title			
	-	DO	G-2		<u>-</u>	

In Reference to Case 25093/SDG MFGP63 Page 1 of 2 pages ESAT File No.: 12060

### Contract Laboratory Program REGIONAL/LABORATORY COMMUNICATION SYSTEM

### FAX Record Log

Date of FAX:

December 13. 1996

Laboratory Name:

ARI

Lab Contact:

Jeff Reitan

Region:

100

Regional Contact: Linda Hoffman (ESAT)

FAX Initiated by: Region

In reference to data for the following sample number(s):

All samples in this SDG.

### Summary of Questions/Issues:

- 1. The data package was submitted without the contractually required custody seals (ILM04.0, Exhibit F, F-8, 2.7.14). required custody sears (12.00).
  Please explain this contractual noncompliance.
  - The traffic report page number was not recorded on Form 2. DC-2-2, Item #26. The SOW (ILM04.0, Exhibit B, B-42, U, 2nd paragraph) states, "Inventory the CSF by reviewing the document numbers and recording page number ranges in the column provided on Form DC-2." Since the TR/COC are on the same document, the SOW requires the traffic report page numbers to be recorded on Form DC-2-2. Please acknowledge and note for the future that the traffic report page number must be recorded under Item #26.
  - З. The traffic report and airbill were copies but the location of the original documents was not indicated (ILM04.0, Exhibit F, F-7, 2.7.9). Please resubmit pages 248 and 249 with the appropriate notations initialed and dated.
  - For your information, soil samples do not require aluminum and iron matrix spike analyses (ILM04.0, Exhibit E, E-23, Table 3).

In Reference to
Case 25093/SDG MFGP63
Page 2 of 2 pages
ESAT File No.: 12060

- 5. On Form 4 (pp. 26 and 27), all analytes analyzed by ICP were not recorded for "Initial/Final Sol. A". The SOW (ILM04.0, Exhibit B, B-26 and B-27, Paragraphs beginning "Under 'Initial Found Sol. A' and "Under 'Final Found Sol. A'" and Exhibit E, E-20, 5, 2nd paragraph) states analytes for all wavelengths used for each analyte reported by ICP must be recorded on Form 4 (starting with Solution A). Please make the necessary corrections to pages 26 and 27 and resubmit.
- 6. In the lead instrument raw data, time of analysis was not recorded for the initial and continuing calibration verifications and blanks (ILM04.0, Exhibit B, d, B-11, #9). Please add the time of each ICV, ICB, CCV, and CCB analysis to the lead raw data and resubmit.
- 7. Please explain why the ICV/CCV concentrations in the cyanide raw data do not agree with the concentrations reported on the Form 2's and make any necessary corrections and resubmissions.

The EPA expects the laboratory to look into items and submit data within seven days to Mahmoud El-Reky, U.S. EPA, 10625 Fallstone Road, Houston TX 77099.

04----

12/13/96 Date

Distribution: (1) Lab Copy, (2) Region Copy

# Lockheed Martin Services Group ESAT Region 6

10101 S. W. Freeway, Suite 500, Houston, TX 77074 TEL: (713) 988-2983

FACSIMILE COVER SHEET	
Please deliver the following pages to:	
Name <u>Jeff Reitan</u>	
Firm ARI	
City Seattle State WA	
Telephone 206-621-6490 Ext	
FAX Telephone No. 206-621-7523 Ext.	-
Sender:	
Name Linda Hoffman ESAT	
Date 12/13/96 Time	r Forga
Total Number of pages including this Cover Sheet 3	in de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la companya de la companya de la companya de la companya de la companya de la companya de la co
If you do not receive all the pages or if any pages please call: (713) 988-2983.	are unclear,

FAX No. (713) 988-2994

### U.S. EPA - CLP

		INORGANIC A	1 ANALYSES DATA S	SHEE	T	EPA SAMPLE NO.
Lab Name: ANAL			Contract: 68			MFGP63
Gab Code: ARI_	Ca	se No.: 250	93_ SAS No.:	: <u> </u>		SDG No.: MFGP6
fatrix (soil/w	ater): SOIL	_		Lab	Samp.	le ID: 5369A
evel (low/med	): LOW_	_		Dat	e Rec	eived: 10/25/96
s Solids:	58.	9				
	_		L or mg/kg dry	7 TuTĆ	icht)	. MG/KG
		Olites (ug/	The or mg/kg dr	y we	ignt/	. MG/ NG
	CAS No.	Analyte	Concentration	С	Q	м
	7429-90-5	Aluminum	25300	- -	*	P
		Antimony_	16.8	5   -	_N	P_ P
	7440-38-2	Arsenic	14.2		N*	F_
		Barium	411		·	P
		Beryllium	1.7			P_
		· • ·	0.67			P_
	1	Cadmium_				P
•		Calcium	11500			
		Chromium_	32.5	- -	~_	P_
		Cobalt	15.3			P_
	7440-50-8	Copper	20.2			P
		Iron	36700			P_
	7439-92-1	Lead	27.6			F
	7439-95-4	Magnesium	3990			P
		Manganese	468			P_
	7439-97-6	Mercury	0.08			]CV
		Nickel	19.5			P_ P_
	1	Potassium	3900			P_
	7782-49-2	Selenium_	1.7		WN	F_
		Silver	1.0			P
		Sodium	1670			P
	7440-28-0	Thallium	2.2		N	F-
	7440-62-2	Vanadium	76.9			· · · · · · · · · · · · · · · · · · ·
	7440-66-6	Zinc	44.5	1-1-		P-P
		Cyanide	0.42	ਜ਼ -		CA
Color Before:	BROWN	Clari	ty Before:			Texture: FINE
Color After:	GREEN	Clari	ty After: CLO	UDY		Artifacts:
Comments:						
C120D1						
····				-		······································
_						

FORM I - IN

 $00000^{\hbox{\scriptsize tmo4.0}}$ 

1: Project Code	Account Co	xde 2. [	Region No.	Sampling	Co.	4 Date St	ipped Carrie			6. Me	ater			servatives ter # 10
Regional informat	ion p	- 発展法 一等	npler (Nam	A 3 S. 4	DRIEIRS	Airbill Nür	<b>"多种月节的</b>	528.35	Ğ	7 10 10 10 10 10 10 10 10 10 10 10 10 10	Column Surface W Ground W	ater	in C 1.H 2.H	Column D)
Non-Superfund Pr		- 120	mpler Signa V A A D Vumose, E	CITA	Long Time	5. Ship To		earn Resident Rings II En LO AS	ALVE TO THE	12 5. 15 6 0.6.	Leachate Field QC Soll/Sedin Oil (High o Waste (Hig	nent? only)	4. H 5. K 6. Ic	aOH 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Chy States	Site Spill 1	D 🔼	MAA	REM RI: X SI : ESI :	RD RA O&N NPL		ياريون پاياران		1-644	3 2 3 5 62	only) à G Other (spe in Column (3) &		, in	Column D)
SSample Numbers (from glabels)	ffrom Low-	Sample Pres Type: vati Comp./ (fro	ve state W	AS Analy	Conduct. April 18	Tracking	r I Specific Number Numbers	Sta		Mo/Day/ Year/Time Sample Collection	Correst CLP O Samp	rganic	J m Sampler Initials	Field QC Qualifier Cualifier De Ouploin Re Ringels PE's Perform. End Not a QC Sem
meter 7		Grab 2/3/	/ <u>/</u> X	( 3 )		100	BY ME THE THE CO.	ER-		22/96 920	<del></del>		mc	R
MFUPIO		Grad- 6	- 5   3   X   X - 3   3   √   2	( <del>g</del>	2 3 26 3	016650	1-164 B	SCE	0   10/ 02   10/	42/96-16:4	FEY		Ha	15 914 15 914
metrokta:	45 Lu	624 6	i si 🗘 S	(	0 3 73 7	ATTER	\$1578 A	The Alberta Commence	3 6	he he la la la la la la la la la la la la la	FEY		014	5 6 4
MECP 51	<u> </u>	Chali L	3 7 8	721-11	2 T.	1017 651	***	division by the proprietable to	4 155 250	22/96 123	FEY		011	分類
Mith H3	15 Lu	Chas 6	g ge 48 s	S &	2 2	(0) 79715	TE 188	NA ISE	3°	22/16 1440	FEY	80	nH	* B . *
计算机	35 Low	Ci. 1 6	_ /X )	( 3 E	1 (4)	diegis.	-X57.08	SE	14 - 14.	1450	FRY		24	" D. ( )
MTTOP 51	200	+6)	, 5 to 148	S 2	् अन्य	<del>.</del>	and the street of the state of	Better pic comment	North Color of Association	<u> </u>	- O		<u> </u>	* * 5 9 9 9
megps:9	74 Just	614 7/3/	( X   x   X	(8)	E × 6 =	decen	8=4.9	IN INC.	02 14		FEY (	76	OH.	REE
<b>CAN</b> (4.5)	举一日 544	8[2, ][3.		9 2	3 本 企業	200	工作证		Mark 13	F 30 (3.87 N				<b>5.4</b>
Shipment for Case Complete? (Y(1))	Page	53 h	e(s) to be U ハド <i>ひP</i>	والمراز المراجعة والمستوحية	boratory Q		dditional sa	mpler Signation			Chain of C	ustody Se	al Numi	(a) nex
Manage 4	"这一位,这一位"	<u> </u>		Lip in	, y			RECORDS	May 1	<b>32.43 4.35</b>	Basa IO	<u> </u>		±17.3
Relincuished by:	ishi =		/Time   5:45	Heceived	by: (Signa			Ished by: (Sig	naiure)	Date / 1	in Serin	leceived b	iy. (Əlgi	E H 2 W
Relirquished by:	(Signature)	Date	/ Time	Received	by: (Signa	ature)	Reling	lished by: (Sig	nature)	Date /	Time F	Received t	yy: (Sig	nature); 33
Relinquished by:	(Signature)	Date	/ Time	Received (Signatur		tory.by:	V ZOa	te /₁Time	Remarks	ls custody se	al intact?	Y/N/none	ana se sai	in a series



#### **UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

REGION 6 HOUSTON BRANCH 10625 FALLSTONE RD. HOUSTON, TEXAS 77099

#### MEMORANDUM

Date:

12-16-1996

Subject:

Contract Laboratory Program Data Review

From:

Melvin L. Ritter, ESAT RPO, 6MD-HC

To:

B. Canellas , 6SF-RA

Site: STAR LAKE CANAL

Case#: <u>25093</u>

SDG#: MFG-P43

The EPA Region 6 Houston Branch ESAT data validation team has completed a review of the submitted Contract Laboratory Program (CLP) data package for the referenced site. The samples analyzed and reviewed are detailed in the attached Regional data review and assessment report for this case.

The data package was found to be:

- ( ) Acceptable: No major problems with data package.
- (X) Provisional: Use of data requires caution. Data is acceptable for Regional use. Problems are noted in the review report.
- ( ) Unacceptable: Some or all of data should not be used. Problems are noted in the review report.


Questions regarding the data review report can be addressed to me.

#### Attachments

cc: R. Flores, Region 6 CLP/TPO

M. El-feky, Region 6 Data Coordinator

Files (2)



E PA United States	ntract Laboratory Program	raffic Report Case No. 250	23
1 Project Code Account Code	2. Region No. Sampling Co. 42 Date Shipped Carrier	Matrix 6 Matrix	7. Preservative
Regional Information	Sampler (Name)	SORVE EXPRESS SERVED SIN COLUMN A)	(Enter He in Column D)
Non-Streetund Program	Sampler Signature 5 Ship To AWAILVIII	3. Leachale 3.4. Fleid QC 6.5. A. Fleid QC 6.5. Soll/Sediment	3. NaOH 7 7 4. H2SO 7 5. K2CR2O7 7 7
STI Name  STI NO LAVE CAVAC  CN2 Sate Spill ID	CLEM AGIGS HOO STACKY	NORTH 3 70 (High only), 7. Waste (High only), only) had a second of the control o	6. Ice only 1.7. Other (specify in Column D) N. Not preserved
PERSONAL LIBERTON	FED SIN HORM ATTNOTAY KUR	Company of the Compan	Jm t Kt
Sample Matrix Conc. Sample (from Low Type: Box 6) Med Comp. Jacobs Conc.	Vative s Tracking Nomber 1/4 (from: 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Location Year/Time v CLP Organic	Sample: Field QC   Initials   Qualifier
DIL ED SAL SE LIVE COND		SE121 0/23/96/14/0 FE203	WN DIMEGRA
MILED ST. LOW GRAD	Was XX Bassa Celoister et al.	SENIE OBJACITAL FEY84	WN E B
MEGRICOT 4 LOW GOAR	Mary Sacreta San San San San San San San San San Sa	ER-03 10/23/761925 Fey 97	WN R
	Sample(s) to be Used for Laboratory QC	10 10 10 10 10 10 10 10 10 10 10 10 10 1	eal Number(s)
Complete (CVN) \( \frac{1}{2} \) \( \frac{1}{2}	it is chain of custoby Re	7 **	2.0
Relinglished by: (Signature),			by: (Signature)
Relinquished by: (Signature)	Date / Time Received by: ((Signature)) Relinquis	hed by: (Signature) Date / Time Received	by: (Signature) : 3 G
Relinquished by: (Signature) 4 3	Date / Time Received for Laboratory, by Date (Signature)	//Time :>>> Remarks > Is custody seal intact? Y/N/non	9.00
DISTRIBUTION: Green - Region Copy White - Lab Copy for		A Form 9118-1 SEE REVERSE FOR ADDITIONAL ST. *SEE REVERSE FOR PURPOSE CODE	

#### LOCKHEED MARTIN SERVICES GROUP 10101 SOUTHWEST FREEWAY, SUITE 500 HOUSTON, TEXAS 77074

MEMORANDUM

Page 1 of 2 pages

DATE: December 13, 1996

TO: Dr. Melvin Ritter, ESAT RPO, Region VI

FROM: Dr. Tom Chiang, ESAT ETM, Region VI

SUBJECT: CLP Data Review

REF: TDF # 6-7073A, ESAT File No. 12059

Attached is the data review summary for Case #25093

SDG #MFGP43

Site STAR LAKE CANAL

#### COMMENTS:

I. CONTRACTUAL ASSESSMENT OF DATA PACKAGE:

The hard copy review detected the following contractual noncompliances. The CCS report was not available at the time of this report preparation.

- A. The data package was submitted without the contractually required custody seals.
- B. The laboratory made incorrect dilutions to selenium samples MFG-P44 and MFG-P45 when the analytical spike recoveries were below 40 percent (Exhibit E, E-30, 13.b.1). As a result, the reviewer qualified these two selenium results.
- C. The laboratory submitted the data package 2 days late for the 35-day turnaround time requirement.
- II. TECHNICAL/USABILITY ASSESSMENT OF DATA PACKAGE:

A total of 480 results were reviewed for this data package. The package is technically provisional for the problems summarized below.

A. The reviewer qualified approximately nine percent of the results because of technical problems.

#### LOCKHEED MARTIN SERVICES GROUP 10101 SOUTHWEST FREEWAY, SUITE 500 HOUSTON, TEXAS 77074

#### **MEMORANDUM**

Page 2 of 2 pages

Attached is the data review summary for Case #25093 SDG #MFGP43 Site STAR LAKE CANAL

#### COMMENTS, continued:

- B. Matrix spike recoveries for antimony and selenium failed to meet QC criteria. The antimony results are unusable because the laboratory reported an antimony matrix spike recovery below 30 percent.
- C. FAA analytical spike recoveries for one arsenic, ten selenium and six thallium analyses failed to meet QC criteria.

	Project Codes	Account	Code	2. Regio	n No.S	ampling	100 246		4 Date Si (ชีวิธิไท		arrier •	2 15			6. Mati	rix	50	7. Pre	servative	
1212	Regional Informati	ion:	2	Sampler Dear	1 1	. S. S. S.	JDR I		Airbin Nûr	1.0 30 12	相記	8.84	Ž.		1, St 2, Gi	ter olumn orface W round W	ater	in ( 1.H 2.H	Column D) ICI " " " " " " " " " " " " " " " " " "	
	Non-Superfund Pr			Sampler 3. Purpo	in Di	Heno	7 K		5. Ship To		e file	DAS	COLUMN CO	radus Signal	4. Fi 6 -5. So 6 0 6. Ol	achate eld QC xl/Sedin I (High d aste (Hi	nents only) <sub>3</sub>	4. H 5. K 6. lo	laOH 2 189 l2SO4 2 2CR2O7 189 ta only 318 other (specific	
ŀ	City State  REFUELS:	Site Spil	- i - i - i - i - i - i - i - i - i - i	SF PRP ST: FED	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	REM.		RD RAS O&M NPLD	ATIV	Q.9 <sub>1</sub>			2 13 1 - 64	10 P	5 5 on 5 8 01	lly) o her (spe Column	ecity	ļ, ir	n Column D) Not preserve	į.,
AND AND PROPERTY AND PERSONS ASSESSMENT	Sample Numbers	Matrix Conc (from Low Box 6) Med Oner	/ Type:   1 Comp./	Preservative (from Box 7)	Metals inide	AS Anal	PH: PW = 5 ± SP Conduct: ₹ 5 ± 3	ed nation as	Heglon Trackin O Jag	al Specifi g Númbe Númbers		Stat	ion ition illier	Sam	Payl ?!! Time :	Corresp CLP O Samp	rganic	Sampler Initials	Field QC  Gualifier  B = Stank + S = S  D = Cuplicate  R = Parters.  PE = Parters.  = Not a QC Se	L
1	melepisk Kerek	14 160	Grah	¥3/6	XX	# 4 # 4	Y. 3%	્દ <u>-</u> ૦ ૄ દ = ૪	CON			E REA	_	10/22/96 10/2/96		FEY FEY		mc DH	4 R 4 9	-
į	nfbp-5 (*	5-46	Grab-	600	XX	<u> </u>	32	620	cite	3678		Same and the same	02%	Pope	11:15	PEY	93	oH	§ 96.3	-
į	mecos.7	25 Lw		6 : 1	XX	<b>2</b> %	<b>∂</b> (3).	10-6	17.77.78	-776			3 % (	<u>óþe/96.</u>	1 <i>10</i> 0	FFY	94	0#-	\$ 4. p	_
ŀ	MFGP 5 1	35 40	1.46	•	KX	6 3	20 4	( - 0	16681	782		JEE C		<u>6 22 9 </u> 0 22 96	1234	<u>FEY</u>	89 80	0H	· · · · · · · · · · · · · · · · · · ·	•
	Merking the	S Lou	A	6	VÝ	2: }		1221 01-10	3(14)+ 3(14)+		Chicago	15051	•	7	7,77	<u>Fey</u> Fey		DH DH	D/K	_
ľ	A 205	<b>7</b>	- 6		+112	A	376 76 38	MA SERVE			See See	ACTION AND A		7-71	7.30 7 a.	0		<b>B</b>	-	-
ľ	neges 9	34: 100	6.46	13/6	XX	8	电泳	6-D	1004	8	9	ZK-	02/1	0/22/96	1620	FEY (	76	oH	* R	e :
Ś	<b>医和波达加速</b>	<b>经过过程的</b>			1 4	ξ,	多文	ALC: Y	* <b>6</b>			Mar Par	54.34	¥-544	S 30			1	18 St.	
S C 34	Shipment for Case Complete?(-Y/N)			mple(s) t	معرفان إياان	ed for L	5H			All R	Si Ula	Signature			É	ain of C	uslody S	iei Num		
i Tr	Relinguished by:			Date / Tirr	37 30 10 10 10 10 10 10 10 10 10 10 10 10 10	Peceive		Signatu			CORP ES C	RD與例象 by: (Sign			ੂੰ ਜ਼ੁੱ Date / Tin	ne le	eceived	by: (Sig	mature)}	L
100	Mulle	illi-	- 10/z	196 5	45		F .			Ġ.										
40.4.4.4	relinquished by	(Signature)	Service As	Date / Tim	ie 1	Receive	d by: ﴿	Signatu		A Re	inq(lished	by: (Sign	nature)		Date / Tin	ne F	Received	by: (Sig	nature);	N. Park
F week at	Relinquished by:	(Signature)		ate / Tim		Receive (Signate		aborator	y by 2, a g		Date / T	me f	Remarks	Is cust	lody seal	I intact?	Y/N/non	•	100	

A 177 04	
4.	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
<b>.</b>	

A ton a table to the art, ou to have seed a	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Section 2 to a section of the residence of the section of the sect	The Market of the Control of the Con		-28
<b>EDV</b>	United States Environmental Protection Agency Contract Laboratory Program	ூர் Inorganic Traf	ody Record	Case No.	
	A STATE OF THE STA	(For Inorganic CL	P.Analysis)	2.50°	13 🛊
Account Project Code	unt Code 2. Region No. Sampling Co.	4 Date Shipped Carriers	<b>建筑建筑</b> 和1000000000000000000000000000000000000	6. Matrix (Enter In Column A):	7. Preservative
Non-Superfund Program	Sampler Signature	Sendo	15 0 S	1 Surface Water 2 Ground Water 3 Leachate	1.HCl 2.HNO3 4 2 3.NaOH 8 7
Sne Gorlest	3. Purpose", Early Action Long-Term	TEOU SALLAN EN	Soldies TNO WORTH	5-44-Field QC 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4. H2SQ4i 5. K2CR2D7 45 6. loe only 7. Other (specify in Column D)
PHINECIES TX	Spill ID STATE SING CAN			。 58: Other (specify in Column A) 会 音 記 章	N. Not preserved
Samole Matrix C	Onc. Sample Preser Low Type: Vative Med Comp. (from Box 7) Comp. (from	Regional Specific Tracking NUmber Oxfeet Numbers	電影Identifier I 5 San	Day/ A Corresponding Time & CLP Organic Sample No. ction & S	Samples Field QC Initials Qualifier, Qualifi
	DW GRAB 1630 XX 当音 本と G	016V3-7E378	7	6.0.10 EE 190	WN ZEE
MESPISI 15 L	OWGRAS 6 XXX	A STATE OF THE PARTY OF THE PAR	15 EE-07 10/23/9	attraction and the same	WN 35 ST
MFGPSON 5 TU	TU GRAR 6 S X X S S S S S S S S S S S S S S S S	0169 (19)=120	SE208 W3/9 SE209 W3/9		mc d
CANADA SELLI	かい GRAB 6 第 X X 享 日本 6 6 7 00 G A G A G A G A G A G A G A G A G A	015772 3470	ato manatoni —	SISTOFEZOI	WN
	OW GRABIG X X 2 3 3 4 4 6 2 6 2 6 2 6 2 6 2 6 2 6 2 6 2 6 2	COLUMN TO THE CO	SEEIS IN BOAR	516:20 FFY 87	wn.
	DW BOAB IG XXX X	017289 -190	SE916 01237	615:50 Fey 77	WN: * 44
WEST DESTA	W CRAIS IG XXX	017359360	SE-20: 005/1	61430 FEZ 02	WN
### 63 B. I.	WEAD 6 XX	01.1365-66	SE-2   063/9	GHIDFEZ 03	WU SE TO
	au Comp 16 名 X X 图 图 图 图 图 6 ·		SE®203 10/23/		WN AS THE
Shipment for Case Complete? (XN)	Page Sample(s) to be Used for Laboratory C	Additional Sampler	Signatures	Chain of Custody S	eal Number(s)
		CHAIN OF CUSTODY RECO	ND (100 A)		
Relinquished by: (Signatur	Date / Time Received by: (Sign	ature) Relinquished	by: (Signature) 1	Date / Time Received	by: (Signature)
Relinquished by: (Signatur	<u> </u>	ature) Relinquished	by (Signature)	Date / Time Received	by: (Signature) 6
Relinquished by: (Signature	p) Date / Time Received for Labor (Signature)	atory by; Date /; U	Remarks Is cus	tody seal intact? Y/N/nor	Ne Page
	Region Copy Lab Copy for Return to Region Yellow - Lab Copy	y for Return to CLASS		ERSE FOR ADDITIONAL ST ERSE FOR PURPOSE CODI	
			1		2^_n14~,
		; ;	1 1	j ! !	, , ,

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 6

#### HOUSTON BRANCH 10625 FALLSTONE ROAD HOUSTON, TEXAS 77099

#### INORGANIC REGIONAL DATA ASSESSMENT

CASE NO. 25093		SITE <u>STAR LAKE CANAL</u>
LABORATORY ARI		NO. OF SAMPLES 20
CONTRACT # 68-D5-0134		MATRIX 3 WATER/17 SOIL
SDG # MFGP43		REVIEWER (IF NOT ESD) <u>ESAT</u>
SOW# ILM04.0		REVIEWER'S NAME <u>Linda Hoffman</u>
ACCT # <u>7FAXJN10</u> SF #	<u>FAXUZZ</u>	COMPLETION DATE December 13, 1996
SAMPLE NO.: MFG-P40	MFG-P46	MFG-P50 MFG-P55 MFG-P59
MFG-P43	MFG-P47	MFG-P51 MFG-P56 MFG-P60
MFG-P44	MFG-P48	MFG-P52 MFG-P57 MFG-P61
MFG-P45	MFG-P49	MFG-P53 MFG-P58 MFG-P62

#### DATA ASSESSMENT SUMMARY

		ICP	FAA	HG	CYANIDE
1.	HOLDING TIMES	_0_		_0_	
2.	CALIBRATIONS			. <u> </u>	_Q_
З.	BLANKS	<u> </u>		<u> </u>	
4.	MATRIX SPIKES	_M_	_M_		
5.	DUPLICATE ANALYSIS	O	_0_	_0_	
6.	ICP QC	<u>_M_</u>			
7.	FAA QC		<u>_M_</u>		
8.	LCS			_0_	
9.	SAMPLE VERIFICATION				
10.	OTHER QC			_0_	
11.	OVERALL ASSESSMENT	<u>_M_</u>	<u>_M_</u>		

O = Data had no problems.

ACTION ITEMS: The laboratory submitted the package two days late without custody seals and made incorrect sample dilutions.

AREAS OF CONCERN: The matrix spike recoveries for antimony and selenium were less than 75 percent. One arsenic, ten selenium, and six thallium analyses failed to meet FAA QC criteria. One nickel analysis had a coefficient of variation greater than 20 percent.

#### NOTABLE PERFORMANCE:

M = Data qualified because of major or minor problems.

Z = Data unacceptable.

N/A= Not applicable

### INORGANIC QA REVIEW CONTINUATION PAGE

#### Case 25093 SDG MFGP43 Site STAR LAKE CANAL Lab ARI

COMMENTS: The package consisted of 17 soil and 3 water samples for total metals and cyanide analyses by ILM04.0. The sampler designated samples MFG-P43/MFG-P44 and MFG-P62/MFG-P63 (from SDG MFGP63) as field duplicate pairs and sample MFG-P52 as the QC sample. The three water samples were listed as rinsate samples. The laboratory did not meet the 35-day turnaround time requirement, submitted the package without custody seals, and made incorrect dilutions to two selenium samples. Forty-seven percent of the reported results were above the CRDL's.

All antimony results are unusable because the antimony matrix spike was 19.2 percent. The data package is technically provisional because of problems with matrix and FAA analytical spike recoveries and replicate instrument readings. The technical usability of all reported results is indicated in the attached Data Summary Table.

An Evidence Audit was conducted for the Complete Sample Delivery Group File (CSF), and the Evidence Inventory Checklist is attached to this report.

NOTE: THE FOLLOWING REVIEW NARRATIVE ADDRESSES BOTH CONTRACTUAL AND TECHNICAL ISSUES. THE ASSESSMENT MADE FOR EACH QC PARAMETER IS SOLELY BASED ON THE TECHNICAL DATA USABILITY, WHICH MAY NOT NECESSARILY BE AFFECTED BY CONTRACTUAL PROBLEMS.

- 1. Holding Times: Acceptable. Contractual holding time and sample preservation criteria were met. Technical holding time criteria have not been established for soil samples.
- 2. Calibrations: Acceptable. All calibrations met contractual requirements. The CRDL standard results indicated that instrument performance near the CRDL's was acceptable.
- 3. Blanks: Acceptable. Preparation and calibration blanks met contractual requirements although the laboratory reported six analytes in the blanks. Calibration and preparation blank concentrations only affected results below the CRDL's.

<u>Rinsates:</u> The laboratory reported analyte concentrations below the CDRL's for eight analytes. The user needs to evaluate the associated sample results for possible contamination.

### INORGANIC QA REVIEW CONTINUATION PAGE

#### Case 25073 SDG MFGP43 Site STAR LAKE CANAL Lab ARI

- 4. Pre-digestion/Pre-distillation Matrix Spike Recovery:
  Provisional. The laboratory reported matrix spike
  recoveries below the QC limits for antimony and selenium.
  Since the antimony recovery was less than 30 percent and
  antimony was undetected in the samples, the reviewer
  qualified these results as unusable. The reviewer qualified
  the selenium results as estimated with a low bias because of
  the outlying selenium recovery.
- 5. Duplicate Analysis: Acceptable. The laboratory demonstrated satisfactory laboratory precision as seen by acceptable duplicate differences.
- 6. ICP Quality Control:

<u>Serial Dilution:</u> Acceptable. The laboratory reported acceptable serial dilution differences for all analytes.

<u>Interference Check Sample:</u> Acceptable. Acceptable ICS results indicated satisfactory interelement and background correction.

<u>Coefficient of Variation:</u> Provisional. Replicate ICP readings were inconsistent for nickel in sample MFG-P50, so the reviewer qualified this result as estimated.

7. Furnace Atomic Absorption Quality Control:

FAA Analytical Spike Recovery: Provisional. The laboratory reported analytical spike recoveries below the QC limits for the following samples that the reviewer qualified as estimated with a low bias:

arsenic in sample MFG-P45;

selenium in samples MFG-P40, MFG-P44, MFG-P45, MFG-P46, MFG-P47, MFG-P52, MFG-P53, MFG-P55, MFG-P57, and MFG-P62; and

thallium in samples MFG-P43, MFG-P44, MFG-P50, MFG-P51, MFG-P55, and MFG-P57.

The analytical spike recoveries for lead in sample MFG-P58 and thallium in samples MFG-P59 and MFG-P60 were only marginally low, so the reviewer did not qualify these results.

## INORGANIC QA REVIEW CONTINUATION PAGE

#### Case 25073 SDG MFDG43 Site STAR LAKE CANAL Lab ARI

7. Furnace Atomic Absorption Quality Control, continued:

<u>Duplicate Injection Coefficient of Variation:</u> Acceptable. Replicate instrument readings were consistent.

Method of Standard Addition: MSA analysis was not required.

- 8. Laboratory Control Sample: Acceptable. Acceptable LCS results indicated satisfactory sample preparation and analysis.
- 9. Sample Verification: The reviewer detected numerous reporting errors and contacted the laboratory for resubmission (see attached FAX Record Log).
- 10. Other QC:

Field Duplicate: Acceptable. Field duplicate results demonstrated satisfactory field precision.

11. Overall Assessment: The data package is technically provisional for the following reasons.

The reviewer qualified one arsenic, all antimony and selenium, and six thallium results because of matrix related problems.

The reviewer qualified one nickel result because of inconsistent ICP readings.

#### INORGANIC DATA QUALIFIER DEFINITIONS

The following definitions provide brief explanations of the ESAT-Region 6 qualifiers assigned to results in the inorganic data review process.

- Undetected at the laboratory reported detection limit (IDL).
- L Reported concentration is between the IDL and the CRDL.
- J Result is estimated because of outlying quality control parameters such as matrix spike, serial dilution, FAA spike recovery, etc.
- R Result is unusable.
  - F A possibility of a false negative exists.
  - UC Reported concentration should be used as a raised detection limit because of apparent blank contamination.
  - Actual concentration may be lower than the concentration reported.
  - v Low bias. Actual concentration may be higher than the concentration reported.

Case No.: 25093 Laboratory: ARI

DATA SUMMARY SDG. No.: MFGP43 Matrix: SOIL

Units:

Reviewer: L. Hoffman

mg/Kg

	PLAG	FLAG _	FLAG _	FLAG _	FLAG	COMMENTS	
EPA TR #->	MFG-P40	MFG-P43	MFG-P44	MFG-P45	MFG-P46		_
ALUMINUM	34700	30400	26500	43400	32900		_
ANTIMONY	[   21.7 UR	18.8 UR	18.9 UR	19.2 UR	23.3 UR		
ARSENIC	   3.1 L	1.5 L	1.5 L	0.41 UJV	6.6		
BARIUM	   163	142	155	297	94.2		
BERYLLIUM	]   1.4 L	1.6 L	1.4 L	1.9 L	1.6 L		
CADMIUM	   0.87 t	0.75 U	0.77 L	0.77 U	0.93 U		
CALCIUM	38400	5210	4490	6900	4410		
CHROMIUM	<b>[</b> 51.0	32.4	28.7	40.8	35.7		_
COBALT	]   9.7 L	10.1 L	4.8 L	5.1 L	13.6 L		
COPPER	   106	19.1	16.3	29.5	19.5		
IRON	   24200	16800	15200	19400	37300		
LEAD	   46.8	23.6	20.2	19.9	26.5		
Magnesium	   6860	5940	5730	6910	9200		
Manganese	] . ] 308	116	102	186	2780		
MERCURY	0,23	0.09 Ū	0.09 U	0.10 L	0.10 T		. +
NICKEL	19.0	17.2	12.1 L	21.6	29.9		
POTASSIUM	2480	3690	3600	4750	5540		_
SELENIUM	0.42 UJv	1.9 UJv	0.76 UJv	0.81 UJV	0.50 UJv		
SILVER	1.3 σ	1.1 0	1.1 0	1.2 0	1.4 U		
SODIUM	1920 L	2830	2610	4140	4880		
THALLIUM	3.3 L	0.81 LJv	0.64 LJv	2.6 L	3.3 L		
VANADIUM	56.9	53.5	50.6	59.3	62.0		_
ZINC	96.7	74.4	53.5	56.4	94.3		
CYANIDE	1.5	0.49 U	0.49 U	0.50 U	0.62 U		
* SOLIDS	43.9	50.1	51.4	49.2	39.8		
							_

Case No.: 25093 Laboratory: ARI

DATA SUMMARY SDG. No.: MFGP43 Macrix: SOIL

Reviewer: L. Hoffman Units: mg/Kg

	EPA TR #=>	FLAGFLAG	FLAGFLAG	FLAGFLAG	FLAGFLAG	FLAG	COMMENTS
	DER IK #-3	1	WLG-140	HEG-543	MEG-F50	W5.0-621	
	ALUMINUM	21700	28500	25100	27800	22500	
	ANTIMONY	26.4 UR	20,5 UR	19.2 UR	19.6 UR	25.2 UR	
	ARSENIC	7.0	11.5	1.2 L	1.7 L	3.2 L	
	BARIUM	109,	100	114	116	128	
	BERYLLIUM	1.2 L	1.5 L	1.6 L	1.7 L	1.6 L	
	CADMIUM	1.1 U	0.82 U	0.77 U	0.78 U	1.0 U	
	CALCIUM	   47200	3390	3250	3150	6030	
	CHROMIUM	70.1	32.4	26.7	29.0	24.7	
	COBALT	9.1 L	17.4 L	6.1 L	,5.0 L	4.7 L	
	COPPER	143	22.9	14.8	14.6	16.0	
	IRON	21700	25000	17000	17100	14300	
_	LEAD	89.1	24.6	21.3	21.1	17.8	
	MAGNESIUM	14300	6860	7050	7540	8000	
	MANGANESE	598	223	110	143	133	
	MERCURY	1.6	0.10 U	0.10 U	0.09 U	0.13 U	
	MICKEL	27.5	27.5	16.1	16.6 J	17.4 L	
_	POTASSIUM	2490 L	4680	4760	4790	4290	
	SELENIUM	0.53 UJV	2.1 UJV	1.9 UJv	2.0 UJV	2.7 UJV	
<del>-</del>	SILVER	1.6 ប	1.2 U	1.2 U	1.2 U	1.5 U	
	SODIUM	3700	3640	5360	5980	5890	
	THALLIUM	2.6 ប	2.1 L	2.5 L	0.93 LJv	1.2 LJv	
	VANADIUM	42.2	53.4	47.1	48.6	44.2	
	ZINC	120	73.5	66.4	58.1	50.4	
	CYANIDE	4.3	0.54 U	0.52 U	0.53 U	0.67 U	
	* SOLIDS	34.4	45.6	48.2	46.9	36.4	
_							

DATA SUMMARY

Case No.: 25093 Laboratory: ARI SDG. No.: MFGP43 Matrix: SOIL Reviewer: Units: L. Hoffman mg/Kg

COMMENTS MFG-P57 MFG-P52 MFG-P55 MFG-P56 EPA TR #-> MFG-PS3 ALUMINUM 5930 15300 20000 1650 13900 ANTIMONY 13.5 UR 13.8 UR 22.8 UR 13.3 UR 14.2 UR ARSENIC 2.0 L 4.7 3.9 L 0.75 L 3.8 BARIUM 30.6 L 57.1 61.8 L 9.8 L 60.0 BERYLLIUM 0.36 L 1.0 L 0.95 L 0.27 U 0.89 L CADMIUM D.54 U 0.55 U 0.91 U 0.53 U 0.57 U CALCIUM 837 L 1740 1500 B 204 L 1070 L CHROMIUM 6.5 18.7 20.3 3.2 15.1 1.4 L COBALT 12.9 L 5.4 L 7.4 L 2.1 L COPPER 5.3 L 12.1 13.9 2.7 LUC 8.2 IRON 5360 21400 14700 1740 15200 LEAD 8.7 15.9 47.4 12.0 14.4 MAGNESIUM 1510 5080 4560 490 L 3560 MANGANESE 18.0 41.0 1170 98.6 136 0.06 D MERCURY 0.07 T 0.17 L 0.07 U 0.07 T NICKEL 4.4 L 21.6 12.7 L 3.0 L 13.5 POTASSIUM 906 L 3720 2800 228 L 2490 SELENIUM 0.27 UJv 0.27 UJV 0.47 UJV 0.27 UJv 0.29 ひひゃ SILVER 0.81 0 0.83 U 1.4 0 0.80 U 0.85 T SODIUM 1460 3040 5370 1100 L 2930 THALLIUM 0.27 L 2.1 L 0.81 LJv 0.27 U 0.65 LJv VANADIUM 12.4 L 29.8 39.0 3.9 L 29.0 ZINC 17.4 58.3 46.8 8.9 41.3 CYANIDE 0.34 U 0.35 U 0.59 U 0.34 U 0.38 T \* SOLIDS 72.6 70.9 42.2 73.5 65.3

DATA SUMMARY

Case No.: 25093 Laboratory: ARI

SDG. No.: MFGP43 Matrix: SOIL

Reviewer: L. Hoffman Units:

ng/Kg

FLAG COMMENTS EPA TR #=> MFG-P61 MFG-P62 ALUMINUM 28800 23200 YNOMITHA 15.8 UR 21.6 UR ARSENIC 1.9 L 21.0 BARIUM 179 436 BERYLLIUM 1.5 L 1.8 CADMIUM 0.86 U 0.63 U CALCIUM 24700 13700 CHROMIUM 46.0 29.7 COBALT 6.3 L 15.1 L COPPER 67.1 16.1 IRON 17300 35200 LEAD 63.5 31.6 MAGNESIUM 6400 3500 MANGANESE 181 491 MERCURY 0.76 0.08 U NICKEL 15.2 L 18.3 POTASSIUM 3390 3240 SELENIUM 2.1 UJv 0.33 Wv SILVER 1.3 U 0.95 U SODIUM 3100 1700 THALLIUM 2.1 U 3.3 L VANADIUM 47.8 71.1 ZINC 93.4 40.8 CYANIDE 0.55 U 0.42 U \* SOLIDS 45.0 59.1

Case No.: 25093 Laboratory: ARI

DATA SUMMARY SDG. No.: MFGP43 Therix: NATER

Reviewer: L. Hoffman Units: ug/L

		FLAG	FLAG		FLAG	FLAG	FLA		COMMENTS	_
EPA TR #=>	MFG-P58	MFG-F	<b>\$</b> 9	MFG-P60						
ALUMINUM	27.3	LUC 27	.7 LUC	26.8	L					
ANTIMONY	50.0	U 50	.o t	50.0	Ų					
ARSENIC	1.0	U 1	.ο σ	1.0	Ţ					
BARIUM	1.0	ŭ 1	.ο υ	1.0	ט					
BERYLLIUM	1.0	נ ט	.ο σ	1.0	Ţ					
CADMIUM	2.0	ช 2	. o t	2.0	U					-
CALCIUM	39.5	L 32	, 3 · L	29.4	L					
CHROMIUM	5.0	U 5	.o U	5.0	U					_
COBALT	3.0	<b>U</b> 3	.o t	3.0	U					
COPPER	3.5	LUC 2	. 8 LUC	2.8	LUC					
iron	58.1	L 20	.o u	20.0	U					
LEAD	1.0	Ü 1	.4 LUC	1.3	LUC					
MAGNESIUM	25.0	۳ 25	۵ ت	25.0	U					_
MANGANESE	5.0	L 1	.0 U	1.0	U					
MERCURY	0.10	σ ο.	10 U	0.10	U				•	<u>-</u>
NICKEL	10.0	Ū 10	.0 T	10.0	ט					
POTASSIUM	500	<b>σ</b> s	00 U	500	v					_
SELENIUM	1.0	U 1	.00	1.0	U					
SILVER	3.0	υ 3	.o U	3.0	ס					
SODIUM	86.7	L 78	.0 L	59.1	Ĺ	-				
THALLIUM	1.0	<b>U</b> 1	.០ ប	1.0	ט					·
VANADIUM	2.0	ت <u>2</u>	. O U	2.0	ŭ					
ZINC	15.1	LUC 4	.1 LUC	4.0	Ų			·		
CYANIDE	5.0	v 5	. ט	5.0	U					_

### INORGANIC/ORGANIC COMPLETE SDG FILE (CSF) INVENTORY CHECKLIST

Case No. <u>25093</u> SDG No. <u>MF</u>	GP43 SDG Nos. To Follow	SAS No.	Date R	lec <u>11/</u>	/29/96
EPA Lab ID: ARI		ORIGINALS	YES	NO	N/A
Lab Location: Seattle, WA		CUSTODY SEALS			
Region: 6 Audit No.:	25093/MFGP43	Present on package?		X	
Re_Submitted CSF? Yes	No X	2. Intact upon receipt?			X
Box No(s):		FORM DC-2			
COMMENTS:		3. Numbering scheme accurate?		х	
I. The laboratory failed to secure th	e data package with the	4. Are enclosed documents listed?	X		
required custody seals. The labo omission.	ratory was notified of this	5. Are listed documents enclosed?	х		
	0.11	FORM DC-1	1		
<ol> <li>On Form DC-2-2, the laboratory report page numbers. The page a</li> </ol>	number was omitted from the	6. Present?	x	İ	i
page between pages 284 and 285 necessary corrections and contac	. The reviewer made the	7. Complete?	×		
necessary corrections and contac	ted the laboratory.	8. Accurate?	х		
		CHAIN-OF-CUSTODY RECORD(s)		<u></u>	
		9. Signed?	х	<u> </u>	
		10. Dated?	х		
÷		TRAFFIC REPORT(s) PACKING LIST(s)		*	
		11. Signed?	x	2. 5.	
		12. Dated?	X	9. t.	+-
	·	AIRBILLS/AIRBILL STICKER	<del>  ^</del>	-	╁
		13. Present?	x	12.0	1
	,	14. Signed?	X	<del> </del> -	┼─
		15. Dated?	$\frac{\hat{x}}{x}$		+-
	·	SAMPLE TAGS	<del>  ^</del>	<u> </u>	┼
		16. Does DC-1 list tags as being included?	l x	l	ł
				-	-
		17. Present?	X		+
		OTHER DOCUMENTS	l		1
		18. Complete?	<u> </u>		-
		19. Legible?	X	<del> </del>	1
		20. Original?	1	X	<u> </u>
Over for additional comments.	7	20a.If "NO", does the copy indicate where original documents are located?	X		
Audited by:	Hollon	Linda Hoffman /ESAT Data Reviewer	Date	12/03	3/96
Audited by:			Date	·	
Audited by:			Date		
Sign	ature	Printed Name/Title		<del>- ".</del>	
	TO BE COMP	LETED BY CEAT			
Date Recvd by CEAT:	Da	ate Entered: Date Reviewed:			
Entered by:			· · · · · · · · · · · · · · · · · · ·		
Reviewed by:				<del></del>	
· ———	Signature	Printed Name/Title			
	VIB-NOVOI O	t sinted transfille			

In Reference to Case 25093/SDG MFGP43 Page 1 of 3 pages ESAT File No.: 12059

#### Contract Laboratory Program REGIONAL/LABORATORY COMMUNICATION SYSTEM

#### FAX Record Log

Date of FAX:

December 13. 1996

Laboratory Name:

ARI

Lab Contact:

Jeff Reitan

Region:

Regional Contact: Linda Hoffman (ESAT)

In reference to data for the following sample number(s):

FAX Initiated by: Region

All samples in this SDG.

#### Summary of Questions/Issues:

- The data package was submitted without the contractually required custody seals (ILM04.0, Exhibit F, F-8, 2.7.14). Please explain this contractual noncompliance.
- 2. Contractually noncompliant dilutions (2X) were made to samples MFG-P44 and MFG-P45 for the selenium analyses. The SOW (ILM04.0, Exhibit E, E-30, 13.b.1) states, "If the spike recovery is less than 40%, the sample shall be diluted and rerun with another spike. Dilute the sample by a factor of 5 to 10 and rerun." Please explain this contractual noncompliance.
- З. On Form DC-2-1 improper corrections were made. The SOW (ILM04.0, Exhibit F, 2.5.8, F-5) states, "Corrections to laboratory documents and raw data shall be made by drawing single lines through the errors and entering the correct information....Corrections and additions to information shall be signed (or initialed) and dated." Please acknowledge this requirement and note for the future.
- 4. The traffic report page number was not recorded on Form DC-2-2, Item #26. The SOW (ILM04.0, Exhibit B, B-42, U, 2nd paragraph) states, "Inventory the CSF by reviewing the document numbers and recording page number ranges in the column provided on Form DC-2." Since the TR/COC are on the

In Reference to
Case 25093/SDG MFGP43
Page\_2 of\_3 pages
ESAT File No.: 12059

same document, the SOW requires the traffic report page numbers to be recorded on Form DC-2-2. Please acknowledge and note for the future that the traffic report page number must be recorded under Item #26.

- 5. On Form 4 (pp. 46 and 47), all analytes analyzed by ICP were not recorded for "Initial/Final Sol. A". The SOW (ILM04.0, Exhibit B, B-26 and B-27, Paragraphs beginning "Under "Initial Found Sol, A" and "Under "Final Found Sol. A" and Exhibit E, E-20, 5, 2nd paragraph) states analytes for all wavelengths used for each analyte reported by ICP must be recorded on Form 4 (starting with Solution A). Please make the necessary corrections to pages 46 and 47 and resubmit.
- 6. For your information, soil samples do not require aluminum and iron matrix spike analyses (ILM04.0, Exhibit E, E-23, Table 3).
- 7. In the lead instrument raw data, time of analysis was not recorded for the initial and continuing calibration verifications and blanks (ILM04.0, Exhibit B, d, B-11, #9). Please add the time of each ICV, ICB, CCV, and CCB analysis to the lead raw data and resubmit.
- 8. On Form 14 (p.75), a 0.0 %R was entered for lead sample MFG-P44A. From the raw data (pp. 293 and 294), however, the correct %R should be 98.0. Please correct and resubmit Form 14
- 9. In the thallium raw data (pp. 368 370 and 380 385), the CCV's and CCB's were not identified with the required EPA sample numbers. Please make this correction to all appropriate pages and resubmit.
- 10. On the Form 14's for the first cyanide run, the "start date" is later than the "end date" and also does not agree with the start date in the raw data pages 404, 405, and 406. Please make the necessary corrections and resubmit the appropriate pages.
- 11. Please explain why the ICV/CCV concentrations in the cyanide raw data do not agree with the concentrations reported on the Form 2's and make any necessary corrections and resubmissions.
- 12. On the SDG/TR Cover Sheet (p. 467), the last sample in SDG is also listed as the SDG number, which in this case it is not. Please correct this discrepancy and resubmit page 467.

In Reference to Case 25093/SDG MFGP43 Page 3 of 3 pages ESAT File No.: 12059

The EPA expects the laboratory to look into items and submit data within seven days to Mahmoud El-Feky, U.S. EPA, 10625 Fallstone Road, Houston TX 77099.

Signature /

Date

Distribution: (1) Lab Copy, (2) Region Copy

# Lockheed Martin Services Group ESAT Region 6

10101 S. W. Freeway, Suite 500, Houston, TX 77074 TEL: (713) 988-2983

### FACSIMILE COVER SHEET

Please deliv	ver the following pages to:
Name <u>Jeff</u> Re	eitan eitan
Firm ARI	
City Seattle	State <u>WA</u>
Telephone 20	06-621-6490 Ext.
FAX Telephon	ne No. 206-621-7523 Ext.
Sender:	
Name Linda H	ioffman ESAT
Date <u>12/13/9</u>	96 Time
Total Number	of pages including this Cover Sheet_4_
If you do no please call:	ot receive all the pages or if any pages are unclear, (713) 988-2983.
MESSAGES:	· · · · · · · · · · · · · · · · · · ·

100

FAX No. (713) 988-2994

A CONTROL OF STREET OF STREET ASSESSED AND A STREET AND A STREET AND A STREET AND A STREET AND A STREET ASSESSED AND A STREET AND A STR

### INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

M	F	G	Þ	4	o	
	_	•	<u> </u>	-3	v	

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Lab Code: ARI\_\_\_\_ Case No.: 25093\_ SAS No.: \_\_\_\_\_ SDG No.: MFGP43

Matrix (soil/water): SOIL\_

Lab Sample ID: 5368I

Level (low/med): LOW

Date Received: 10/25/96

% Solids:

\_43.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	С	Q	М	
7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-43-9 7440-70-2 7440-47-3 7440-50-8 7439-89-6 7439-95-4 7439-95-4 7439-95-5 7439-97-6 7440-02-0	Analyte  Aluminum_ Antimony_ Arsenic_ Barium_ Beryllium Cadmium_ Calcium_ Chromium_ Cobalt_ Copper_ Iron_ Lead_ Magnesium Manganese Mercury_ Nickel_ Potassium Selenium_ Silver_ Sodium_ Thallium	Concentration  34700 21.7 3.1 163 1.4 0.87 38400 51.0 9.7 106 24200 46.8 6860 308 0.23 19.0 2480 0.42 1.3 1920 3.3	- 世 語 tB ひ		M   Q Q E Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	
7440-62-2 7440-66-6	Vanadium_ Zinc_ Cyanide_	56.9 ————————————————————————————————————	1 –		P P CA	

oror	Before:	BROMN	Clarity	Relore:	***************************************	rexture:	LINE
color	After:	GREEN	Clarity	After:	CLOUDY	Artifacts:	
Commer	nts:						
	3***		· · · · · · · · · · · · · · · · · · ·				
_		<del>-</del> -					

FORM I - IN

#### 1 INORGANIC ANALYSES DATA SHEET

EPA	SAMPI	E NO.

		INORGANIC ANALYSES DATA S	SHEET	
_		_RESOURCES_INC. Contract: 68	8-D5-0134	MFGP43
_	_ab Code: ARI	Case No.: 25093_ SAS No.:	:	SDG No.: MFGP43
. <u></u>	Matrix (soil/water):	SOIL_	Lab Sample	ID: 5368A
	Level (low/med):	LOW	Date Recei	ved: 10/23/96
	% Solids:	_50.1		
	_			

Concentration Units (ug/L or mg/kg dry weight): MG/KG

	1		1			1
CAS No.	Analyte	Concentration	С	Q	М	
7429-90-5	Aluminum	30400	-		P	
7440-36-0	Antimony	18.8	ਹਿ	<u> </u>	P-	
7440-38-2	Arsenic	1.5	В		F-	ĺ
7440-39-3	Barium .	142	ا " ا	<del></del>	P-	
7440-41-7	Beryllium	1.6	ᇙ		P_	ĺ
7440-43-9	Cadmium	0.75	ן ט		P-	ı
7440-70-2	Calcium	5210		. ———	P-	ı
7440-47-3	Chromium	31.4	-		P-	ı
7440-48-4	Cobalt	10.1	티티		P-	l
7440-50-8	Copper	19.1	اعا		P	l
7439-89-6	Iron	16800	-	<del></del>	P	l
7439-92-1	Lead	23.6			F	l
7439-95-4			-		F-	ı
7439-95-4	Magnesium		-		P-	l
7439-96-5	Manganese	116	ច	·	Č⊽	İ
	Mercury	0.09	اما		P	l
7440-02-0	Nickel	17.2	-		P_	l
7440-09-7	Potassium	3690	ਹ		F-	l
7782-49-2	Selenium_	1.9	1	_n	F	l
7440-22-4	Silver	1.1	U		P-	l
7440-23-5	Sodium	2830	Ē		F	١
7440-28-0	Thallium_	0.81		W	<u>F</u> _	l
7440-62-2	Vanadium_	53.5	_		P_	l
7440-66-6	Zinc	74.4	<u> </u>		P	l
	Cyanide	0.49	ប៊		CĀ	l
l	l	l	<b>!</b> _	l	١	ţ

_ Col	or Before:	BROWN	Clarity	Before:		Texture:	FINE_
col	or After:	GREEN	Clarity	After:	CLOUDY	Artifacts:	
— Com	ments:						
•			· · · · · · · · · · · · · · · · · · ·				
·-··		<u></u>	<del></del>		· · · · · · · · · · · · · · · · · · ·	<del>-</del>	

FORM I - IN

ILM04.0

### INORGANIC ANALYSES DATA SHEET

The state of the s

EPA SAMPLE NO.

MFGP44

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Lab Code: ARI Case No.: 25093 SAS No.: SDG No.: MFGP43

Matrix (soil/water): SOIL\_

Lab Sample ID: 5368B

Level (low/med): LOW

Date Received: 10/23/96

% Solids:

\_51.4

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.         Analyte         Concentration         C         Q         M           7429-90-5         Aluminum         26500         P           7440-36-0         Antimony         18.9         U         N         P           7440-38-2         Arsenic         1.5         B         F           7440-39-3         Barium         155         P         P           7440-41-7         Beryllium         0.77         B         P           7440-43-9         Cadmium         0.77         B         P           7440-47-3         Chromium         28.7         P           7440-48-4         Cobalt         4.8         B         P           7439-89-6         Copper         16.3         P           7439-92-1         Lead         20.2         F           7439-95-4         Manganesium         5730         P           7440-02-0         Nickel         102         P           7440-09-7         Potassium         3600         P           7440-22-4         Sodium         2610         P           7440-28-0         Thallium         0.64         B         W         F           7440-66-6							ı
7440-36-0         Antimony         18.9 U         N         P           7440-38-2         Arsenic         1.5 B         F           7440-39-3         Barium         155         P           7440-41-7         Beryllium         1.4 B         P           7440-43-9         Cadmium         0.77 B         P           7440-70-2         Calcium         4490         P           7440-48-4         Cobalt         4.8 B         P           7440-50-8         Copper         16.3         P           7439-89-6         Iron         15200         P           7439-95-4         Magnesium         5730         P           7439-96-5         Manganese         102         P           7440-02-0         Nickel         12.1 B         P           7440-09-7         Potassium         3600         P           7440-22-4         Silver         1.1 U         P           7440-23-5         Sodium         2610         P           7440-66-6         Zinc         53.3         P	CAS No.	Analyte	Concentration	С	Q	M	
7440-36-0         Antimony         18.9 U         N         P           7440-38-2         Arsenic         1.5 B         F           7440-39-3         Barium         155         P           7440-41-7         Beryllium         1.4 B         P           7440-43-9         Cadmium         0.77 B         P           7440-70-2         Calcium         4490         P           7440-48-4         Cobalt         4.8 B         P           7440-50-8         Copper         16.3         P           7439-89-6         Iron         15200         P           7439-95-4         Magnesium         5730         P           7439-96-5         Manganese         102         P           7440-02-0         Nickel         12.1 B         P           7440-09-7         Potassium         3600         P           7440-22-4         Silver         1.1 U         P           7440-23-5         Sodium         2610         P           7440-66-6         Zinc         53.3         P	7429-90-5	Aluminum	26500	_		P	ı
7440-38-2         Arsenic         1.5         B         F           7440-39-3         Barium         155         P           7440-41-7         Beryllium         1.4         B         P           7440-43-9         Cadmium         0.77         B         P           7440-70-2         Calcium         4490         P           7440-47-3         Chromium         28.7         P           7440-50-8         Copper         16.3         P           7439-89-6         Iron         15200         P           7439-92-1         Lead         20.2         F           7439-95-4         Magnesium         5730         P           7439-97-6         Mercury         0.09         U         CV           7440-02-0         Nickel         12.1         B         P           7440-09-7         Potassium         3600         P           7440-22-4         Silver         1.1         U         P           7440-23-5         Sodium         2610         P           7440-66-6         Zinc         53.3         P	1 ' '		18.9	ū	N	₽_	ı
7440-39-3         Barium         155         P           7440-41-7         Beryllium         1.4         B         P           7440-43-9         Cadmium         0.77         B         P           7440-47-3         Chromium         28.7         P           7440-48-4         Cobalt         4.8         B         P           7439-89-6         Iron         15200         P           7439-92-1         Lead         20.2         F           7439-95-4         Magnesium         5730         P           7439-97-6         Mercury         0.09         U         CV           7440-02-0         Nickel         12.1         B         P           7440-02-0         Selenium         0.76         U         WN         F           7440-22-4         Silver         1.1         U         P           7440-23-5         Sodium         2610         P           7440-28-0         Thallium         0.64         B         W         F           7440-66-6         Zinc         53.3         P			1.5	В		F	
7440-43-9         Cadmium         0.77         B         P           7440-70-2         Calcium         4490         P           7440-47-3         Chromium         28.7         P           7440-48-4         Cobalt         4.8         B         P           7439-89-6         Iron         15200         P           7439-92-1         Lead         20.2         F           7439-95-4         Magnesium         5730         P           7439-96-5         Manganese         102         P           7440-02-0         Nickel         12.1         B         P           7440-02-0         Nickel         12.1         B         P           7440-22-4         Silver         1.1         U         P           7440-23-5         Sodium         2610         P           7440-28-0         Thallium         0.64         B         W         F           7440-66-6         Zinc         53.3         P	7440-39-3	Barium -	155				
7440-43-9         Cadmium         0.77         B         P           7440-70-2         Calcium         4490         P           7440-47-3         Chromium         28.7         P           7440-48-4         Cobalt         4.8         B         P           7449-89-6         Iron         15200         P           7439-92-1         Lead         20.2         F           7439-95-4         Magnesium         5730         P           7439-96-5         Manganese         102         P           7440-02-0         Nickel         12.1         B         P           7440-02-0         Nickel         12.1         B         P           7440-22-4         Silver         1.1         U         P           7440-23-5         Sodium         2610         P           7440-28-0         Thallium         0.64         B         W         F           7440-66-6         Zinc         53.3         P	7440-41-7	Beryllium	1.4	B			
7440-47-3         Chromium         28.7         P           7440-48-4         Cobalt         4.8         B         P           7440-50-8         Copper         16.3         P           7439-89-6         Iron         15200         P           7439-92-1         Lead         20.2         F           7439-95-4         Magnesium         5730         P           7439-96-5         Manganese         102         P           7440-02-0         Nickel         12.1         B         P           7440-02-0         Nickel         12.1         B         P           7782-49-2         Selenium         0.76         W         F           7440-22-4         Silver         1.1         U         P           7440-23-5         Sodium         2610         P           7440-28-0         Thallium         0.64         B         W         F           7440-66-6         Zinc         53.3         P	7440-43-9		0.77	В		P_	
7440-48-4         Cobalt         4.8         B         P           7440-50-8         Copper         16.3         P           7439-89-6         Iron         15200         P           7439-92-1         Lead         20.2         F           7439-95-4         Magnesium         5730         P           7439-96-5         Manganese         102         P           7440-02-0         Nickel         12.1         B         P           7440-02-0         Nickel         12.1         B         P           7782-49-2         Selenium         0.76         W         F           7440-22-4         Silver         1.1         U         P           7440-23-5         Sodium         2610         P           7440-28-0         Thallium         0.64         B         W         F           7440-66-6         Zinc         53.3         P	7440-70-2	Calcium	4490	_			l
7440-50-8       Copper       16.3       P         7439-89-6       Iron       15200       P         7439-92-1       Lead       20.2       F         7439-95-4       Magnesium       5730       P         7439-96-5       Manganese       102       P         7440-02-0       Nickel       12.1       B       P         7440-09-7       Potassium       3600       P         7782-49-2       Selenium       0.76       WN       F         7440-22-4       Silver       1.1       U       P         7440-23-5       Sodium       2610       P         7440-28-0       Thallium       0.64       B       W       F         7440-66-6       Zinc       53.3       P	7440-47-3	Chromium	28.7	_			İ
7439-89-6       Iron       15200       P         7439-92-1       Lead       20.2       F         7439-95-4       Magnesium       5730       P         7439-96-5       Manganese       102       P         7449-97-6       Mercury       0.09       U       CV         7440-02-0       Nickel       12.1       B       P         7440-09-7       Potassium       3600       P         7440-22-4       Selenium       0.76       U       WN       F         7440-23-5       Sodium       2610       P         7440-28-0       Thallium       0.64       B       W       F         7440-62-2       Vanadium       50.6       P         7440-66-6       Zinc       53.3       P	7440-48-4	Cobalt	4.8	B			l
7439-92-1       Lead       20.2       F         7439-95-4       Magnesium       5730       P         7439-96-5       Manganese       102       P         7439-97-6       Mercury       0.09       U       CV         7440-02-0       Nickel       12.1       B       P         7440-09-7       Potassium       3600       P         7782-49-2       Selenium       0.76       U       WN       F         7440-22-4       Silver       1.1       U       P         7440-23-5       Sodium       2610       P         7440-28-0       Thallium       0.64       B       W       F         7440-66-6       Zinc       53.3       P	7440-50-8	Copper	16.3			P	l
7439-95-4       Magnesium       5730       P         7439-96-5       Manganese       102       P         7439-97-6       Mercury       0.09       U       CV         7440-02-0       Nickel       12.1       B       P         7440-09-7       Potassium       3600       P         7782-49-2       Selenium       0.76       U       WN       F         7440-22-4       Silver       1.1       U       P         7440-23-5       Sodium       2610       P         7440-28-0       Thallium       0.64       B       W       F         7440-62-2       Vanadium       50.6       P         7440-66-6       Zinc       53.3       P	7439-89-6	Iron	15200	_		P	l
7439-96-5       Manganese       102       P         7439-97-6       Mercury       0.09       U       CV         7440-02-0       Nickel       12.1       B       P         7440-09-7       Potassium       3600       P         7782-49-2       Selenium       0.76       U       WN       F         7440-22-4       Silver       1.1       U       P         7440-23-5       Sodium       2610       P         7440-28-0       Thallium       0.64       B       W       F         7440-62-2       Vanadium       50.6       P         7440-66-6       Zinc       53.3       P	7439-92-1	Lead	20.2		<u> </u>	F_	ł
7439-97-6     Mercury     0.09     U     CV       7440-02-0     Nickel     12.1     B     P       7440-09-7     Potassium     3600     P       7782-49-2     Selenium     0.76     U     WN     F       7440-22-4     Silver     1.1     U     P       7440-23-5     Sodium     2610     P       7440-28-0     Thallium     0.64     B     W     F       7440-62-2     Vanadium     50.6     P       7440-66-6     Zinc     53.3     P	7439-95-4	Magnesium	5730	_			l
7440-02-0     Nickel     12.1     B     P       7440-09-7     Potassium     3600     P       7782-49-2     Selenium     0.76     U     WN     F       7440-22-4     Silver     1.1     U     P       7440-23-5     Sodium     2610     P       7440-28-0     Thallium     0.64     B     W     F       7440-62-2     Vanadium     50.6     P       7440-66-6     Zinc     53.3     P	7439-96-5	Manganese					l
7440-09-7       Potassium       3600       P         7782-49-2       Selenium       0.76       U       WN       F         7440-22-4       Silver       1.1       U       P         7440-23-5       Sodium       2610       P         7440-28-0       Thallium       0.64       B       W       F         7440-62-2       Vanadium       50.6       P         7440-66-6       Zinc       53.3       P	7439-97-6		0.09	Ū			l
7782-49-2       Selenium       0.76 U       WN       F         7440-22-4       Silver       1.1 U       P         7440-23-5       Sodium       2610       P         7440-28-0       Thallium       0.64 B       W       F         7440-62-2       Vanadium       50.6       P         7440-66-6       Zinc       53.3       P	7440-02-0	Nickel	12.1	В			l
7440-22-4 Silver 1.1 U P 7440-23-5 Sodium 2610 P 7440-28-0 Thallium 0.64 B W F 7440-62-2 Vanadium 50.6 P 7440-66-6 Zinc 53.3 P	7440-09-7	Potassium	3600				ı
7440-23-5     Sodium     2610     P       7440-28-0     Thallium     0.64     B     W     F       7440-62-2     Vanadium     50.6     P       7440-66-6     Zinc     53.3     P	7782-49-2		0.76	Ū	WN		İ
7440-28-0 Thallium 0.64 B W F 7440-62-2 Vanadium 50.6 P 7440-66-6 Zinc 53.3 P	7440-22-4	Silver		U		P_	ĺ
7440-62-2 Vanadium 50.6 P 7440-66-6 Zinc 53.3 P	7440-23-5	Sodium	2610	_		P_	I
7440-66-6 Zinc53.3 P	7440-28-0	Thallium_	0.64	B	W	F	l
	7440-62-2		50.6	_			l
Cyanide 0.49 U CA	7440-66-6			<b> </b> _			۱
		Cyanide	0.49	U		CA	۱
1		l		<b> </b> _		<b> </b>	l

			#-:				<u> </u>
Commen	nts:						
Color	After:	GREEN	Clarity	After:	CLOUDY	Artifacts:	
Color	Before:	BROWN	Clarity	Before:		Texture:	FINE

FORM I - IN

ILM04.0

	1	INORGANIC A	1 ANALYSES DATA S	SHEET	EPA SAMPL	E NO.
Lab Name: ANALY	TICAL_RESO	JRCES_INC.	Contract: 68	3-D5-0134	MFGP45	
_ ab Code: ARI_	Cas	se No.: 250	93_ SAS No.:	·	SDG No.:	MFGP43
_Matrix (soil/wa	ter): SOIL	-na		Lab Sampl	e ID: 5368	J
_evel (low/med)	: LOW_	_		Date Rece	eived: 10/2	5/96
-% Solids:	_49.2	2				
Cor	ncentration	Units (ug/	L or mg/kg dry	<pre>/ weight):</pre>	MG/KG	
	<del></del>		J. J.		i	
	CAS No.	Analyte	Concentration	C Q	м	
	7429-90-5		43400		<u>P_</u>	
	7440-36-0	Antimony_	19.2	U _N	P_	
_	7440-38-2 7440-39-3	Arsenic	297	<u> </u>	F_ P_	
	7440-41-7	Beryllium	1.9	B	P	
	7440-43-9	Cadmium_	0.77	ן	P_	
-		Calcium	6900	_	P_	
•	7440-47-3		40.8		P_	
		Cobalt Copper	5.1	<del>                                   </del>	P_	
-		Iron	19400		P_ P_ F_	•
	7439-92-1	Lead	19.9		F-	-
	7439~95-4				P	
	7439-96-5	Manganese	186	-	P_ P_	
	7439-97-6	Mercury	0.10	B	c⊽	
		Nickel	21.6		P_	
	7440-09-7		4750	<u></u>	P_	
	7782-49-2	Selenium_	0.81	<u>"</u>  wn	F_ P_	
	7440-22-4		1.2		P_	
	7440-23-5	Thallium	4140	<del>_</del>	P_ F	
		Vanadium_	59.3		P-	
	7440-66-6	Zinc	56.4		P-	
,		Cyanide_	0.50		CĀ	
_Color Before:	BROWN	Clari	ty Before:		Texture:	FINE_

_Color Before:	BROWN	Clarity Before:	Texture: FINE_
olor After:	GREEN	Clarity After: CLOUDY	Artifacts:
Comments:			
-			· · · · · · · · · · · · · · · · · · ·

FORM I - IN

ILM04.0

A DESTRUCTION OF THE PROPERTY

### INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MFGP4	6
Mr GL 4	v

_					_	-
Lab	Name:	ANALYTICAL	RESOURCES	INC.	Contract:	-61

Contract: 68-D5-0134 |\_\_\_\_\_

Lab Code: ARI\_\_\_\_ Case No.: 25093\_ SAS No.: \_\_\_\_\_ SDG No.: MFGP43

Matrix (soil/water): SOIL Lab Sample ID: 5368K

Level (low/med): LOW\_\_\_ Date Received: 10/25/96

% Solids: \_\_39.8
Concentration Units (ug/L or mg/kg dry weight): MG/KG

	CAS No.	Analyte	Concentration	c	Q	М	
1_						_	
	7429-90-5	Aluminum_	32900	_]		P_	
7	7440-36-0	Antimony_	23.3	<u></u>	N	P_	ŀ
7	7440-38-2	Arsenic	6.6	_		F_	ĺ
7	7440-39-3	Barium	94.2			P_	
7	7440-41-7	Beryllium	1.6	Β̈		P_	l
7	7440-43-9	Cadmium_	0.93	U		P	l
7	7440-70-2	Calcium	4410	_	-	P_	
7	7440-47-3	Chromium_	35.7	<u> </u>		P_	İ
] 7	7440-48-4	Cobalt	13.6	围		P_	l
7	7440-50-8	Copper	19.5			P_	
7	7439-89-6	Iron	37300	_		P_	l
7	7439-92-1	Lead	26.5	_		F_	l
7	7439-95-4	Magnesium	9200	_		P_	l
17	7439-96-5	Manganese	2780	_		P_	l
7	7439-97-6	Mercury	0.10	טו		C∇	l
7	7440-02-0	Nickel	29.9	_		P_	ļ
7	7440-09-7	Potassium	5540	_		P_	ĺ
17	7782-49-2	Selenium	0.50	Ū	MN	F	l
7	7440-22-4	Silver	1.4	ן ט		P_	l
7	7440-23-5	Sodium	4880	l		P_	İ
7	7440-28-0	Thallium	3.3	ã		F_	l
7	7440-62-2	Vanadium_	62.0			P_	ł
1:	7440-66-6	Zinc	94.3			P_	l
1		Cyanide_	0.62	ו ס		CĀ	l
1-		<u> </u>		_		l	Į

Color	Before:	BROWN	Clarity	Before:		Texture:	FINE
Color	After:	GREEN_	Clarity	After:	CLOUDY	Artifacts:	
Comme	nts:						

FORM I - IN

ILM04.0

		U.S.	EPA - CLP			
_	:	INORGANIC A	1 ANALYSES DATA S		EPA SAMPLE NO.	
Lab Name: ANAL)	Lab Name: ANALYTICAL_RESOURCES_INC. Contract: 68-D5-0134					
Lab Code: ARI	Cas	se No.: 250	93_ SAS No.	:	SDG No.: MFGP43	
_ Matrix (soil/wa	ater): SOIL	_		Lab Sampl	e ID: 5368L	
Level (low/med)	: LOW_	_		Date Rece	eived: 10/25/96	
- % Solids:	_34.4	1				
Cor	ncentration	Units (ug/	/L or mg/kg dry	y weight):	MG/KG	
<u></u>					<del></del> 1	
<u>.</u>	CAS No.	Analyte	Concentration	c Q	М	
<del></del>	7429-90-5		21700		<u>P</u>	
	7440-36-0 7440-38-2	Antimony_ Arsenic	26.4		P_ F_	
	7440-39-3	Barium	109	1	P P	
	7440-41-7	Beryllium			P	
	7440-43-9	Cadmium_	1.1		p_ p_ p_	
<b></b> .	7440-70-2 7440-47-3		47200 70.1		<u> </u>	
		Cobalt	9.1		5-1	
		Copper	143			
_ ,		Iron	21700		P_ P_	
•		Lead	89.1		F_	
		Magnesium			[P-]	
<b>-</b>		Manganese	598		P_   P_	
	7439-97-6		1.6		c⊽	
	7440-02-0	Nickel	27.5		P	
<u></u>	7440-09-7	Potassium		B	P	
	7782-49-2		0.53		F P P P P P P P P P P P P P P P P P P P	
	7440-22-4	1 -	1.6		P_	
_	7440-23-5	Sodium_	3700		P_ F_	
	7440-28-0 7440-62-2	Thallium_ Vanadium	2.6	'	P	
	7440-62-2	Zinc	120		5-1	
	1440-00-0	Cyanide	4.3		P CA	
	<del></del>	cyaniae_		-		
_ Color Before:	BROWN	Clari	ty Before:		Texture: FINE	
Color After:	GREEN	Clari	ty After: CLO	UDY	Artifacts:	
Comments:						

FORM I - IN

ILM04.0

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Lab Code: ARI\_\_\_\_ Case No.: 25093\_ SAS No.: \_\_\_\_\_ SDG No.: MFGP43

Matrix (soil/water): SOIL\_

Lab Sample ID: 5368M

Level (low/med): LOW\_\_\_\_

Date Received: 10/25/96

% Solids:

\_45.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

 <del></del>					_	
CAS No.	Analyte	Concentration	С	Q	M	
7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-43-9 7440-47-3 7440-48-4 7440-50-8 7439-95-4 7439-95-4 7439-95-6 7439-97-6 7440-02-0 7440-09-7 7782-49-2 7440-22-4	Aluminum Antimony Arsenic Barium Beryllium Cadmium Calcium Chromium Cobalt Copper Iron Lead Magnesium Manganese Mercury Nickel Potassium Selenium Silver	28500 20.5 11.5 100 1.5 0.82 3390 32.4 17.4 22.9 25000 24.6 6860 223 0.10 27.5 4680 2.1	G	QN		
7440-23-5 7440-28-0 7440-62-2 7440-66-6	Sodium Thallium_ Vanadium_ Zinc_ Cyanide	3640 2.1 53.4 73.5 0.54			P P CA	
1		ľ	I	1	L	1

cotor	Belore:	BROWN	Clarity Before:	<del></del>	rexture:	FINE
Color	After:	GREEN	Clarity After:	CLOUDY	Artifacts:	
Comme	nts:					
				· · · · · · · · · · · · · · · · · · ·		<del></del>

FORM I - IN

ILM04.0

	1		
INORGANIC	ANALYSES	DATA	SHEET

EPA SAMPLE NO.

	:	INORGANIC A	ANALYSES DATA S	SHEET	
Lab Name: ANAL	YTICAL RESOU	URCES INC.	Contract: 68	3-D5-013	MFGP49
	_	<del></del>			SDG No.: MFGP43
_ Matrix (soil/wa	ater): SOIL	· <del>-</del>		Lab Sam	ple ID: 5368N
Level (low/med)	: LOW_	_		Date Re	ceived: 10/25/96
−% Solids:	_48.2	2			
Cor	ncentration	Units (ug/	/L or mg/kg dry	y weight	): MG/KG
	CAS No.	Analyte	Concentration	C Q	M
<del></del>	7429-90-5 7440-36-0	Aluminum Antimony	25100 19.2		
_	7440-38-2	Arsenic Barium	1.2	B	_   _   _   _   _   _
	7440-41-7 7440-43-9	Beryllium Cadmium_	1.6		- F- - P- - P- - P-
-	7440-47-3	Calcium_ Chromium_	3250 26.7		_ P_ _ P_
_	7440-50-8 7439-89-6	Cobalt Copper Iron	6.1 14.8 17000	B	P P P P P P P P P P P P P P P P P P P
<u>-</u>	7439-95-4 7439-96-5	Lead Magnesium Manganese	110		- P   P
_	7440-02-0 7440-09-7	Mercury_ Nickel_ Potassium	0.10 16.1 4760	-	CV P F
	7440-23-5	Selenium_ Silver Sodium	1.9 1.2 5360	<sup>u</sup>	_   F_   _   P_   _   P_
		Thallium_ Vanadium_ Zinc	2.5 47.1 66.4	-  -	P P P P P P P P P P P P P P P P P P P
		Cyanide	0.52	<u> </u>	
					- '

Artifacts:
-

FORM I - IN

ILM04.0

AND THE REPORT OF THE PROPERTY

### INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

	•	G	~	_	^	
γI	-		_	٠,	61	

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Lab Code: ARI\_\_\_ Case No.: 25093\_ SAS No.: \_\_\_\_ SDG No.: MFGP43

Matrix (soil/water): SOIL\_

Level (low/med): LOW\_\_\_

Date Received: 10/25/96

Lab Sample ID: 53680

% Solids:

\_46.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	С	Q	M	
7429-90-5	Aluminum	27800	-		P	
7440-36-0	Antimony -	<u> </u>	ប៊	N	₽_	
7440-38-2	Arsenic		В		F	
7440-39-3	Barium	116	.		P_	
7440-41-7	Beryllium	1.7	B		P_	
7440-43-9	Cadmium	0.78	שׁ			i
7440-70-2	Calcium	3150			P_	
7440-47-3	Chromium	29.0	-		P_	
7440-48-4	Cobalt	5.0	В		P	
7440-50-8	Copper	14.6	_		P_	
7439-89-6	Iron	17100			P_	l
7439-92-1	Lead	21.1	_		F_	l
7439-95-4	Magnesium	7540	_		P_	l
7439-96-5	Manganese	143	_			l
7439-97-6	Mercury	0.09	ប៊			l
7440-02-0	Nickel	16.6			P	l
7440-09-7	Potassium	4790	_			l
7782-49-2	Selenium	2.0	וּטֿן	N	F	
7440-22-4	Silver	1.2	U		P_	l
7440-23-5	Sodium	5980	_	i	P_	l
7440-28-0	Thallium	0.93	B	W	F_	l
7440-62-2	Vanadium_		_	l	P_	١
7440-66-6	Zinc	58.1			P_	l
	Cyanide	0.53	Ū		CĀ	l
	l		_		l	١
	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-43-9 7440-47-3 7440-48-4 7440-50-8 7439-92-1 7439-95-4 7439-96-5 7439-97-6 7440-02-0 7440-09-7 7782-49-2 7440-23-5 7440-28-0 7440-62-2	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-43-9 7440-70-2 7440-47-3 7440-48-4 7440-50-8 7439-92-1 7439-95-4 7439-95-4 7440-02-0 7440-02-0 7440-02-0 7440-23-5 7440-28-0 7440-66-6 7440-66-6	7429-90-5       Aluminum       27800         7440-36-0       Antimony       19.6         7440-38-2       Arsenic       1.7         7440-39-3       Barium       116         7440-41-7       Beryllium       0.78         7440-70-2       Cadmium       0.78         7440-47-3       Chromium       29.0         7440-48-4       Cobalt       5.0         7440-50-8       Copper       14.6         7439-89-6       Iron       17100         7439-92-1       Lead       21.1         7439-95-4       Magnesium       7540         7439-96-5       Manganese       143         7440-02-0       Nickel       16.6         7440-02-0       Nickel       16.6         7440-22-4       Silver       1.2         7440-23-5       Sodium       5980         7440-28-0       Thallium       0.93         7440-66-6       Zinc       58.1	7429-90-5         Aluminum         27800           7440-36-0         Antimony         19.6           7440-38-2         Arsenic         1.7           7440-39-3         Barium         116           7440-41-7         Beryllium         0.78           7440-43-9         Cadmium         0.78           7440-47-3         Chromium         29.0           7440-48-4         Cobalt         5.0           7439-89-6         Iron         17100           7439-92-1         Lead         21.1           7439-95-4         Magnesium         7540           7439-97-6         Mercury         0.09           7440-02-0         Nickel         16.6           7440-02-1         Selenium         2.0           7440-22-4         Silver         1.2           7440-23-5         Sodium         5980           7440-62-2         Vanadium         48.6           7440-66-6         Zinc         58.1	7429-90-5         Aluminum         27800         UN           7440-36-0         Antimony         19.6         UN           7440-38-2         Arsenic         1.7         B           7440-39-3         Barium         116         B           7440-41-7         Beryllium         1.7         B           7440-43-9         Cadmium         0.78         U           7440-70-2         Calcium         3150         Correct           7440-48-4         Cobalt         5.0         B           7440-50-8         Copper         14.6         Copper           7439-89-6         Iron         17100         Iron           7439-95-4         Magnesium         7540           7439-96-5         Manganese         143           7440-02-0         Nickel         16.6           7440-09-7         Potassium         4790           7782-49-2         Selenium         2.0         W           7440-23-5         Sodium         5980           7440-28-0         Thallium         0.93         W           7440-66-6         Zinc         58.1         U	7429-90-5         Aluminum         27800         P           7440-36-0         Antimony         19.6         U         N         P           7440-38-2         Arsenic         1.7         B         F           7440-39-3         Barium         116         P         P           7440-41-7         Beryllium         1.7         B         P           7440-43-9         Cadmium         0.78         U         P           7440-47-3         Chromium         29.0         P         P           7440-48-4         Cobalt         5.0         B         P           7439-89-6         Iron         17100         P           7439-92-1         Lead         21.1         F           7439-95-4         Magnesium         7540         P           7440-02-0         Nickel         16.6         P           7440-09-7         Potassium         2.0         U         N           7440-22-4         Silver         1.2         U         P           7440-23-5         Sodium         5980         P           7440-28-0         Thallium         0.93         B         W         F           7440-66-

Colc	or Before:	BROWN	Clarity	Before:	·	Texture:	FINE_
Colo	r After:	GREEN	Clarity	After:	CLOUDY	Artifacts:	
Comn	ments:						
-			•••				
-						·	<del></del>

FORM I - IN

ILM04.0

#### U.S. EPA - CLP EPA SAMPLE NO. INORGANIC ANALYSES DATA SHEET MFGP51 Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134 Lab Code: ARI Case No.: 25093 SAS No.: SDG No.: MFGP43 Matrix (soil/water): SOIL Lab Sample ID: 5368P Date Received: 10/25/96 Level (low/med): LOW − % Solids: 36.4 Concentration Units (ug/L or mg/kg dry weight): MG/KG Concentration | C CAS No. М Analyte Q 7429-90-5 22500 P Aluminum \_25.2 ប៊ី 7440-36-0 Antimony 7440-38-2 Arsenic 3.2 B P 7440-39-3 Barium 128 1.6 B P 7440-41-7 Beryllium 1.0 U P 7440-43-9 Cadmium ₽ 7440-70-2 6030 Calcium P 7440-47-3 Chromium 24.7 4.7 B P 7440-48-4 Cobalt 7440-50-8 16.0 P Copper 7439-89-6 ₽ Iron 14300 7439-92-1 17.8 Lead 7439-95-4 8000 P. Magnesium P 133 7439-96-5 Manganese Mercury\_ ์ 0.13 | ปั๊ c⊽ 7439-97-6 17.4 B P 7440-02-0 Nickel 7440-09-7 Potassium 4290 P 7782-49-2 Selenium 2.7 7440-22-4 Silver โ1.5|บ P 7440-23-5 Sodium 5890 ₽ F 7440-28-0 Thallium 1.2 B 44.2P 7440-62-2 Vanadium 50.4 P 7440-66-6 Zinc ០.67 ប៊ CĀ Cyanide \_ Color Before: BROWN Clarity Before: \_ Texture: FINE Color After: GREEN Clarity After: CLOUDY Artifacts: Comments:

FORM I - IN

ILM04.0

The state of the s

### INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MFGP52
--------

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Lab Code: ARI \_\_\_ Case No.: 25093\_ SAS No.: \_\_\_ SDG No.: MFGP43

Matrix (soil/water): SOIL\_

Lab Sample ID: 5368C

Level (low/med): LOW\_\_

Date Received: 10/23/96

% Solids:

\_72.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	С	Q	М	
7429-90-5	Aluminum	5930	_		P	
7440-36-0	Antimony_	13.5	ซิ	N	P_	
7440-38-2	Arsenic	2.0	В		F-	
7440-39-3	Barium.	30.6	в		P_	
7440-41-7	Beryllium	0.36	В		P_	ĺ
7440-43-9	Cadmium	0.54	ט		P	
7440-70-2	Calcium	837	В		$ \mathbf{P}^{-} $	ĺ
7440-47-3	Chromium	6.5			P_	ĺ
7440-48-4	Cobalt	2.1	В		P	l
7440-50-8	Copper	5.3	В	l	P_	ĺ
7439-89-6	Iron	5360	l		P	ĺ
7439-92-1	Lead	8.7	_		F	l
7439-95-4	Magnesium	1510	_		P_	l
7439-96-5	Manganese	41.0			P_	ĺ
7439-97-6	Mercury	0.07	ប៊		CV	İ
7440-02-0	Nickel	4.4	₿		P_	
7440-09-7	Potassium	906	₿		P_	
7782-49-2	Selenium_	0.27	U	wn	F_	l
7440-22-4	Silver	0.81	U		P_	l
7440-23-5	Sodium	1460	i_		P_	l
7440-28-0	Thallium_	0.27	B		F_	ĺ
7440-62-2	Vanadium_	12.4	В		P_	
7440-66-6	Zinc	17.4			P_	
	Cyanide	0.34	₽		CĀ	l
l	<u> </u>	l		l	1_	

Color	Before:	BROWN	Clarity	Before:		Texture:	FINE_
Color	After:	GREEN	Clarity	After:	CLOUDY	Artifacts:	
Commer	nts:						
_							
<del></del>							

FORM I - IN

ILM04.0

		INORGANIC A	1 ANALYSES DATA S	SHEET	EPA SAMPLE NO.
Lab Name: ANAL	VMTCNI. PECO	IIDCDQ TMC	Contract: 69	3-D5-013 <i>4</i>	MFGP53
	–	. –			
Jab Code: ARI_	Ca	se NO.: 250	J93_ SAS NO.		SDG No.: MFGP4
Matrix (soil/w	ater): SOIL	_		Lab Samp	le ID: 5368Q
Sevel (low/med	): LOW_	<u>-</u>		Date Rec	eived: 10/25/96
ኝ Solids:	_70.	9			
Co	ncentration	Units (ug/	L or mg/kg dry	y weight)	: MG/KG
	1	<u></u>			<del> </del>
	CAS No.	Analyte	Concentration	C Q	М
	-400 00 E	27	15200	-	<del>_</del>
	7429-90-5	Aluminum_	15300 13.8	<sub>77</sub>  — <del>&gt;7</del>	<u>P                                   </u>
	7440-36-0	Antimony_	I——— <sup>13.8</sup>	U _N	=
	7440-38-2 7440-39-3		4.7 57.1	<del></del>	F_ P_ P_ P_
	7440-39-3	Barrum .	1.0	=	5-
	7440-41-7		0.55		5-
	7440-70-2		1740		5-
	7440-47-3		18.7		P_ P_
	7440-48-4		12.9	핅	P_
	7440-50-8	Copper	12.1	*	5-
	7439-89-6	Iron	21400	-	5-
		Lead	15.9	[-[	P_ P_ F_ P_
	7439-95-4	Magnesium		[-[	<del>     </del>
	7439-96-5			├ <b>─</b> ├──	P-
	7439-97-6	Mercury	0.06	<sub>17</sub>	cv
	7440-02-0	Nickel	21.6		
	7440-09-7				P_ P_
	7782-49-2	1	0.27		F_
	7440-22-4		0.83		
	7440-23-5		3040		P
			2.1	<u>B</u>	F
	7440-62-2	Vanadium	29.8		P_ P_ P_ P_
	7440-66-6	Zinc	58.3		P_
		Cyanide	0.35	<u> </u>	CĀ
Color Before:	BROWN	Clarit	ty Before:	' <del> </del>	'' Texture: FINE
Color After:	GREEN	Clari	ty After: CLO	צסט	Artifacts:
Comments:					
·				· <del>-</del> ····	

FORM I - IN

ILM04.0

### INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Lab Code: ARI Case No.: 25093 SAS No.: \_\_\_\_ SDG No.: MFGP43

Matrix (soil/water): SOIL\_

Lab Sample ID: 5368D

Level (low/med): LOW\_\_

Date Received: 10/23/96

% Solids:

\_42.2

Concentration Units (ug/L or mg/kg dry weight): MG/KG

			_		
CAS No.	Analyte	Concentration	С	Q	м
7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7	Aluminum_ Antimony_ Arsenic_ Barium_ Beryllium	20000 22.8 3.9 61.8 0.95			
7440-43-9	Cadmium Calcium	0.91 1500	U B		P_ P
7440-47-3 7440-48-4	Chromium_ Cobalt	20.3 5.4	B		P_ P_
7440-50-8 7439-89-6	Copper	13.9 14700	_		P
7439-92 <b>-</b> 1 7439-95-4	Lead_ Magnesium		<u> -</u>		F P
7439-96-5 7439-97-6	Manganese Mercury	98.6 0.17	Ē		P_CV
7440-02-0 7440-09-7	Nickel Potassium	12.7 2800			P_ P_
7782-49-2 7440-22-4	Selenium_  Silver	0.47	บี บ	WN	F_ P_
7440-23-5 7440-28-0	SodiumThallium_	5370 0.81	ਛ	_w_	P_ F_
7440-62-2 7440-66-6	Vanadium_ Zinc	39.0 46.8	-		P_ P_
	Cyanide	0.59	Ū		CĀ

Color	Before:	BROWN	Clarity	Before:		Texture:	FINE_
Color	After:	GREEN	Clarity	After:	CLOUDY	Artifacts:	
Commer	nts:						
<del></del>					-		<del></del>
<del></del>		<u> </u>	<del></del>		<del></del>		<u> </u>

FORM I - IN

ILM04.0

#### EPA SAMPLE NO. INORGANIC ANALYSES DATA SHEET MFGP58 Lab Name: ANALYTICAL RESOURCES INC. Contract: 68-D5-0134 Case No.: 25093 SAS No.: SDG No.: MFGP43 Jab Code: ARI \_Matrix (soil/water): WATER Lab Sample ID: 5368G Date Received: 10/23/96 \_evel (low/med): LOW ~ } Solids: 0.0 Concentration Units (ug/L or mg/kg dry weight): UG/L\_ CAS No. Analyte Concentration C М 27.3 B P 7429-90-5 Aluminum 50.0 | บ ₽ 7440-36-0 Antimony F 1.0 U 7440-38-2 Arsenic Þ. 7440-39-3 1.0 U Barium . 7440-41-7 P Beryllium 1.0 U 7440-43-9 Cadmium 2.0 0 P 7440-70-2 Calcium <u>3</u>9.5∫B P P 7440-47-3 Chromium 5.0 U ั3.0|บ P 7440-48-4 Cobalt 3.5 B P 7440-50-8 Copper Đ, 58.1 B 7439-89-6 Iron 7439-92-1 Lead 1.0 0 <u>−</u>25.0 | U P 7439-95-4 Magnesium 5.0 B P 7439-96-5 Manganese ÇV 0.10 U 7439-97-6 Mercury P 7440-02-0 10.0 U Nickel P 500 U 7440-09-7 Potassium F 7782-49-2 Selenium 1.0 U ั3.0|บ P 7440-22-4 Silver 7440-23-5 86.7 B P Sodium 1.0 0 F 7440-28-0 Thallium P Vanadium -2.0 U 7440-62-2 $P^{-}$ 7440-66-6 Zinc 15.1 B

_Color Before:	COLORLESS	Clarity	Before:	CLEAR_	Texture: _	
Color After:	COLORLESS	Clarity	After:	CLEAR_	Artifacts: _	
Comments:						
						<del></del>
				<del></del>		_

Cyanide

FORM I - IN

ILM04.0

 $C\overline{A}$ 

5.0 U

#### U.S. EPA - CLP

and the control of th

### INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

VI	F	G	Þ	5	9
	т.	v		_	_

Lab Name: ANALYTICAL\_RESOURCES\_INC. Contract: 68-D5-0134

Lab Code: ARI\_\_\_\_ Case No.: 25093\_ SAS No.: \_\_\_\_ SDG No.: MFGP43

Matrix (soil/water): WATER

Lab Sample ID: 5368H

Level (low/med): LOW\_\_\_

Date Received: 10/23/96

% Solids:

\_\_0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L\_

					,
CAS No.	Analyte	Concentration	С	Q	М
7429-90-5	Aluminum	27.7	B		$\left  {P} \right $
7440-36-0	Antimony	50.0	וט		$ \bar{P}^- $
7440-38-2	Arsenic	1.0	Ü		ᄝᅳᅵ
7440-39-3	Barium -	1.0	Ū		P_
7440-41-7	Beryllium	1.0	Ū		$ \mathbf{P}^- $
7440-43-9	Cadmium	2.0	Ŭ		<sub>P</sub> -
7440-70-2	Calcium	32.3			P_
7440-47-3	Chromium		υ		$ P^- $
7440-48-4	Cobalt	3.0	Ū		$ \bar{P}^- $
7440-50-8	Copper	2.8			$_{\rm P}^{-}$
7439-89-6	Iron	20.0			$ P^- $
7439-92-1	Lead	1.4	В		F
7439-95-4	Magnesium	25.0	บ		P_
7439-96-5	Manganese	1.0	ָּט		P_
7439-97-6	Mercury	0.10	U		C∇
7440-02-0	Nickel	10.0	Ū		P
7440-09-7	Potassium	500	ט		P_
7782-49-2	Selenium	1.0	Ū		F_
7440-22-4	Silver	3.0	U		P_
7440-23-5	Sodium	78.0	В		P_
7440-28-0	Thallium	1.0	Ų		F
7440-62-2	Vanadium	2.0	Ū		P_
7440-66-6	Zinc	4.1	В	l	P
	Cyanide	5.0	υ		CĀ
	, - <u> </u>				
·	·——		· —		_

Commer	nts:						<del></del>
Color	After:	COLORLESS	Clarity	After:	CLEAR_	Artifacts:	
Color	Before:	COLORLESS	Clarity	Before:	CLEAR_	Texture:	

FORM I - IN

ILM04.0

000023

TO SEED OF THE SECOND PROPERTY OF THE SECOND

		0.5.	EPA - CLP		
		INORGANIC A	1 MALYSES DATA 9	SHEET	EPA SAMPLE NO.
Lab Name: ANA	LYTICAL_RESO	URCES_INC.	Contract: 60	8-D5-013	MFGP60
Lab Code: ARI	Ca	se No.: 250	93_ SAS No.	:	SDG No.: MFGP4
Matrix (soil/	water): WATE	R		Lab Sam	ple ID: 5368R
Level (low/me	d): LOW_	<del>-</del>		Date Re	ceived: 10/25/96
ß Solids:	0.	0			
Co	oncentration	Units (ug,	L or mg/kg dr	y weight	): UG/L_
	(2) (2 ) Y-	3	G		T., I
	CAS No.	Analyte	Concentration	C Q	M
	7429-90-5	Aluminum	26.8	<sub>B</sub>	-( <del>p-</del>
	7440-36-0		50.0		P_  P_
	7440-38-2		1.0		F_ P_ P_ P_
	7440-39-3		1.0	ט -	<u> </u>
	7440-41-7	Beryllium	1.0		
	7440-43-9		2.0	ט	_  P_
	7440-70-2		29.4		P_ P_
	7440-47-3		5.0	ט	_   P_
	7440-48-4		3.0		P P
	7440-50-8		2.8	B	_ P_
	7439-89-6		20.0		_  <u>P</u> _
			1.3		_  <u>F</u> _
		Magnesium			P P P P
	7439-96-5	Manganese	1.0	!!	
	7439-97-6		0.10		_ c <u>v</u>
	7440-02-0	Potassium	10.0		P P
	7782-49-2		1.0		-  -  -
	7440-22-4		3.0		F P
	7440-23-5	Sodium	5.0		- 5-
	7440-28-0		1.0	บี  พ	P- F- P-
	7440-62-2	Vanadium	2.0	<u> </u>   ^^	p
	7440-66-6	Zinc	4.0		-  P-
	, , , , , , , , , , , , , , , , , , , ,	Cyanide	5.0		P CA
Color Before:	COLORLESS	Clari	ty Before: CLE	AR_	Texture:
Color After:	COLORLESS	Clari	ty After: CLE	AR_	Artifacts:
Comments:					
			<del> </del>	····	·····

FORM I - IN

ILM04.0

ORGANIC DATA SUMMARY

Case No.: 25093

SDG:

FEYBO

Reviewer:

W. DOONG

Laboratory: COMPU

Matrix:

SOIL

Unita:

ug/Kg

PESTICIDES/PCBs		FLAG	_FLAG	_FLAG_	FL	AG	FLAG	FLAG	FLA
EPA SAMPLE NUMBER:	   FE-Y93	FE-Y94	FE-201		FE-202	FE-203			
alpha-BHC	   3.0	U 2.5	ນ 3.6	11	2.8 U	2.9	PT		
beta-BHC	3.0	•	-		2.8 U	2.9	-		
delta-BHC	3.0				2.8 U	2.9	-		
gamma-BHC (lindane)	3.0				2.8 U	2.9	-		
Heptachlor	3.0				2.8 Ū	2.9			
Aldrin	3.0	ប 2.5	U 3.8	Ü	2.0 U	2.9	σ		
Heptachlor epoxide	3.0	ປ 2.5	t 3.e	υ	2.8 U	2.9	ט		
Endosulfan I	3.0		Ū 0.98	J	2.8 U	2.9	U		
Dieldrin	5.8			Ü	5.5 U	5.7	บ		
4,4'-DDE	   0.93	J 4.8	υ 7.3	rı .	5.5 ប	5.7	**		
Endrin	0.93   5.8				5.5 U	5.7			
Endosulfan II	5.8 5.8			J	5.5 T	5.7			
Endosdiian II	3,6	. 4.8	0 1.6	٠	3.5 0	3.1	·		
4.4'-DDD	3.7	J 4.8			5.5 Ū	5.7	-		
Endosulfan sulfate	5.8	U 4.8			5.5 U	5.7	-		
4,4'-DDT	0.98	J 4.8	7.3	ט	5.5 U	5.7	ט		
Methoxychlor	30	Ų 25	υ 3 <b>6</b>	U	28 U	29	U		
Endrin ketone	5.8	Ų 4.8	U 7.3	U	5.5 U	5.7	U		
Endrin aldehyde	1.1	J 4.8	U 1.3	J	5.5 U	5.7	U		
alpha-Chlordane	   0.31	J 2.5	t 2	J	2.B U	2.9	U		
gamma-Chlordane	0.45			Ū	2.8 U	2.9	Ū		
Toxaphene	300	ប 250	U 380	ŭ	280 U	290	ū		
Aroclor-1016	   58	TT 48	υ 73	Ū	SS U	\$7	II		
Aroclor-1221	120.	-	υ 150	-	110 U	120	_		
Aroclor-1232	58	U 48		Ū	55 U	57	_		
					55 U		_		
Aroclor-1242	58			ū		\$7	_		
Aroclor-1248	58	-		U_	55 U	57			
Aroclor-1254	5 <b>\$</b>	រា ។អ	U 50	J	55 U	57	U		٠.
Aroclor-1260	58	ប 48	ช 73	U	55 U	57	a		
Sample wt (g):	30.2	30.0	30.6	,	30.0	30.0			
*Moisture:	43	31	. 55	,	40	42			
Dilution Factor:	1	. 1		,	1	1			

Note: For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ESAT Organic Data Qualifiers. The ESAT flags indicate the technical usability of the reported results.

#### FAX COMMUNICATION LOG

医癫痫性寒毒病性毒素 计正式电影 电电子电路电路

Continuation Page 2
Laboratory/Contact COMPU / Richard Bloom
In Reference To Case No. 25093 SDG: FEY80

NOTE: Any laboratory resubmission should be submitted either as an addendum to the original CSF with a revised Form DC-2 or submitted as a new CSF with a new Form DC-2 (OLM03.0, p. B-22), except those containing only replacement pages. Custody seals are required for all CSF resubmission shipments.

Please respond to the above items within 7 days to:

Ms. Christy Macdowell
U.S. EPA Region 6 Laboratory
10625 Fallstone Road
Houston, TX 77099

If you have any questions, please contact me at (713) 988-2986.

allaux Jong December

Distribution: (1) Lab Copy and (2) Region Copy

#### Page 1 of 2

In Reference to Case No(s):
25093 SDG: FEY80 (0-1768)

# Contract Laboratory Program REGIONAL/LABORATORY COMMUNICATION SYSTEM FAX Record Log

Date of FAX:

Laboratory Name:

COMPU

Lab Contact:

Region:

Regional Contact:

Wallace Doong - ESAT

FAX initiated by:

Laboratory X Region

In reference to data for the following fractions:

BNA Pest/PCB

Summary of Questions/Issues:

#### A. BNA

Sample FE-Y84DL: The surrogate recoveries were incorrectly reported (off by a factor of 2) based on the submitted raw data (pages 797). Please correct and resubmit the Form 2 (page 494).

The transfer of the control of the second of

#### B. Pest/PCB

1. The reviewer was unable to reproduce the surrogate recoveries for the following samples analyzed on column DB-608, instrument VARIAN36 (analyzed on 11/1/96):

FE-Y80, FE-Y81, FE-Y89, FE-Y89MS/MSD, FE-Y92, FE-Y93, FE-Y94, and PBLKFC.

Based on the submitted raw data, incorrect CF's were used for the analyte quantitation. Please review the data and resubmit the Form 2 (page 1607) if necessary.

- 2. The amounts injected were not indicated for the standard INDAL48 (analyzed on 10/22/96, 21:52, instrument RTX-1701). Please resubmit the quantitation report (page 1959) with the appropriate standard amounts.
- Form 6: The retention times (RT's) were incorrectly reported for endosulfan II for two standards analyzed on column DB-608, INDBL48 (10/22/96, 22:26) and INDBH48 (10/23/96, 00:43). Please correct and resubmit page 1777.

# LOCKHEED MARTIN SERVICES GROUP ESAT Region 6

10101 SOUTHWEST FREEWAY, SUITE 500, HOUSTON, TX 77074

FACSIMILE COVER	SHEET
Please deliver the following pages	to:
Name Richard Bloom	
Firm COMPU	
Address P. O. Box 14998	_
City RTP	State <u>NC 27709</u>
Telephone (919) 474-7030	Ext.
Fax Telephone No. (919) 474-7030	Ext
Sender:	
NameWallace Doong	<u> </u>
Date December 4. 1996	Time
Total Number of pages including thi	s Cover Sheet 3
If you do not receive all the pages	or if any pages are unclear,
please call: (713) 988-2986	
MESSAGES: Resubmission request for	Case 25093 SDG: FEY80 (0-1768)
	Case 25093 SDG: FEY80 (0-1768)
	Case 25093 SDG: FEY80 (0-1768)

000689

	EPA	SAMPLE	N	Ю.
1			:	•
		FEY77		

SDG No.: FEY80

Lab File ID:

GH0293070

Q

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

5.0 (g/mL) g

Lab Code: COMPU Case No.: 25093 SAS No.:

Matrix: (soil/water) SOIL Lab Sample ID: 829307

Macifa. (Soil/Water/ Soil Lab Sample ID: 629307

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: not dec. 64 Date Analyzed: 10/26/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_\_(uL) Soil Aliquot Volume: \_\_\_\_\_(uL)

CONCENTRATION UNITS:
CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg

74-87-3Chloromethane	28	י טו	1 .
74-83-9Bromomethane	28	บ	17.3
75-01-4Vinyl Chloride	28		F
75-00-3Chloroethane	28		1
75-09-2Methylene Chloride	. 9	ĴΒ.	
67-64-1Acetone	89		
75-15-0Carbon Disulfide	28		
75-35-41,1-Dichloroethene	28		1
75-34-31,1-Dichloroethane	28		اللانسا
540-59-01,2-Dichloroethene (total)		υ	<b>-</b>
67-66-3Chloroform			
107-06-21,2-Dichloroethane	28	U	
78-93-32-Butanone	28		
71-55-61,1,1-Trichloroethane	28	TT F	1: 111111
56-23-5Carbon Tetrachloride	28		1 1
75-27-4Bromodichloromethane	28		-
78-87-51,2-Dichloropropane	28		}
10061-01-5cis-1,3-Dichloropropene	28	177	ĺ
79-01-6Trichloroethene	28		
124-48-1Dibromochloromethane	28		1
79-00-51,1,2-Trichloroethane	28		] '
71-43-2Benzene	28		Į.
			1
10061-02-6trans-1,3-Dichloropropene	28		i in
75-25-2Bromoform	28		
108-10-14-Methyl-2-Pentanone	28		
591-78-62-Hexanone	28		Ì
127-18-4Tetrachloroethene	28		]
79-34-51,1,2,2-Tetrachloroethane	28		
108-88-3Toluene	28		1
108-90-7Chlorobenzene	28		
100-41-4Ethylbenzene	_8	J	1 .
100-42-5Styrene	28	ע / ע	اأنلنسا
1330-20-7Xylene (Total)	10	$[\mathbf{J}_{i+1}^r, \mathbf{J}_i^r]$	
		40.15	
		18 )	
			1

تت

Sample wt/vol:

	LFA	SAMPLE	NO.
		FEY80	

SDG No.: FEY80

Lab File ID: GH029005B56

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Sample wt/vol: 5.0 (g/mL) g

GC Column:DB624 ID: 0.53 (mm)

Case No.: 25093 SAS No.:

Matrix: (soil/water) SOIL Lab Sample ID: 829005

Date Received: 10/23/96 Level: (low/med) LOW

Date Analyzed: 10/24/96 % Moisture: not dec. 50 Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume:

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg

<del>, ,</del>				
74-87-3	Chloromethane	20	ΤŢ	1.1.1
	Bromomethane	20		
	Vinyl Chloride	20	4 -	
	Chloroethane	20		
	Methylene Chloride	20		: • joh
67-64-1			в	. 44
	Carbon Disulfide	20	,	1 13
	1,1-Dichloroethene	20		1
.5 35 1 75-34-3	1,1-Dichloroethane	20		
	1,2-Dichloroethene (total)	20		
	Chloroform	20	1 - 5	,
	1,2-Dichloroethane	20	-	191
10, 30 <u>1</u> 78-93-3	2-Butanone	1 20	_	li Hilis
	1,1,1-Trichloroethane	20	_	
,1 33 0 56-23-5	Carbon Tetrachloride	20	TTLE ELECTION	
	Bromodichloromethane	20	ט ווייני	<b>I</b> Hill:
	1,2-Dichloropropane	20	1 7	
,0 0, 5 10061-01-5	cis-1,3-Dichloropropene	20	1 -	
	Trichloroethene	20		1. 1. 1.
	Dibromochloromethane	20		'
	1,1,2-Trichloroethane	20	I -	
71-43-2		20	ı –	1
	trans-1,3-Dichloropropene	20	ı –	1
75-25-2		20	ı –	
	4-Methyl-2-Pentanone	20	1 -	1 1
100-10-1 591-78-6	2-Hexanone	20	l -	
	Tetrachloroethene	20	1 -	
	1,1,2,2-Tetrachloroethane	20	177	1 :
108-88-3		20		200
	Chlorobenzene	20		
	Ethylbenzene	20		
100-42-5		20		
	Xylene (Total)	20	1 -	
1550-20-75-55	Nytene (Total)	1	,	
			·	



#### 1

### VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

	<u>.</u>	t iii	ş.
EPA	SAMPLĖ	NC	٠.

							FEY77
Lab Na	ame:	COMPUCHEM	ENV.	CORP.	Contract:	68D50004	l it and
							[1]

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80 Matrix: (soil/water) SOIL Lab Sample ID: 829307

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GH029307C57

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: not dec. 64 Date Analyzed: 10/26/96

GC Column: DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:

Number TICs found: 14 (ug/L or ug/Kg) ug/Kg

	<del></del>			<u> </u>	1 4
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q	
1. 76-13-1 2. 107-39-1 3. 4. 5. 6. 7: 8. 9. 10.	ETHANE, 1,1,2-TRICHLORO-1,2, 1-PENTENE, 2,4,4-TRIMETHYL- ETHYLMETHYLBENZENE ETHYLMETHYLBENZENE UNKNOWN UNKNOWN UNKNOWN METHYLPROPENYLBENZENE METHYLPROPENYLBENZENE DIHYDROMETHYLINDENE SUBSTITUTED BENZENE	13.47 19.62 20.26 20.49 20.59 21.40 22.02 22.56 22.72 22.93	41 17 18 25 36 59 84 109 15	NJB NJ J J J J J J J J J J J J J J J J J	5.11
13. 65051-83-4 14. 15. 16. 17. 18. 19. 20. 21.	1H-INDENE, 1-METHYL- BENZENE, (1-METHYL-2-CYCLOPR DIHYDRODIMETHYLINDENE	23.00 23.15 23.35	75	NJ NJ J	i -
23. 24. 25. 26. 27. 28. 29. 30.					

FORM I VOA-TIC

O**LM**03.0

1151

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA	SAMPLENO
	FEY80

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829005

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GH029005B56

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: not dec. 50

Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Aliquot Volume: \_\_\_\_(uL)

Soil Extract Volume:\_\_\_\_(uL)

Number TICs found: 0

CONCENTRATION UNITS:

(ug/L	or	ug/Kg)	υ	ıg/Kg

			- ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC	
		=======	=======================================	I THE
1	· · · · · · · · · · · · · · · · · · ·			] - 1 - 1 - 1 - 1 - 1
2.	<del></del>		·	
				1—— i
·				· · ·
/ •			ļ <del></del>	1 11 1 11 1
0.	<del></del>			<u> </u>
<i>7</i> .		·		<u>  </u>
11				1   1   1   1   1   1   1   1   1   1
12.				
				16.1
				<u> </u>
1J.			\ <u></u>	
	<del></del>			<del></del>
		<u> </u>		
18.		<del></del>		<del></del>
19. 20.	<del></del>			
			ii pi.	
22.			14 j.)	
			र केश हैं।	
44.				
				1 4 (1)
20.				
28.	<del></del>	<del></del>	\ <u></u>	
29	-			
30.				

FORM I VOA-TIC

EPA SAMPLE NO.

FEY81

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829006

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GH029006B56

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: not dec. 48 Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg

		i:	# <b>     </b>
74-87-3Chloromethane		ט פֿו	, ,
74-83-9Bromomethane	1	19   บั	
75-01-4Vinyl Chloride	1	19 U	
75-00-3Chloroethane		19 U	
75-09-2Methylene Chloride		23 B /	1
67-64-1Acetone		30 B	
75-15-0Carbon Disulfide		19 U	
75-35-41,1-Dichloroethene		19 U	11.
75-34-31,1-Dichloroethane		19 U i	100
540-59-01,2-Dichloroethene (total)		19 U i	
67-66-3Chloroform		19 U	11/11
107-06-21,2-Dichloroethane		19 U	
78-93-32-Butanone		19 U	
71-55-61,1,1-Trichloroethane		19 U {	Ī
56-23-5Carbon Tetrachloride		19 U !	1
75-27-4Bromodichloromethane	i	19 U	1 1
78-87-51,2-Dichloropropane		19 U	l deli
10061-01-5cis-1,3-Dichloropropene		19 U i.	di dalli:
79-01-6Trichloroethene		19   ປຸ່ວໃ	
124-48-1Dibromochloromethane		19 ປະ 🦊	
79-00-51,1,2-Trichloroethane		19\U \	11 111111
71-43-2Benzene		19 U .	
10061-02-6trans-1,3-Dichloropropene		19 U	
75-25-2Bromoform		19   U	
108-10-14-Methyl-2-Pentanone	Į	19 U	Į
591-78-62-Hexanone		19 U	1
127-18-4Tetrachloroethene	1	19 U	1
79-34-51,1,2,2-Tetrachloroethane		19 U	
108-88-3Toluene		19 U	• •
108-90-7Chlorobenzene	1	19 U	
100-41-4Ethylbenzene		19 U	
100-42-5Styrene	ĺ	19 U	
1330-20-7Xylene (Total)		19 ប	i bi
			1

FORM I VOA

OLMO3.0



TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829006

Sample wt/vol:

5.0 (g/mL) g

Lab File ID: GH029006B56

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: not dec. 48

Date Analyzed: 10/24/96

GC Column: DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: (uL)

Soil Aliquot Volume:

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 0

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.			<u> </u>	الموالية
2				
3.	<del></del>		19 種 円。	
<b>5.</b>				1 4 11
·		_		1. 4. 1.1.1
7. 8.				<del></del>
9				
.0		-		1 1 1
1				11
· · · · · · · · · · · · · · · · · · ·				
· <b>*</b> •		-		<u> </u>
6.				7 1 16
./,				
.8. .9.				
<b>4</b> → •				
22.		<b>- </b>	<del></del>	
· T ·				
.J.				1 1 1
27:		_	- 計明	
29	· · · · · · · · · · · · · · · · · · ·			4 1

FORM I VOA-TIC

EPA SAMPLE NO

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829308

Sample wt/vol: 5.0 (g/ $\pi$ L) g Lab File ID: GH029308C57 Lab File ID: GH029308C57

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: not dec. 50 Date Analyzed: 10/26/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

74-87-3
108-90-7Chlorobenzene       20 U         100-41-4Ethylbenzene       20 U         100-42-5Styrene       20 U         1330-20-7Xylene       (Total)

FORM I VOA

отмоз, с

### VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

GH029308C57

FEY82 Contract: 68D50004

Lab Code: COMPU

Lab Name: COMPUCHEM ENV. CORP.

Case No.: 25093 SAS No.:

SDG No.: FEYBO

Matrix: (soil/water) SOIL

Number TICs found: 3

Lab Sample ID: 829308

Sample wt/vol:

. 5.0 (g/mL) g

Lab File ID:

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 50

Date Analyzed: 10/26/96

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Aliquot Volume: \_\_\_ \_\_ (uL)

Soil Extract Volume: \_\_\_\_(uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 76-13-1 2. 3. 4. 5. 6. 7.	ETHANE, 1,1,2-TRICHLORO-1,2, METHYLPROPENYLBENZENE SUBSTITUTED_BENZENE	7.44 22.00 23.13	27 13 13 13	ИJB J
11. 12. 13. 14. 15.				3. 13. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
18. 19. 20. 21. 22.				
25. 26. 27. 28. 29.			ले (4 ) र मुत्री	

FORM I VOA-TIC

OLM03.0

EPA	SAMPLI	NO.
	FEY83	

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829309

Sample wt/vol:

. 5.0 (g/mL) g

Lab File ID: GH029309C57

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 63

Date Analyzed: 10/26/96

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

Soil Aliquot Volume: \_

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

74-87-3	-	27 27 27 11 60	U U U U	
74-83-9Bromomethane 75-01-4Vinyl Chloride 75-00-3Chloroethane 75-09-2Methylene Chloride 67-64-1Acetone		27 27 27 11 60	ប ប ប ប	
75-01-4Vinyl Chloride 75-00-3Chloroethane 75-09-2Methylene Chloride 67-64-1Acetone		27 27 11 60	ប្រ រាម	
75-00-3Chloroethane 75-09-2Methylene Chloride 67-64-1Acetone	-	27 11 60	ប្រ រាម	
75-09-2Methylene Chloride 67-64-1Acetone		11 60	JB	
67-64-1Acetone	-	60	ı – –	
			B '	
12-12-0	- [	27	U I	
75-35-41,1-Dichloroethene	1		Ü	Maria de la compansión de la compansión de la compansión de la compansión de la compansión de la compansión de
75-34-31,1-Dichloroethane	-{	1	ָ דו	
540-59-01,2-Dichloroethene (total)	-		ម	
	-		_	1
57-66-3Chloroform	-		Ü	
107-06-21,2-Dichloroethane	-		Ŭ :	1 1 1
8-93-32-Butanone	.i		1	1
1-55-61,1,1-Trichloroethane	.		ŭ	1 7 1
6-23-5Carbon Tetrachloride	_		U	
5-27-4Bromodichloromethane		27	U	1 .
8-87-51,2-Dichloropropane		27	Ŭ,	- 14
0061-01-5cis-1,3-Dichloropropene	=	27	ีบ !	
9-01-6Trichloroethene	•	27	υ .	- 11 d
24-48-1Dibromochloromethane	-	27	υ	<b>!</b>
9-00-51,1,2-Trichloroethane	-	27		ļ
1-43-2Benzene	-	27		
0061-02-6trans-1,3-Dichloropropene	-		Ū i	<b>.</b>
5-25-2Bromoform	-	27	ŭ .	,
08-10-14-Methyl-2-Pentanone	-	27	Ü	<b>.</b>
91-78-62-Hexanone	-	27	ŭ ,	la riili
.27-18-4Tetrachloroethene	-	27	U · I···	
	-		_	
9-34-51,1,2,2-Tetrachloroethane	-	27	U, ;	
08-88-3Toluene	<b>-</b>	27	ַ טַ	
.08-90-7Chlorobenzene	<u>-</u> İ	27		li Ettill
.00-41-4Ethylbenzene	_	27	1 -	11 14111111
100-42-5Styrene	_	27	_	'
1330-20-7Xylene (Total)		27	U	
· · · · · · · · · · · · · · · · · · ·	_1		l	_[

EPA SAMPLE NO

FEY86

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829312

Sample wt/vol:

. 5.0 (g/mL) g

LOW

Lab File ID: GH029312C57

Level: (low/med)

Date Received: 10/25/96

% Moisture: not dec. 48

Date Analyzed: 10/26/96

GC Column:DB624

ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

Soil Aliquot Volume:

CAS NO.

COMPOUND

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Q

İ	74-87-3Chloromethane		19	U	1.15
1	74-83-9Bromomethane		19	บั	
	75-01-4Vinyl Chloride		19		
	75-00-3Chloroethane		19		1.,
	75-09-2Methylene Chloride		14		i juji
١	67-64-1Acetone		43		150
ı	75-15-0Carbon Disulfide		19		119
	75-35-41,1-Dichloroethene		19		
	75-34-31,1-Dichloroethane		19		1
	540-59-01,2-Dichloroethene (total)	,	19		1: 1:
	67-66-3Chloroform		19		1 1
	107-06-21,2-Dichloroethane	٠	19		
	78-93-32-Butanone			U i	k Hidi
1	71-55-61,1,1-Trichloroethane		19	U	
ŀ	56-23-5Carbon Tetrachloride		19	Ui	
- [	75-27-4Bromodichloromethane		19	Train.	
	78-87-51,2-Dichloropropane		19	Ū !	H (1411)
	10061-01-5cis-1,3-Dichloropropene		19		
	79-01-6Trichloroethene		19	υ ;	1
Ì	124-48-1Dibromochloromethane		19	Ū	i
	79-00-51,1,2-Trichloroethane				Ĭ.
	71-43-2Benzene		19	Ū	1
1	10061-02-6trans-1,3-Dichloropropene		19		1
- 1	75-25-2Bromoform		19	U .	100
ľ	108-10-14-Methyl-2-Pentanone		19	ប	;
-	591-78-62-Hexanone		19	ט	
- 1	127-18-4Tetrachloroethene		19	U	1
ļ	79-34-51,1,2,2-Tetrachloroethane		19	U .	
į	108-88-3Toluene		19	ט '	1
1	108-90-7Chlorobenzene		19	U	.:
1	100-41-4Ethylbenzene		3	J	
}	100-42-5Styrene		19	U	1
ł	1330-20-7Xylene (Total)		19	U	
l					ŀ

#### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP	Lab	Name:	COMPUCHEM	ENV.	CORP
-------------------------------	-----	-------	-----------	------	------

Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829312

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GH029312C57

13. 14. 15.

29.

Level: (low/med) LOW

Date Received: 10/25/96 | | | | | | |

% Moisture: not dec. 48

Date Analyzed: 10/26/96

GC Column: DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Aliquot Volume: (uL)

Soil Extract Volume:\_\_\_\_(uL)

Number TICs found: 5

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 76-13-1		7 45		
	ETHANE, 1,1,2-TRICHLORO-1,2,	7.45	24	MOR ON
2.	METHYLNAPHTHALENE	20.69	186	J [
<b>)</b> 3.	METHYLNAPHTHALENE	21.23	171	J I
4.	UNKNOWN	22.90	ĺ 51	J [
5. 65051-83-4	BENZENE, (1-METHYL-2-CYCLOPR	23.16	10	NJ
6				िम् अस्ति।
7				
8			ļ <del></del>	· ·
10.				1
11.				
12.				110

18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28.

FORM I VOA-TIC

1 1 pa

EPA SAMPLE NO.

PMFHHHEAR

FEY87

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829313

Sample wt/vol:

5.0 (g/mL) g

COMPOUND

GH029313C57 Lab File ID:

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 64

Date Analyzed: 10/26/96

GC Column: DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

CAS NO. .

Soil Aliquot Volume: \_\_\_\_\_\_

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

|           |                            |   |    | ,        | <u>:</u> : | <b>.</b>                                     |
|-----------|----------------------------|---|----|----------|------------|--|
| 74-87-3   | Chloromethane              |   | 28 | 1        | '          | · .+   |
|           | Bromomethane               |   | 28 |          |            |  |
|           | Vinyl Chloride             |   | 28 |          | ı          |  |
|           | Chloroethane               |   | 28 |          |            |  |
|           | Methylene Chloride         |   |    | JВ       | -          | <del>                                 </del> |
| 67-64-1   |                            |   |    | В /      |            | 1:11   |
|           | Carbon Disulfide           |   | 28 |          |            | 1  |
| 75-35-4   | 1,1-Dichloroethene         | ] | 28 |          |            |  |
| 75-34-3   | 1,1-Dichloroethane         | • | 28 |          | i          | : Ph   |
| 540-59-0  | 1,2-Dichloroethene (total) | 1 | 28 |          | ! [        | ւ վիկ -<br>- Մա                              |
|           | Chloroform                 | } | 28 |          | - 1        | · (1:ii                                      |
|           | 1,2-Dichloroethane         |   | 28 |          |            | Caldan.                                      |
|           | 2-Butanone                 | ] | 28 |          | - 1        |  |
|           | 1,1,1-Trichloroethane      | , | 28 |          |            |  |
|           | Carbon Tetrachloride       | ' | 28 |          |            | 1  |
|           | Bromodichloromethane       | 1 | 28 |          |            | · ••   |
|           | 1,2-Dichloropropane        |   | 28 |          |            | 14.  |
|           | cis-1,3-Dichloropropene    |   |    | īī       | ۱.         |  |
|           | Trichloroethene            |   | 28 | Ծ։⊪      |            |  |
|           | Dibromochloromethane       |   | 28 | U.       | . 2. 1     |  |
|           | 1,1,2-Trichloroethane      |   | 28 | TT       | · [1]      |  |
|           | Benzene                    | ŀ | 28 |          |            |  |
|           | trans-1,3-Dichloropropene  |   | 28 |          | ٠.         |  |
| 75-25-2   | Bromoform                  |   | 28 |          | 1          | • [.   |
| 100 10 3  | 4-Methyl-2-Pentanone       |   | 28 | 1        |            |  |
|           | 2-Hexanone                 |   |    |          |            |  |
|           |                            |   | 28 |          |            |  |
|           | Tetrachloroethene          |   | 28 |          |            |  |
|           | 1,1,2,2-Tetrachloroethane  |   | 28 |          |            |  |
| 108-88-3  |                            |   | 28 |          |            | •  |
|           | Chlorobenzene              |   | 28 | <u> </u> |            |  |
|           | Ethylbenzene               |   | 28 | , -      |            | •  |
| 100-42-5  | Styrene                    | ļ | 28 | 1 -      | ١, ١       |  |
| 1330-20-7 | Xylene (Total)             | 1 | 28 | ט        | <u> </u>   | '  |
|           |                            | l |    | l        |            |  |

#### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Contract: 68D50004

Lab Name: COMPUCHEM ENV. CORP.

Case No.: 25093 SAS No.:

SDG No.: FEY80

EPA SAMPLE NO

Matrix: (soil/water) SOIL

Lab Sample ID: 829313

Sample wt/vol: 5.0 (g/mL) g

LOW

Lab File ID: GH029313C57

Level: (low/med)

Lab Code: COMPU

Date Received: 10/25/96

% Moisture: not dec. 64

Date Analyzed: 10/26/96

GC Column: DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

Soil Aliquot Volume:

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 1

| CAS NUMBER        | COMPOUND NAME | RT   | EST. CONC.     | <u>ا</u>  |
|-------------------|---------------|------|----------------|-----------|
| 1.<br>2           | UNKNOWN       | 7.47 | . 20.<br>(1年前) |           |
| 4                 |               |      |                |           |
| 7.<br>8.          |               |      |                |           |
| 10.               |               |      |                |           |
| 12.<br>13.<br>14: |               |      | -              |           |
| 15.<br>16.<br>17. |               |      |                | 1         |
| 18.<br>19.<br>20. |               |      |                | <u> </u>  |
| 21.               |               |      |                |           |
| 23.<br>24.<br>25. |               |      |                |           |
| 27.<br>28.        |               |      |                | - 1 H H H |
| 29.<br>30.        |               |      |                |           |

FORM I VOA-TIC

OLM03.0

| EPA | SAMPTA | Ž  | O | printer (interest in the contract in the contr |
|-----|--------|----|---|--|
|     | FEY88  | 1. |   | is è   |

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829314

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GR029314C57

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: not dec. 71 Date Analyzed: 10/29/96

GC Column: DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume: \_\_\_\_(uL

| 74-87-3       Chloromethane       34       U         74-83-9       Bromomethane       34       U         75-01-4       Vinyl Chloride       34       U         75-00-3       Chloroethane       34       U         75-09-2       Methylene Chloride       13       JB         67-64-1       Acetone       34       U         75-15-0       Carbon Disulfide       34       U         75-35-4       -1,1-Dichloroethane       34       U         75-34-3       -1,1-Dichloroethane       34       U         540-59-0       -1,2-Dichloroethane       34       U         67-66-3       -Chloroform       34       U         107-06-2       -1,2-Dichloroethane       34       U         78-93-3       -2-Butanone       34       U         71-55-6       -1,1,1-Trichloroethane       34       U         75-27-4       -Bromodichloromethane       34       U         78-87-5       -1,2-Dichloropropane       34       U         1061-01-5       -cis-1,3-Dichloropropene       34       U         79-01-6       -Trichloroethane       34       U         79-02-5       -1,1,2-Trichloroetha | CAS NO.  | COMPOUND  | CONCENTRATION (ug/L or ug/Kg  |   | 0                                      |  |
|--|--|---|---|---|--|--|
| 100-42-5Styrene 34 U   | 74-83-9 75-01-4 75-09-2 67-64-1 75-15-0 75-35-4 75-34-3 67-66-3 107-06-2 78-93-3 75-27-4 78-87-5 1061-01-5 79-01-6 124-48-1 79-00-5 124-48-1 79-00-5 1061-02-6 75-25-2 108-10-1 591-78-6 127-18-4 108-88-3 108-90-7 100-41-4 | BromomethaneVinyl ChlorideChloroethaneMethylene ChloAcetoneCarbon Disulfi1,1-Dichloroet1,2-DichloroetChloroform1,2-Dichloroet2-Butanone1,1,1-TrichlorCarbon TetrachBromodichlorom1,2-Dichloroprcis-1,3-Dichloroprcis-1,3-Dichlorom1,2-TrichlorBenzenetrans-1,3-DichlorBenzenetrans-1,3-DichlorBenzenetrans-1,3-DichlorBenzenetrans-1,3-DichlorBenzenetrans-1,3-DichlorBenzenetrans-1,3-DichlorBenzenetrans-1,3-DichlorBenzeneTetrachloroeth1,1,2,2-TetracTolueneChlorobenzeneEthylbenzene | ride  de_ hene hane hene (total) hane oethane loride ethane opane ropropene e ethane oethane loropropene tanone ene | 34<br>34<br>34<br>34<br>34<br>34<br>34<br>34<br>34<br>34<br>34<br>34<br>34<br>3 | מסממממממממממממממממממממממממממממממממממממ |  |

FORM I VOA

OLMO3.0

#### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

| Lab | Name: | COMPUCHEM ENV | 7. | CORP. | Contract: | 68D50004 |
|-----|-------|---------------|----|-------|-----------|----------|
|     |       |               |    |       |           |          |

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEYBO

EPA SAMPLE NO.

Matrix: (soil/water) SOIL

Lab Sample ID: 829314

Sample wt/vol:

5.0 (g/mL) g

Lab File ID: GR029314C57

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 71

Date Analyzed: 10/29/96

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: (uL)

Soil Aliquot Volume:

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) ug/Kg

| CAS NUMBER | COMPOUND NAME | RT       | EST. CONC.                              | Q<br>+====     |
|------------|---------------|----------|---|----------------|
| 2          |               |          |   | : 4 (1)        |
| ·          |               |          |   | 11             |
| T.         |               |          | () # [0<br>                             |                |
| 5.         |               | -        | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   |                |
| 7          |               | <u> </u> |   |                |
| 0.         |               |          |   |                |
| y. ,       |               | -        |   | <u> </u>       |
|            |               | -        |   | <del>  </del>  |
| 1          |               | -        |   |                |
| 3.         | ·             |          |   | 1 1 1 1        |
|            |               |          |   | ş : ( ·        |
|            | <del></del>   | -        |   |                |
| 6          |               | -        |   |                |
| .8. I      | <del></del>   |          |   | 111            |
| .9. 1      |               |          |   |                |
| iu.        |               | -        |   | <u></u>        |
| 2          |               |          |   | <del> </del> - |
|            | ···           | <u> </u> | · · · · · · · · · · · · · · · · · · ·   | <del></del>    |
| 7 4        |               |          |   |                |
| ;o. }      |               | -        |   | <del></del>    |
| 36.        |               | -        | <del></del>                             |                |
| 88.        |               | -        | - i - i - i - i - i - i - i - i - i - i |                |
| J.         |               |          | : मार्च                                 | 11             |
| 30         |               |          | i                                       |                |

FORM I VOA-TIC

OLM03.0

22F

EPA SAMPLE NO.

FEY89

| Dab Name: Compounds ENV. Corp. Concract: 6505000 | Lab | Name: | COMPUCHEM ENV | r. CORP. | Contract: | 68D50004 |
|--|-----|-------|---------------|----------|-----------|----------|
|--|-----|-------|---------------|----------|-----------|----------|

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829016

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GH029016B56

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: not dec. 36 Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/Kg Q

74-87-3-----Chloromethane 16 U

|                                     | <del> </del> | <del></del> i                         | · .  |
|-------------------------------------|--------------|---------------------------------------|--|
| 74-87-3Chloromethane                | 16           | ט ו                                   |  |
| 74-83-9Bromomethane                 | 16           | ן ט                                   | a didi.                                    |
| 75-01-4Vinyl Chloride               | 16           | $\mathbf{v} = \mathbf{k}$             | k likkii :                                 |
| 75-00-3Chloroethane                 | 16           | U                                     |  |
| 75-09-2Methylene Chloride           | 14           | JB:                                   |  |
| 67-64-1Acetone                      | 66           | B /                                   |  |
| 75-15-0Carbon Disulfide             |              | ט !!                                  |  |
| 75-35-41,1-Dichloroethene           | 16           | וֹי ט                                 | १पाल्मम्म्।∏ार्थ्यास्य<br>इ.स.च्यास्य      |
| 75-34-31,1-Dichloroethane           | 16           |                                       | , P  |
| 540-59-01,2-Dichloroethene (total)  | 16           |                                       |  |
| 67-66-3Chloroform                   |              | Ū                                     |  |
| 107-06-21,2-Dichloroethane          | 16           | ו על                                  | . (1)                                      |
| 78-93-32-Butanone                   | 16           |                                       | և ուՄի                                     |
| 71-55-61,1,1-Trichloroethane        | 16           | ו ט                                   | 1:17                                       |
| 56-23-5Carbon Tetrachloride         | 16           | Ü                                     | 1 :  |
| 75-27-4Bromodichloromethane         | 16           | ט                                     | •  |
| 78-87-51,2-Dichloropropane          |              | ប់                                    | Щ  |
| 10061-01-5cis-1,3-Dichloropropene   | 16           | lữ !                                  | l dij                                      |
| 79-01-6Trichloroethene              | 16           | u                                     | 11 (A) (A) (A) (A) (A) (A) (A) (A) (A) (A) |
| 124-48-1Dibromochloromethane        | 16           | Ū                                     |  |
| 79-00-51,1,2-Trichloroethane        | 16           | Ū                                     |  |
| 71-43-2Benzene                      | 16           | υ                                     |  |
| 10061-02-6trans-1,3-Dichloropropene | 16           | ا ت تا                                |  |
| 75-25-2Bromoform                    | 16           | Ŭ                                     |  |
| 108-10-14-Methyl-2-Pentanone        | 16           | Ū                                     |  |
| 591-78-62-Hexanone                  | 16           | Ü .                                   | a idili.                                   |
| 127-18-4Tetrachloroethene           | 16           | Ü ayını 🖟                             |  |
| 79-34-51,1,2,2-Tetrachloroethane    | 16           | <del>π</del> #:i#                     |  |
| 108-88-3Toluene                     | 16           | i i i i i i i i i i i i i i i i i i i | <b>P</b> P([]] = -                         |
| 108-90-7Chlorobenzene               | 16           | ប៊                                    |  |
| 100-41-4Ethylbenzene                | 16           | Ŭ ·                                   |  |
| 100-42-5Styrene                     | 16           | ا تا                                  |  |
| 1330-20-7Xylene (Total)             | 16           | ט l                                   |  |
|                                     |              | ,                                     |  |

FORM I VOA

OLMO3.0

### VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829016

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GH029018746

Level: (low/med) LOW Date Received: 10/23/96

Moisture: not dec. 36

Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume: \_

Number TICs found: 0

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

EPA SAMPLE NO

(uL)

CAS NUMBER COMPOUND NAME RT EST. CONC. ----------======= 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30.

FORM I VOA-TIC

EPA SAMPLE NO.

SDG No.: FEY80

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

Matrix: (soil/water) SOIL Lab Sample ID: 829315

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GR029315C57

Date Received: 10/25/96 Level: (low/med) LOW

% Moisture: not dec. 32 Date Analyzed: 10/29/96

Dilution Factor: 1.0 GC Column:DB624 ID: 0.53 (mm)

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume:

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg

| 74-87-3Chloromethane                | 15         | U       | ĺ         |
|-------------------------------------|------------|---------|-----------|
| 74-83-9Bromomethane                 | 15         |         | ! .       |
| 75-01-4Vinyl Chloride               | 15         |         | 111       |
| 75-00-3Chloroethane                 | 15         |         |           |
| 75-09-2Methylene Chloride           | 7          | JB      | 1         |
| 67-64-1Acetone                      | 15         |         | 19        |
| 75-15-0Carbon Disulfide             | 15         | TT      |           |
| 75-35-41,1-Dichloroethene           | 15         |         |           |
| 75-34-31,1-Dichloroethane           | 15         |         | 19        |
| 540-59-01,2-Dichloroethene (total)  | 15         |         | i*        |
| 57-66-3Chloroform                   | 15         |         |           |
|                                     | . 15       | មី 🗐    |           |
| 107-06-21,2-Dichloroethane          |            |         | 4         |
| 78-93-32-Butanone                   | 15         |         | 2640      |
| 71-55-61,1,1-Trichloroethane        | 15         |         | lı sakili |
| 66-23-5Carbon Tetrachloride         | 15         |         |           |
| 75-27-4Bromodichloromethane         |            | Under   |           |
| 78-87-51,2-Dichloropropane          | 15<br>15   | U. I    |           |
| 10061-01-5cis-1,3-Dichloropropene   | 15         | ו ט     | H ELLIH   |
| 79-01-6Trichloroethene              | 15         | U       | H ###     |
| 124-48-1Dibromochloromethane        | <b>1</b> 5 |         | h annii   |
| 79-00-51,1,2-Trichloroethane        | 15         | ָּט ' ' | 1         |
| 71-43-2Benzene                      | 15         |         |           |
| 10061-02-6trans-1,3-Dichloropropene | 15         |         | l         |
| 75-25-2Bromoform                    | 15         |         | 1         |
| 108-10-14-Methyl-2-Pentanone        |            | ŭ       | ĺ         |
| 591-78-62-Hexanone                  | 15         |         |           |
| 127-18-4Tetrachloroethene           |            | Ü       | '         |
| 79-34-51,1,2,2-Tetrachloroethane    |            | Ŭ       |           |
| 108-88-3Toluene                     |            | ָ ט     |           |
|                                     |            | -       |           |
|                                     | 15         |         | "         |
| 100-41-4Ethylbenzene                | 15         |         |           |
| 100-42-5Styrene                     |            | U       |           |
| 1330-20-7Xylene (Total)             | 15         | U       | 1         |
|                                     |            |         | 1         |
|                                     |            |         |           |



#### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

|   |       | •  | i ; |   |
|---|-------|----|-----|---|
| 1 | •     |    |     | 1 |
|   | FEY90 | 4. | H   | ı |
|   | ı     |    | I.  | ı |

| Lab Name: COMPUCHEM ENV. COR |
|------------------------------|
|------------------------------|

Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80 "

Matrix: (soil/water) SOIL

Lab Sample ID: 829315

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: GR029315C57

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 32

Date Analyzed: 10/29/36

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

Soil Aliquot Volume:

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) ug/Kg

| CAS NUMBER                            | COMPOUND NAME                         | RT | EST. CONC.   | _ ·   |
|---------------------------------------|---------------------------------------|----|--------------|---|
| 1                                     |                                       |    |              |   |
| 2                                     |                                       | -  |              | -   <del>                                  </del> |
| 4.                                    |                                       |    |              |   |
| 5                                     |                                       |    |              | 1 11 4  |
| O• 1                                  | ·                                     | ·  |              | -   |
| 7                                     |                                       | ·  |              | - <del>                                    </del> |
| 8                                     |                                       | ·  |              | - Fa  |
|                                       |                                       |    |              | របស់ ២(ji   |
| 1                                     |                                       |    |              |   |
| 2                                     |                                       | -  | ,†i          |   |
| 4                                     |                                       | -  |              | +  <b>+ +</b>                                     |
|                                       | · · · · · · · · · · · · · · · · · · · |    | <del>.</del> | _   |
| · · · · · · · · · · · · · · · · · · · |                                       | .  |              | 1 4 1111  |
|                                       |                                       |    |              | -   |
| 8. 9.                                 | ·                                     | -  | <del></del>  |   |
|                                       |                                       |    |              | _   |
| <b></b>                               |                                       |    |              | _   |
|                                       |                                       | -  |              | _   |
| <u> </u>                              |                                       | ·  |              | -   |
|                                       |                                       | -  |              | -   |
| 6.                                    |                                       |    |              | 1 10  |
|                                       |                                       | .  |              | _   |
|                                       | ·                                     | -  | <del></del>  | -   |
| 9.                                    |                                       | -  |              | -1  |

FORM I VOA-TIC



EPA SAMPLE

FEY91

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829316

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: G2R29316C57

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 38

Date Analyzed: 10/29/96

GC Column: DB624 ID: 0.53 (mm)

COMPOUND

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

CAS NO.

Soil Aliquot Volume:

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

|           | COMPOSIND          | (ug/ii or ug/kg/ ug/k | <del></del> |                       |
|-----------|--------------------|-----------------------|-------------|-----------------------|
|           | Chloromethane      |                       | 16 U        |                       |
| 74-83-9   | Bromomethane       |                       | 16 U        |                       |
| 75-01-4   | Vinyl Chloride     |                       | 16 U        | }                     |
| 75-00-3   | Chloroethane       |                       | 16 U        |                       |
| 75-09-2   | Methylene Chloride |                       | 5 JB        |                       |
| 67-64-1   | Acetone            |                       | 16 JB       |                       |
| 75-15-0   | Carbon Disulfide   |                       | 16 U        |                       |
| 75-35-4   | 1,1-Dichloroethene |                       | 16 U        | l l                   |
| 75-34-3   | 1,1-Dichloroethane | <u></u>               | 16 U        | i   .                 |
|           | 1,2-Dichloroethene |                       | 16 U        |                       |
|           | Chloroform         | · -                   | 16 ปี       |                       |
| 107-06-2  | 1,2-Dichloroethane | <u> </u>              | 16 U        | · k 1191              |
|           | 2-Butanone         |                       | 16 U        | 1 11011               |
| 71-55-6   | 1,1,1-Trichloroet  | nane                  | 16 U        |                       |
|           | Carbon Tetrachlor: |                       | 16 U        | 4                     |
|           | Bromodichlorometha |                       | 16 U        |                       |
|           | 1, 2-Dichloropropa |                       | 16 U        |                       |
|           | cis-1,3-Dichlorop  |                       | 16 U        | i tide                |
| 79-01-6   | Trichloroethene    |                       | 16 U        | ielie idailee         |
|           | Dibromochlorometha | ine                   | 16 U.       |                       |
|           | 1,1,2-Trichloroet  |                       |             | Black to the state of |
| 71-43-2   |                    |                       | 16 U        |                       |
|           | trans-1,3-Dichlore | propene               | 16 U        | l illi                |
|           | Bromoform          |                       | 16 U        |                       |
|           | 4-Methyl-2-Pentano | nne                   | 16 U        | '   ''                |
|           | 2-Hexanone         |                       | 16 U        | ·                     |
|           | Tetrachloroethene  | ·                     | 16 U        |                       |
|           | 1,1,2,2-Tetrachlo  | roethane              | 16 U        |                       |
| 108-88-3  |                    |                       | 16 U        |                       |
|           | Chlorobenzene      |                       | 16 U        | 1.                    |
|           | Ethylbenzene       |                       | 16 0        | :                     |
| 100-42-5  |                    | <del></del>           | 16 U        |                       |
|           | Xylene (Total)     | <del></del>           | 16 U        |                       |
| 1330-20-1 | varene (10cgr)     |                       | 7010        | 1 1                   |

FORM I VOA

OLM03.0

1E

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Case No.: 25093 SAS No.:

EPA SAMPLE NO.

 $(a_1, \dots, a_k) = \{1, \dots, k\}$ 

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829316

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: G2R29316C57

Level: (low/med) LOW

Lab Code: COMPU

Date Received: 10/25/96

% Moisture: not dec. 38

Date Analyzed: 10/29/96

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_ (uL)

Soil Aliquot Volume:

CONCENTRATION UNITS:

Number TICs found: 0

(ug/L or ug/Kg) ug/Kg

| CAS NUMBER                              | COMPOUND NAME                         | RT            | EST. CONC.                                | Q           |
|---|---------------------------------------|---------------|---|-------------|
| 1.                                      |                                       |               |   | 1 1 1 1     |
| ۷.                                      |                                       |               |   | (           |
| 3.<br>4.                                |                                       |               |   |             |
|   |                                       |               |   | 1 (f)       |
| 6.<br>7.                                |                                       |               |   |             |
| ×.————————————————————————————————————  | · · · · · · · · · · · · · · · · · · · |               | ·   |             |
| 9.                                      | <del></del>                           |               |   | <del></del> |
|   |                                       |               |   |             |
| 12.                                     | <del>.</del>                          | <del></del> - |   | 1 1         |
| 13.                                     |                                       |               |   |             |
| TD.                                     |                                       |               | 14 10 10 10 10 10 10 10 10 10 10 10 10 10 |             |
| 16.<br>17.                              |                                       |               | 1.1 14 (i) s                              |             |
| ±0.                                     | ·                                     |               |   |             |
| ======================================= |                                       |               |   | 1 1 111     |
| 41.                                     |                                       |               |   |             |
| 22.                                     | <del></del>                           |               |   |             |
| 24.                                     |                                       |               |   |             |
| 25.                                     |                                       |               |   | - 1         |
| 26.<br>27.                              |                                       |               |   |             |
|   |                                       |               |   |             |
| 29.                                     |                                       |               |   | <u> </u>    |
|   |                                       |               |   | <u> </u>    |

FORM I VOA-TIC

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Soil Extract Volume: \_\_\_\_(uL)

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829017

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: GH029017B56

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: not dec. 58

Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

Soil Aliquot Volume: \_\_\_

| CAS NO.    | COMPOUND        | (ug/L or ug/Kg) | ug/Kg | Q   |
|------------|-----------------|-----------------|-------|---|
| 74-87-3    | Chloromethane   |                 | 24    | U. H. H. H. H. H. H. H. H. H. H. H. H. H. |
|            | Bromomethane    |                 | 24    | G I                                       |
|            | Vinyl Chloride  | <del></del> j   | 24    | 1 . 14 1/10/11.                           |
| 75-00-3    | Chloroethane    |                 | 24    |   |
|            | Methylene Chlor | ride            | 19    | 1 - 1 1                                   |
| 67-64-1    |                 |                 |       | В   |
|            | Carbon Disulfic | de              |       | Ū   |
|            | 1,1-Dichloroeth |                 | 24    |   |
| 75-34-3    | 1,1-Dichloroeth | pane            |       | ט ו                                       |
| 540-59-0   | 1,2-Dichloroeth | nene (total)    |       | Ū   |
| 67-66-3    | Chloroform      | — ·             |       | U   |
|            | 1,2-Dichloroeth | nane            | 24    |   |
|            | 2-Butanone      | <del></del>     | 24    |   |
|            | 1,1,1-Trichlore | pethane         | 24    |   |
|            | Carbon Tetrach  |                 |       | υ   |
|            | Bromodichlorome |                 |       | ប័  |
|            | 1,2-Dichloropro |                 | 24    |   |
| 10061-01-5 | cis-1,3-Dichlo  | ropropene       |       | Ü   |
|            | Trichloroethene |                 |       | וֹ טֹוֹ                                   |
|            | Dibromochlorome |                 | 24    | 1 11                                      |
|            | 1,1,2-Trichlore |                 | 24    |   |
| 71-43-2    |                 |                 | 24    |   |
|            | trans-1,3-Dich  | oropropene      | 24    |   |
|            | Bromoform       | oropropone      | 24    |   |
|            | 4-Methyl-2-Pent | anone           | 24    |   |
|            | 2-Hexanone      |                 | 24    |   |
|            | Tetrachloroethe | ene ·           |       | 1 11 (((1)):                              |
|            | 1,1,2,2-Tetrach |                 |       |   |
| 108-88-3   |                 |                 | 24    | 1 '                                       |
|            | Chlorobenzene   | <del></del> (   | 24    |   |
|            | Ethylbenzene    |                 | 24    |   |
| 100-42-5   | Styrene         |                 | 24    | 1 1                                       |
|            | Xylene (Total)  |                 | 24    | 1 - 1                                     |
| 2000-20-7  | Myrence (Total) |                 | 24    |   |

FORM I VOA

OLM03.0

### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

| Lab | Name: | COMPUCHEM | ENV. | CORP. |
|-----|-------|-----------|------|-------|
|-----|-------|-----------|------|-------|

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80.

Matrix: (soil/water) SOIL

Lab Sample ID: 829017

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: GH029017B56

Level: (low/med) LOW

Date Received: 10/23/96 "

% Moisture: not dec. 58

Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

Soil Aliquot Volume:

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 0

| CAS NUMBER | COMPOUND NAME                         | RT | EST. CONC.                              | Q                                     |
|------------|---------------------------------------|----|---|---------------------------------------|
| 1 4. 1     |                                       |    |   |                                       |
| 2          |                                       |    |   |                                       |
|            |                                       | -  |   |                                       |
| 5          |                                       |    |   |                                       |
| 8:         | ·                                     |    |   |                                       |
|            |                                       |    |   | i se i ili                            |
| 44.        | · · · · · · · · · · · · · · · · · · · |    |   | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 12.        |                                       |    |   |                                       |
| 14         |                                       |    |   |                                       |
| 1 70.      |                                       |    |   |                                       |
| 18.        |                                       |    |   | 1 110                                 |
| 19.        |                                       | -  | 1 |                                       |
| 41.        |                                       |    | \$1 6# R                                |                                       |
| 22.        |                                       |    |   |                                       |
| 25.        |                                       | -  | <u> </u>                                |                                       |
| , 20,      |                                       | -  |   |                                       |
| 28         |                                       |    |   |                                       |
| 29.<br>30. |                                       |    |   |                                       |
|            |                                       |    |   |                                       |

FORM I VOA-TIC

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829018

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GH029018B56

Level: (low/med) LOW Date Received: 10/23/96

Date Analyzed: 10/24/96 % Moisture: not dec. 43

GC Column: DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Aliquot Volume: Soil Extract Volume:\_\_\_\_(uL)

CONCENTRATION UNITS:

| CAS NO.     | COMPOUND                  | (ug/L or ug    | /Kg) ug/Kg |          | Q<br>i                                  | <b>ii</b>     |
|-------------|---------------------------|----------------|------------|----------|---|---------------|
| 74-83-9     | Chloromethane             |                |            | 18<br>18 | U į                                     |               |
|             | Vinyl Chlorid             | de             | }          | 18       | Unicial                                 |               |
|             | Chloroethane              |                |            | 18       | U.                                      |               |
|             | Methylene Ch              | loride         |            |          | JB!!                                    |               |
|             | Acetone                   |                |            | 56       |   |               |
|             | Carbon Disuli             |                |            | 18       |   | # (FIII)      |
|             | 1,1-Dichloroe             |                |            | 18       |   | ին նեհակիրաց։ |
| 75-34-3     | 1,1-Dichloroe             | ethane         |            | 18       |   | ,             |
| 540-59-0    | 1,2-Dichloroe             | ethene (total) |            | 18       |   | 1             |
|             | Chloroform                |                |            | 18       |   | 1             |
|             | 1,2-Dichloro              | ethane         |            | 18       |   |               |
|             | 2-Butanone                | ·              | ·          | 18       |   |               |
| 71-55-6     | 1,1,1-Trichlo             | oroethane      |            | 18       |   |               |
|             | Carbon Tetrac             |                |            | 18       |   |               |
|             | Bromodichloro             |                |            | 18       | Ū                                       |               |
| 78-87-5     | 1,2-Dichlorop             | propane        |            | 18       | υ,                                      | - :   iii     |
| 10061-01-5- | cis-1,3-Dichl             | loropropene    |            | 18       | U !                                     |               |
| 79-01-6     | Trichloroethe             | ene            |            | 1.8      | U ··                                    | 11.0          |
| 124-48-1    | Dibromochloro             | omethane       |            | 18       | บ                                       | 1 -2 1        |
|             | 1,1,2-Trichle             | oroethane      |            | 18       | U                                       | 1             |
| 71-43-2     | Benzene                   |                |            | 18       | U .                                     | 1             |
| 10061-02-6- | trans-1 <u>,3-Di</u> c    | chloropropene  |            | 18       | υ                                       | <b>i</b>      |
| 75-25-2     | Bromoform                 |                |            | 18       | U '                                     | 1 '           |
| 108-10-1    | 4-Methyl- <del>2-Pe</del> | entanone       |            | 18       | U                                       |               |
| 591-78-6    | 2-Hexanone                | <del></del>    |            | 18       | U į                                     | la militi     |
| 127-18-4    | Tetrachloroet             | thene          |            | 18       | Urrhai                                  | <b>₩~ ###</b> |
| 79-34-5     | 1,1,2,2-Tetra             | achloroethane  |            | 18       | ָּ֖֖֖֖֖֖֖֖֖֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓ |               |
|             | Toluene                   | <del></del>    |            | 18       | ט ו                                     |               |
|             | Chlorobenzene             | =              |            | 18       |   |               |
|             | Ethylbenzene              |                |            | 18       |   | HIPTH         |
|             | Styrene                   |                |            | 18       |   | T 14          |
|             | Xylene (Total             | 1)             |            | 18       | 1                                       |               |
|             | •                         |                |            |          |   | 1             |

#### VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol: 5.0 (g/mL) g

Lab Code: COMPU

Lab File ID: GH029018B56

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: not dec. 43

Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Aliquot Volume: (uL)

**i** i ...

Soil Extract Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

|                                       |               |             |                  | रेल व          |
|---------------------------------------|---------------|-------------|------------------|----------------|
| CAS NUMBER                            | COMPOUND NAME | RT          | EST. CONC.       |                |
| 1                                     |               |             |                  |                |
| 2.                                    |               |             | - 11 24 (1)      |                |
| 3                                     | <del></del>   |             |                  | T              |
| 4                                     |               |             |                  | 1 4 1 1        |
| 5                                     |               |             |                  | 1              |
| ٠٠ <u></u>                            |               |             |                  |                |
| 7                                     |               |             |                  |                |
| · · · · · · · · · · · · · · · · · · · |               |             |                  |                |
| <b>J.</b>                             |               |             |                  | <u>i i di</u>  |
| 10.                                   | <u></u>       |             |                  | 1 1 11         |
| <b></b>                               | ·             |             |                  | 1:4            |
| 14.                                   |               |             |                  | <u>   </u>     |
| ±                                     |               |             |                  | <u> </u>       |
| <u></u>                               |               |             |                  | 1 1 1 1 1 1 1  |
| 13.                                   |               |             | :                |                |
| 10.                                   |               |             |                  |                |
|                                       |               |             |                  | ļ              |
|                                       |               |             |                  |                |
|                                       |               |             |                  |                |
| 4V.                                   |               |             |                  |                |
|                                       |               | <del></del> | <u> </u>         |                |
|                                       |               |             | _ <del></del>    | 1 4 1111       |
|                                       |               |             | . <del></del>    |                |
| 44, I                                 |               | ļ           | - Li Li          | <b>6.4</b> (F) |
|                                       |               |             | 1. <b>48</b> e[- | \ <u> </u>     |
|                                       |               | <del></del> |                  | 1 - 1 - FI     |
|                                       |               |             |                  |                |
|                                       |               | <del></del> | <del></del>      | الــــــا      |
| L.J.                                  |               |             |                  |                |
| 30                                    |               |             |                  | \              |
|                                       |               |             |                  | l              |

FORM I VOA-TIC

OLM03.0

EPA SAMPLE NO.

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829020

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: GH029020B56

Level: (low/med) LOW

Date Received: 10/23/96 Date Analyzed: 10/24/96

% Moisture: not dec. 31

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume:\_\_\_\_(uL)

Soil Aliquot Volume: \_\_\_\_(uL)

| CONCENTRA   | ATION .   | UNITS:              |
|-------------|-----------|---------------------|
| /220 /T 020 | 1200 /100 | م <i>المحدد</i> الم |

: Ka

| CAS NO.   | COMPOUND      | (ug/L (     | or ug/Kg)              | ug/Kg |     | Q         | 1          | tra<br>tra          |
|-----------|---------------|-------------|------------------------|-------|-----|-----------|------------|---------------------|
| 74-87-3   | Chloromethane |             |                        |       | 14  | บ         | _ '        | . 1 .               |
|           | Bromomethane  |             | <del></del>   ,        |       | 14  | _         | .          |                     |
|           | Vinyl Chlorid | le          | · · · · · · · · ·      |       | 14  | _         | l li       | i •                 |
|           | Chloroethane  |             |                        |       | 14  | ľ         | ۴ [:       | 2.16                |
|           | Methylene ChI | oride       |                        |       | 10  |           |            | .:1                 |
| 67-64-1   |               |             | <del>- · · · · ·</del> |       | 83  | ŀ         | L          |                     |
|           | Carbon Disulf | ide         | <del></del>            |       |     | Tielis    | H          | 3. <b>141</b> 11111 |
|           | 1,1-Dichloroe |             | <del></del>            |       | 14  |           | ťľ         |                     |
|           | 1,1-Dichloroe |             | <del></del> -          |       | 14  | U         | ľ          |                     |
|           | 1,2-Dichloroe |             | a])                    |       |     | Ū         | 'n II      |                     |
|           | Chloroform    |             |                        |       | 14  | _         | ŀij        | i-                  |
|           | 1,2-Dichloroe | thane       |                        |       | 14  |           | [   '      | ii bija a i         |
|           | 2-Butanone    |             | <del></del>            |       | 14  |           | !          |                     |
|           | 1,1,1-Trichlo | roethane    | <del></del>            |       | 14  |           | 1          |                     |
|           | Carbon Tetrac |             |                        |       | 14  |           | - [        |                     |
|           | Bromodichloro |             | <del></del> -          |       | 14  |           | ď          | <u>ا</u> ب          |
|           | 1,2-Dichlorop |             | <del></del>            |       | 14  |           | , I.       | . !!                |
|           | cis-1,3-Dichl |             |                        |       | 14  |           |            | 1 11                |
|           | Trichloroethe |             | ——-                    |       | 14  |           | -          |                     |
|           | Dibromochloro |             | <del></del> -          |       | 14  |           | -          | ıl.                 |
|           | 1,1,2-Trichlo |             | <del></del>            |       | 14  |           |            | ide                 |
|           | Benzene .     |             | <del></del>            |       | 14  |           | `          | 1.4.                |
|           | trans-1,3-Dic | hloroprope  | <del>ne</del> i        |       | 14  |           | ٠ [        | 1.3                 |
|           | Bromoform     | roroprope.  |                        |       | 14  |           | ľ          |                     |
|           | 4-Methyl-2-Pe | ntanone     | <del></del>            |       | 14  |           | ı          |                     |
|           | 2-Hexanone    |             | <del></del>            |       | 14  | -         |            |                     |
|           | Tetrachloroet | hene        | <del></del>            |       | 14  |           | į į        |                     |
|           | 1,1,2,2-Tetra |             | <del></del>            |       | 14  |           | ľ          |                     |
| 108-88-3  |               | CHITOTOCCHA | ,,e                    |       |     | ŭ         |            | nide.               |
|           | Chlorobenzene |             |                        |       |     | ŭ .       | L          | PHIII               |
|           | Ethylbenzene  |             |                        |       |     | U. in the | Ł P        |                     |
| 100-42-5  |               |             | <del></del> [          |       | 14  | Drain.    | [ ]        | : # # [ [ ] [ ] .   |
|           | Xylene (Total | <u> </u>    | ——-                    |       | 14  | שו        | ſ          |                     |
| 1330-20-7 | xyrene (10car | ·/          | <del></del>            |       | T.4 | ٦         | H          |                     |
|           |               |             |                        |       |     | l         | <u>-</u> H | . HIIII             |

#### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEYB

ar a Same a Million

EPA SAMPLE NO.

Matrix: (soil/water) SOIL

Lab Name: COMPUCHEM ENV. CORP.

Lab Sample ID: 829020

Sample wt/vol:

. 5.0 (g/mL) g

Lab File ID: GH029020B56

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: not dec. 31

Date Analyzed: 10/24/96

GC Column:DB624

ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

Soil Aliquot Volume: (uL)

્કે. ફોર્મ □ - સ્ફ્રા

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 0

|                   |               | 1  | <del></del>                           | 1 1    |
|-------------------|---------------|----|---------------------------------------|--------|
|                   | COMPOUND NAME | RT | EST. CONC.                            | Q<br>+ |
| 1.<br>2.<br>3.    |               |    |                                       |        |
| 5.                |               |    | - 新<br>- 新<br>- 新<br>                 |        |
| 8:                |               |    |                                       |        |
| 11.               |               |    |                                       |        |
| 14.               |               |    |                                       |        |
| 17.               |               |    |                                       |        |
| 18. 19. 20.       |               |    |                                       | 1 (1)  |
| 21.<br>22.<br>23. |               |    |                                       | <br>   |
| 25                |               |    |                                       |        |
| 27.<br>28.<br>29. |               |    | e e e e e e e e e e e e e e e e e e e |        |
| 30                |               |    |                                       |        |

FORM I VOA-TIC

OLM03.0

280

| EPA | SAMPLE | , | NO <sub>II</sub>     |       |
|-----|--------|---|----------------------|-------|
|     | FEZ01  | 1 | 1] 4<br>1] 4<br>21-1 | t . I |

SDG No.: FEY80[

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

Lab Sample ID: 829317 Matrix: (soil/water) SOIL

5.0 (g/mL) g Lab File ID: Sample wt/vol: GH029317C

Level: (low/med) LOW Date Received: 10/25/96"

% Moisture: not dec. 55 Date Analyzed: 10/26/96

GC Column: DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: \_\_\_

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg 74-87-3-----Chloromethane 22 U - Othe 22 U 22 U 22 U 74-83-9-----Bromomethane 75-01-4-----Vinyl Chloride 75-00-3-----Chloroethane 15 75-09-2-----Methylene Chloride\_ JΒ 91 67-64-1-----Acetone В 75-15-0-----Carbon Disulfide 22 U 75-35-4----1,1-Dichloroethene 22 U 75-34-3-----1,1-Dichloroethane\_ 22 U 22 540-59-0-----1,2-Dichloroethene (total) 67-66-3-----Chloroform 22 22 22 22 22 22 107-06-2----1, 2-Dichloroethane 78-93-3----2-Butanone 71-55-6-----1,1,1-Trichloroethane 56-23-5-----Carbon Tetrachloride\_ บ 75-27-4-----Bromodichloromethane U 22 U 22 U 22 U 22 U 22 U 22 U 22 U 78-87-5-----1,2-Dichloropropane\_ 10061-01-5----cis-1,3-Dichloropropene 79-01-6-----Trichloroethene 124-48-1-----Dibromochloromethane 79-00-5-----1,1,2-Trichloroethane\_ 71-43-2-----Benzene 10061-02-6----trans-1,3-Dichloropropene 22 U 22 U 22 U 22 U 75-25-2-----Bromoform 108-10-1----4-Methyl-2-Pentanone 591-78-6----2-Hexanone 127-18-4-----Tetrachloroethene 22 U 79-34-5----1,1,2,2-Tetrachloroethane 22 U 108-88-3-----Toluene 22 U 108-90-7-----Chlorobenzene 22 U 100-41-4-----Ethylbenzene 22 U 100-42-5-----Styrene 22 U 1330-20-7-----Xylene (Total) 18

#### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

FEZ01

Matrix: (soil/water) SOIL

, 5.0 (g/mL) g

Lab Sample ID: 829317

Sample wt/vol:

Lab File ID:

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 55

Number TICs found: 17

Date Analyzed: 10/26/96

GC Column:DB624

ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: (uL)

Soil Aliquot Volume:

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

|                |                              | <b>.</b>    | <b>.</b> .                              |                                |
|----------------|------------------------------|-------------|---|--------------------------------|
| CAS NUMBER     | COMPOUND NAME                | RT          | EST. CONC.                              | Q                              |
| 1. 76-13-1     | ETHANE, 1,1,2-TRICHLORO-1,2, |             |   | NJB                            |
| 2. 107-39-1    | 1-PENTENE, 2,4,4-TRIMETHYL-  | 13.47       |   | NJ                             |
| 3. 100-40-3    | CYCLOHEXENE, 4-ETHENYL-      | 17.45       |   | UNJ .                          |
| 4.             | ETHYLMETHYLBENZENE           | 19.61       |   | [ ] <del>]</del> [ ]           |
| 5.             | ETHYLMETHYLBENZENE           | 20.25       | 21                                      |                                |
| 6.             | UNKNOWN HYDROCARBON          | 20.48       | 72                                      |                                |
| 7.             | UNKNOWN ALKENE               | 20.58       | , · · · · · · · · · · · · · · · · · · · | 计连续编制                          |
| 8.             | UNKNOWN                      | 20.98       |   |                                |
| 9. 873-49-4    | BENZENE, CYCLOPROPYL-        | 21.39       |   |                                |
| 10.            | DIETHYLBENZENE               | 21.48       |   | +                              |
| 11.            | UNKNOWN                      | 21.88       |   | J. 4. 444                      |
| 12.            | DIHYDROMETHYLINDENE          | 22.00       |   | 野野野モト                          |
| 13.            | DIHYDROMETHYLINDENE          | 22.70       |   | [ ] J                          |
| 14.            | DIHYDROMETHYLINDENE          | 22.92       | l 31                                    | . j -                          |
| 15. 767-59-9   | 1H-INDENE, 1-METHYL-         | 22.99       |   | NJ K                           |
| 16. 65051-83-4 | BENZENE, (1-METHYL-2-CYCLOPR |             |   | NJ                             |
| 17.            | DIHYDRODIMETHYLINDENE        | 23.32       | · ·                                     | J                              |
| 18             |                              | 25.52       | -                                       |                                |
| 19.            |                              |             | *************************************** | -                              |
| 20             |                              |             | ****                                    | -                              |
| 21.            | [ <del></del>                |             | <del></del>                             | -   <del> </del>               |
| 22.            | <del></del>                  |             | · · · · · · · · · · · · · · · · · · ·   | -                              |
| 23             |                              |             | -                                       | -  <u>-</u>                    |
| 24.            | <u> </u>                     |             |   | -                              |
| 25             |                              |             | <del></del>                             | -                              |
| 26             | <u> </u>                     | <del></del> |   | -                              |
| 27.            |                              | <del></del> |   | -                              |
| 28             |                              | <del></del> |   | -                              |
| 28.            |                              |             |   | -   <del></del>                |
| 30             |                              | <del></del> |   | -   <del>- : : :    </del>     |
| <u>-</u>       |                              | <del></del> |   | -   <del>               </del> |
|                | 1                            | ·           |   | (s   . <b>0</b> 1              |
|                |                              |             | La martin                               |                                |

FORM I VOA-TIC

| EPA | SAMPLE | NO. |
|-----|--------|-----|
|     | •      |     |
|     |        | 1:1 |
|     | FEZ02  |     |
|     | , .    |     |

SDG No.: FEY80

Lab File ID: GH029318A57

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Sample wt/vol:

5.0 (g/mL) g

Case No.: 25093 SAS No.: Matrix: (soil/water) SOIL Lab Sample ID: 829319

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: not dec. 40 Date Analyzed: 10/26/96

Dilution Factor: 1.0 Pro GC Column:DB624 ID: 0.53 (mm)

Soil Extract Volume: \_\_(uL) Soil Aliquot Volume:

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 74-87-3   | Chloromethane              |      | 17 | U     |           |
|-----------|----------------------------|------|----|-------|-----------|
| 74-83-9   | Bromomethane               |      | 17 | Ū     |           |
|           | Vinyl Chloride             |      | 17 | 1     | 1 :       |
|           | Chloroethane               |      | 17 | Ū     |           |
| 75-09-2   | Methylene Chloride         |      | 9  | JB i  | 940       |
| 67-64-1   |                            |      | 49 |       | L . :     |
|           | Carbon Disulfide           |      | 17 | U     | 1 100     |
|           | 1,1-Dichloroethene         |      | 17 | บ     | 1434      |
| 75-34-3   | 1,1-Dichloroethane         |      | 17 |       |           |
| 540-59-0  | 1,2-Dichloroethene (total) |      | 17 |       |           |
|           | Chloroform                 | •    | 17 | U i   | 1 1.      |
|           | 1,2-Dichloroethane         |      | 17 |       |           |
|           | 2-Butanone                 | . ", | 17 |       | 14        |
|           | 1,1,1-Trichloroethane      | •    | 17 |       | 阿藤田       |
|           | Carbon Tetrachloride       |      | 17 | -     |           |
|           | Bromodichloromethane       |      | 17 | TTALL |           |
|           | 1, 2-Dichloropropane       |      | 17 | U     | <b>i</b>  |
|           | cis-1,3-Dichloropropene    |      | 17 | lii t |           |
|           | Trichloroethene            |      | 17 | E!    |           |
|           | Dibromochloromethane       |      | 17 |       | 4. 114.11 |
|           | 1,1,2-Trichloroethane      |      | 17 |       | '         |
|           | Benzene                    |      | 17 | -     |           |
|           | trans-1,3-Dichloropropene  |      | 17 |       |           |
| 75-25-2   | Bromoform                  |      | 17 | i     |           |
|           | 4-Methyl-2-Pentanone       |      | 17 | , -   | . 11      |
|           | 2-Hexanone                 |      | 17 | •     | 1 5       |
|           | Tetrachloroethene          |      | 17 |       |           |
|           | 1,1,2,2-Tetrachloroethane  |      | 17 | 1     |           |
| 108-88-3  |                            |      | 17 |       |           |
|           | Chlorobenzene              |      | 17 |       | ion i     |
|           | Ethylbenzene               |      | 17 |       | 11.1      |
|           |                            |      | 17 | •     | . '(1     |
| 100-42-5  |                            |      | 17 | 1 -   |           |
| 1330-20-7 | Xylene (Total)             |      | Τ/ | ال    |           |
|           |                            |      |    | l     | Į.        |

### VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

|       | • |    |
|-------|---|----|
| FEZ02 | ļ | ļı |

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829319

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: GH029318A57

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 40

Date Analyzed: 10/26/

GC Column: DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Aliquot Volume:

Soil Extract Volume: \_\_\_\_(uL)

Number TICs found: 5

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| CAS NUMBER        | COMPOUND NAME                           | RT             | EST. CONC.                                   | Q            |
|-------------------|---|----------------|--|--------------|
| 1. 76-13-1        | ETHANE, 1,1,2-TRICHLORO-1,2,            | 7.50           | 12   | NJB          |
| 2. 123-48-8       | 3-HEPTENE, 2,2,4,6,6-PENTAME            | 20.63          | 9  | Į.           |
| 3.<br>4. 767-58-8 | SUBSTITUTED BENZENE<br>INDAN, 1-METHYL- | 21.43<br>22.06 | 12   | NJ H         |
| 5. 65051-83-4     | BENZENE, (1-METHYL-2-CYCLOPR            |                | 13   | NJ           |
| 6                 |   |                |  |              |
| 7                 |   |                |  | <u>f</u> 1   |
| 8                 |   | - 1            | ·  | 1 1          |
| 9.                |   |                |  | * 1 id       |
| 10.<br>11.<br>12. |   |                | 5 (1)  |              |
| 12                |   | <del></del>    |  |              |
| 13.               |   |                | 4) 441                                       |              |
| <b>⊥4.</b>        |   |                | 1 16:4                                       |              |
| 15.               |   | <del></del>    | <u> —                                   </u> |              |
| 16.               |   | <del></del>    | <u> </u>                                     | <u> </u>     |
| 18.               |   |                |  | <del></del>  |
| ±2.               |   |                |  |              |
| 20.               |   |                |  |              |
| ZI.               |   |                |  | 1 1 1 1      |
| 22.               |   | <del></del>    | <u> </u>                                     | <u> </u>     |
| 24.               |   |                |  |              |
| 25.               |   |                |  | <u>. jt.</u> |
| 26.               |   | ]              |  |              |
| 27.               |   | <b> </b>       |  | <u> </u>     |
| 28.               |   | <u> </u>       |  |              |
| 30.               |   |                | <del></del>                                  | <del></del>  |
| -                 |   |                |  | 1            |

FORM I VOA-TIC

| <br>  | T |   |     |
|-------|---|---|-----|
| <br>  |   | - | . 1 |
| FEZ03 |   | 1 |     |

Dilution Factor: 1.0

| Lab Name: COMPUCHEM ENV. CORP. Contr | act: 68D50004 |
|--------------------------------------|---------------|
|--------------------------------------|---------------|

GC Column:DB624 ID: 0.53 (mm)

SDG No.: FEY80 Lab Code: COMPU Case No.: 25093 SAS No.:

Matrix: (soil/water) SOIL Lab Sample ID: 829319

Sample wt/vol: 5.0 (g/mL) g Lab File ID: GR0293197

Level: (low/med) Date Received: 10/25/96 LOW

% Moisture: not dec. 42 Date Analyzed: 11/04/96

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume: \_

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

|                                       |                            | , 3. 3. 3  | <del></del> |                |
|---------------------------------------|----------------------------|------------|-------------|----------------|
| 74-87-3                               | Chloromethane              |            | ט   17      | 1 in           |
|                                       | Bromomethane               | 1          | 17 U        |                |
| 75-01-4                               | Vinyl Chloride             | 1          | 17 0        | 1 i i i        |
| 75-00-3                               | Chloroethane               | ·          | 17 U        | ł              |
| 75-09-2                               | Methylene Chloride         | · [        | 9 JE        | . 1            |
| 67-64-1                               | Acetone                    | ·          | 36          | <b>.</b>       |
| 75-15-0                               | Carbon Disulfide           |            | 17 ਹ        | <del>-  </del> |
| 75-35-4                               | 1,1-Dichloroethene         | •          | 17 U        | -:4            |
|                                       | 1,1-Dichloroethane         | ·          | 17 U        | . Alentido     |
|                                       | 1,2-Dichloroethene (total) |            | 17 U        |                |
|                                       | Chloroform                 | ·          | 17 U        |                |
|                                       | 1,2-Dichloroethane         | 1          | 17 0        | HOPE HAR       |
| 78-93-3                               | 2-Butanone                 | ·]         | 17 U        |                |
| 71-55-6                               | 1,1,1-Trichloroethane      | •          | 17 0        |                |
|                                       | Carbon Tetrachloride       | ·          | 17 U        |                |
| 75-27-4                               | Bromodichloromethane       | · <b> </b> | 17 U        | -              |
| 78-87-5                               | 1,2-Dichloropropane        | ·†         | 17 U        |                |
|                                       | cis-1,3-Dichloropropene    | ·          | 17 U        | 1.             |
| 79-01-6                               | Trichloroethene            | · <b>t</b> | 17 U        |                |
| 124-48-1                              | Dibromochloromethane       | · <b>!</b> | 17 0        | 4 2 10         |
| 79-00-5                               | 1,1,2-Trichloroethane      | · <b>[</b> | 17 0        | 1 '            |
|                                       | Benzene                    | · [        | 17 U        |                |
|                                       | trans-1,3-Dichloropropene  | ·          | 17 0        |                |
|                                       | Bromoform                  | · <b>!</b> | 17 U        |                |
|                                       | 4-Methyl-2-Pentanone       | · ]        | 17 U        | i l            |
| 591-78-6                              | 2-Hexanone                 | ·          | זֹל ע       |                |
|                                       | Tetrachloroethene          | ·{         | 17 U        |                |
|                                       | 1,1,2,2-Tetrachloroethane  | 4          | 17 U        | '              |
| 108-88-3                              | Toluene                    | •          | 17 0        |                |
| 108-90-7                              | Chlorobenzene              | ·          | 17 0        |                |
|                                       | Ethylbenzene               | ·1         | 17 0        | Į.             |
|                                       | Styrene                    | ·          | 17 U        | 1              |
|                                       | Xylene (Total)             | ·          | וֹלִים בּי  | , i i i i i    |
| 1000 10 /                             |                            | ·          | '   ° .     | -4             |
| · · · · · · · · · · · · · · · · · · · | <del></del>                | .          | I           | <del></del>    |
|                                       |                            |            | 14          |                |
|                                       |                            |            |             | i 5400°        |
|                                       | FORM I VOA                 |            |             | OTMO3. O.      |
|                                       | 10141 1 1011               |            |             | J. 10.4. 0     |

### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

| FEZO: | 3  |     |   |
|-------|----|-----|---|
|       | í, | . : | 1 |

| Lab | Name: | COMPOUNDM | ENV. | CORP. |
|-----|-------|-----------|------|-------|
|     |       |           |      |       |

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829319

Sample wt/vol: 5.0 (g/mL) g

Lab File ID: GR029319A56

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: not dec. 42

Date Analyzed: 11/04/96

GC Column:DB624 ID: 0.53 (mm)

Number TICs found: 0

Dilution Factor: 1.0

Soil Aliquot Volume: (1)

Soil Extract Volume: (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

| CAS NUMBER                                       | COMPOUND NAME                         | RT         | EST. CONC.    | _             |
|--|---------------------------------------|------------|---------------|---------------|
|  |                                       |            |               | =====         |
| 1:   |                                       |            |               |               |
| 2  | -                                     | _          |               | <del></del>   |
| 4  | -                                     | _          |               | - : :         |
| 5  |                                       |            |               |               |
| 6  |                                       |            |               |               |
| 7  |                                       | _          |               | 1             |
| 8  |                                       | _          |               | 1 4           |
| 9  |                                       | _          |               | 1 - 11 -      |
| 10.  |                                       | _          |               |               |
| 1.   |                                       |            |               |               |
| .2   |                                       |            | ļ             | <del>:</del>  |
| 3  |                                       | _          | <u> </u>      | ' <del></del> |
| 15.  | <u> </u>                              | -          |               |               |
| 6  |                                       | - <u> </u> |               | b id lebell   |
| 7.   |                                       | _          | - n ()        |               |
| 8  | · · · · · · · · · · · · · · · · · · · |            | :: rt: rl     |               |
| L9.  |                                       |            |               |               |
| 20. 1  | •                                     |            |               |               |
| 11.  |                                       |            |               | 7 F FFIII     |
| · <del>· ·</del> · · · · · · · · · · · · · · · · |                                       |            |               |               |
|  |                                       | _          |               |               |
|  | · · · · · · · · · · · · · · · · · · · | _          |               | <del></del>   |
| :  |                                       | _          |               |               |
|  |                                       | _          |               |               |
| 27   |                                       | _          | ļ <del></del> |               |
| 28   |                                       | _          |               |               |
| 50.————————————————————————————————————          | ·                                     | _          |               |               |
| ′°·  |                                       |            | <del></del>   |               |

FORM I VOA-TIC

EPA SAMPLE NO.

FEY77

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829307

Sample wt/vol:

....

30.4 (g/mL) g

Lab File ID: G2D29307C62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 64 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 10.0 >

GPC Cleanup: (Y/N) Y pH: 7.4

| CAS NO.                                | COMPOUND                   | CONCENTRATI     |                                       | <u> </u>   |
|--|----------------------------|-----------------|---------------------------------------|--|
| 108-95-2                               | Thomal                     |                 | 9000                                  | U 913'   |
|  | bis(2- <del>Chloro</del> e | thul lathar     | 9000                                  |  |
|  | 2-Chloropheno              |                 | 9000                                  | 1 - 1  |
|  | 1,3-Dichlorob              |                 | 0000                                  |  |
| 106-46-7                               | 1,4-Dichlorob              | enzene          | 9000                                  |  |
| 95-50-1                                | 1,2-Dichlorob              | enzene          | وَوُوْوَ ا                            | -  |
| 95-48-7                                | 2-Methylpheno              | 1               | 0000                                  | ( - I  |
| 108-60-1                               | 2,2'-oxybis(1              | -Chioropropage) |                                       | 1 - 1  |
|  | 4-Methylpheno              |                 | 9000                                  | J - I  |
|  | N-Nitroso-di-              |                 | 9000                                  |  |
| 67-72-1                                | Hexachloroeth              | ane             | 0000                                  |  |
|  | Nitrobenzene               |                 | 9000                                  |  |
|  | Isophorone                 |                 | 0000                                  | 1 - 1  |
|  | 2-Nitrophenol              |                 | 9000                                  |  |
|  | 2,4-Dimethylp              |                 | 9000                                  | , -  |
| 111-91-1                               | bis(2-Chloroe              | thosylmethane   | 9000                                  | 1 -  |
| 120-83-2                               | 2,4-Dichlorop              | henol           | 9000                                  | · I  |
| 120-03-2                               | 1,2,4-Trichlo              | robenzene       | 9000                                  | 1  |
| 91-20-3                                | Naphthalene                | TODEIIZEIIE     | 4600                                  | 1  |
| 106-47-8                               | 4-Chloroanili              | 77.0            | 9000                                  | ) — 1  |
|  | Hexachlorobut              |                 | 9000                                  | I - I  |
|  | 4-Chloro-3-me              |                 | 9000                                  | I - I  |
|  | 2-Methylnapht              |                 | 7200                                  |  |
|  | Hexachlorocyc              |                 | 9000                                  | _  |
|  | 2,4,6-Trichlo              |                 | 9000                                  |  |
| 95-95-4                                | 2,4,5-Trichlo              | rophenol        | 23000                                 | T .  |
| 91-58-7                                | 2-Chloronapht              | halene          | 9000                                  | 1 - 1  |
|  | 2-Nitroanilin              |                 | 23000                                 |  |
|  | Dimethylphtha              |                 | 9000                                  | 1 - 1  |
|  | Acenaphthylen              |                 | 12000                                 |  |
|  | 2,6-Dinitroto              |                 | 9000                                  | <del>[ ]                                  </del> |
|  | 3-Nitroanilin              |                 | 23000                                 |  |
|  | Acenaphthene               | ~               | 14000                                 | I* I/  |
| 1 33 33 3                              | p                          | •••             | 1 2000                                |  |
| ' ———————————————————————————————————— | <del></del>                | <del></del>     | · · · · · · · · · · · · · · · · · · · | ¹——-   |

FORM I SV-1

EPA SAMPLE NO.

FEY77

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

**的复数形式** 1000 mm (1000 mm)

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829307

Sample wt/vol:

30.4 (g/mL) g

Lab File ID: G2D29307C62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 64

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume:

2.0(uL)

Dilution Factor: 10.0

CONCENTRATION UNITS:

GPC Cleanup: (Y/N) Y pH: 7.4

50-32-8-----Benzo (a) pyrene\_

193-39-5-----Indeno (1, 2, 3-cd) pyrene\_

53-70-3-----Dibenzo (a, h) anthracene

(1) - Cannot be separated from Diphenylamine

191-24-2----Benzo(g,h,i)perylene

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg O 23000 0 51-28-5-----2,4-Dinitrophenol 100-02-7----4-Nitrophenol 23000 U 132-64-9-----Dibenzofuran 9000 U 121-14-2----2,4-Dinitrotoluene 9000 U 84-66-2-----Diethylphthalate\_ 9000 U 7005-72-3----4-Chlorophenyl-phenylether 9000 U 86-73-7-----Fluorene 18000 100-01-6-----4-Nitroaniline 23000 1 534-52-1----4,6-Dinitro-2-methylphenol 23000 U 86-30-6----N-nitrosodiphenylamine\_(1) 9000 U 101-55-3-----4-Bromophenyl-phenylether 9000 U 118-74-1-----Hexachlorobenzene 9000 U 87-86-5-----Pentachlorophenol 23000 U 85-01-8-----Phenanthrene 55000 120-12-7-----Anthracene 11000 9000 T 86-74-8-----Carbazole 84-74-2-----Di-n-butylphthalate 9000 U 206-44-0-----Fluoranthene 12000 129-00-0-----Pyrene 22000 9000 T 85-68-7-----Butylbenzylphthalate 9000 U 91-94-1----3,3'-Dichlorobenzidine 56-55-3-----Benzo(a) anthracene 5600 J 218-01-9-----Chrysene 5300 J 117-81-7-----bis (2-Ethylhexyl) phthalate 9000 U 9000 U 117-84-0-----Di-n-octylphthalate 2700 XJ 205-99-2----Benzo (b) fluoranthene 207-08-9-----Benzo(k) fluoranthene\_ 3000 XJ

FORM I SV-2

OLMO3.0

3900 J

720 J

860 J

9000 U

EPA SAMPLE NO.

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

·FEY77

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829307

Sample wt/vol:

30.4 (g/mL) g

Lab File ID: G2D29307C62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 64

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 10.0

GPC Cleanup: (Y/N) Y pH: 7.4

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 30

| CAS NUMBER | COMPOUND NAME       | RT    | EST. CONC. | Q  |
|------------|---------------------|-------|------------|----|
| 1.         | ALDOL (BC)          | 4.51  | 8100       | :  |
| 2.         | UNKNOWN             | 6.56  | 3900       | J  |
| 3.         | UNKNOWN             | 6.68  | 3900       | J  |
| 4.         | UNKNOWN PAH         | 8.78  | 11000      |    |
| 5.         | METHYLNAPHTHALENE   | 9.80  | 16000      | J  |
| 6.         | METHYLNAPHTHALENE   | 10.05 | 15000      | J  |
| 7.         | ETHYLNAPHTHALENE    | 10.80 | 13000      | J  |
| 8.         | DIMETHYLNAPHTHALENE | 11.03 | 3300       | J  |
| 9.         | UNKNOWN PAH         | 11.14 | . 3500     | Jσ |
| 10.        | DIMETHYLNAPHTHALENE | 11.22 | 2700       |    |
| 11.        | UNKNOWN             | 12.58 | 2500       | J  |
| 12.        | UNKNOWN             | 12.65 | 2200       |    |
| 13.        | UNKNOWN             | 12.83 | 3300       | J  |
| 14.        | METHYLFLUORENE      | 13.37 | 9200       |    |
| 15.        | METHYLFLUORENE      | 13.42 | 7200       |    |
| 16.        | METHYLFLUORENE      | 13.51 | 5600       | J  |
| 17.        | UNKNOWN             | 13.60 | 3300       | J  |
| 18.        | UNKNOWN             | 14.51 | 2900       |    |
| 19.        | METHYLANTHRACENE    | 14.83 | 4100       | J  |
| 20.        | METHYLPHENANTHRENE  | 14.87 | 4000       | J  |
| 21.        | UNKNOWN             | 15.00 | 12000      | J  |
| 22.        | METHYLANTHRACENE    | 15.04 | 5600       | J  |
| 23.        | PHENYLNAPHTHALENE   | 15.33 | ·7300      | J  |
| 24.        | UNKNOWN             | 15.78 | 2700       | J  |
| 25.        | UNKNOWN             | 15.89 | 2700       | J  |
| 26.        | UNKNOWN PAH         | 16.13 | 4500       |    |
| 27.        | BENZOFLUORENE       | 16.89 | 5900       |    |
| 28.        | BENZOFLUORENE       | 17.00 | 3900       | J  |
| 29.        | METHYLPYRENE        | 17.20 | 2400       | J  |
| 30.        | UNKNOWN PAH         | 17.25 | 3400       | J  |

FORM I SV-TIC

EPA SAMPLE NO.

FEY80

SDG No.: FEY80

Lab File ID: GH029005B62

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

41.5

Sample wt/vol:

Lab Code: COMPU Case No.: 25093 SAS No.:

.30.0 (g/mL) g

Lab Sample ID: 829005 Matrix: (soil/water) SOIL

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: 50 decanted: (Y/N) N Date Extracted:10/24/96

Concentrated Extract Volume: 500 (uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.1 CONCENTED A TOTAL TRITTE.

| GRG NO   |                        | ENTRATION UNIT  |      | ^     |
|----------|------------------------|-----------------|------|-------|
| CAS NO.  | COMPOUND (ug/          | L or ug/Kg) ug  | / kg |       |
| 100 05 0 | Dh-ma3                 |                 | 550  |       |
| 108-95-2 |                        |                 | 660  |       |
|          | bis(2-Chloroethyl)eth  | er              | 660  |       |
|          | 2-Chlorophenol         |                 | 660  | , - , |
|          | 1,3-Dichlorobenzene    |                 | 660  | -     |
|          | 1,4-Dichlorobenzene    |                 |      | ן ע   |
|          | 1,2-Dichlorobenzene    |                 | 660  |       |
|          | 2-Methylphenol         |                 | 660  | - 1   |
|          | 2,2'-oxybis(1-Chlorop  | ropane)         |      | U     |
| 106-44-5 | 4-Methylphenol         | <del></del>     | 660  | _     |
| 621-64-7 | N-Nitroso-di-n-propyl  | amine           | 660  |       |
|          | Hexachloroethane       |                 | 660  |       |
|          | Nitrobenzene           |                 | 660  | -     |
|          | Isophorone             |                 | 660  | ט     |
|          | 2-Nitrophenol          |                 | 660  | U     |
| 105-67-9 | 2,4-Dimethylphenol     | . <u></u>       | 660  | U     |
|          | bis(2-Chloroethoxy) me | thane           | 660  | ט     |
| 120-83-2 | 2,4-Dichlorophenol     | _               | 660  | ט     |
| 120-82-1 | 1,2,4-Trichlorobenzer  | ie              | 660  | ט     |
| 91-20-3  | Naphthalene            |                 | 660  | บ     |
| 106-47-8 | 4-Chloroaniline        | <del></del> -   | 660  | ן ט ∣ |
| 87-68-3  | Hexachlorobutadiene    |                 | 660  | ן ט   |
| 59-50-7  | 4-Chloro-3-methylpher  | iol             | 660  | ט     |
| 91-57-6  | 2-Methylnaphthalene    | · <del>  </del> | 660  | ן ט   |
| 77-47-4  | Hexachlorocyclopentac  | iene            |      | ן ט   |
| 88-06-2  | 2,4,6-Trichlorophenol  |                 | 660  | ซ     |
| 95-95-4  | 2,4,5-Trichlorophenol  | <del></del>     | 1700 | Ü     |
|          | 2-Chloronaphthalene    |                 | 660  | _     |
|          | 2-Nitroaniline         | <del></del>     | 1700 | _     |
|          | Dimethylphthalate      | <del></del>     | 660  |       |
|          | Acenaphthylene         | <del></del>     | 660  | - 1   |
|          | 2,6-Dinitrotoluene     | <del></del>     | 660  | _ 1   |
|          | 3-Nitroaniline         | <del></del>     | 1700 |       |
|          | Acenaphthene           | <del></del>     |      | ا تا  |
|          |                        | i               | QQQ. | -     |

FORM I SV-1

OLMO3.0

FEY80

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829005

Sample wt/vol:

30.0 (g/mL) g . Lab File ID: GH029005B62

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: 50 decanted: (Y/N) N

Date Extracted: 10/24/96

Concentrated Extract Volume: 500(uL)

Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.1

| CAS NO.        | COMPOUND         | CONCENTRA<br>(ug/L or ) |              |       | Q            |
|----------------|------------------|-------------------------|--------------|-------|--------------|
| 51-28-5        | 2,4-Dinitroph    | enol                    |              | 1700  | ש            |
|                | 4-Nitrophenol    |                         | _            | 1700  | <del>U</del> |
| 132-64-9       | Dibenzofuran     |                         |              | 660   | U            |
| 121-14-2       | 2,4-Dinitroto    | luene                   | _            | 660   | ប            |
| 84-66-2        | Diethylphthal    | ate                     |              | 660   | U            |
| 7005-72-3      | 4-Chloropheny    | l-phenylether           | <b>-</b>     | 660   | U :          |
| 86-73-7        | Fluorene         |                         | _            | 660   | U            |
| 100-01-6       | 4-Nitroanilin    | e                       |              | 1700  | υ.           |
| 534-52-1       | 4,6-Dinitro-2    | -methylphenol           |              | 1700  | ָל י         |
| 86-30-6        | N-nitrosodiph    | enylamine (1)           |              | . 660 | U            |
| 101-55-3       | 4-Bromophenyl    | -phenylether            |              | 660   | <b>U</b>     |
| 118-74-1       | Hexachloroben    | zene                    | <b>-</b>     | 660   | ប            |
| 87-86-5        | Pentachloroph    | enol                    |              | 1700  | ប            |
| 85-01-8        | Phenanthrene     |                         | <del></del>  | 660   | Ū            |
| 120-12-7       | Anthracene       |                         | _            | 660   | Ū            |
| 86-74-8        | Carbazole        |                         | _            | 660   | Ū            |
| 84-74-2        | Di-n-butylpht    | halate                  | _            | 660   | υ            |
| 206-44-0       | Fluoranthene     |                         | -            | 660   | ΙŪ           |
| 129-00-0       |                  |                         | -            | 660   | ΙŪ           |
| 85-68-7        | Butylbenzylph    | thalate                 | -            | 660   |              |
| 91-94-1        | 3,3'-Dichloro    | benzidine               | -            | 660   |              |
|                | Benzo(a) anthr   |                         | -            | 660   |              |
|                | Chrysene         | <del></del>             | <del>-</del> | 660   | ,            |
| 117-81-7       | bis(2-Ethylhe    | xvl)phthalate           | <del>-</del> | 130   |              |
| 117-84-0       | Di-n-octylpht    | halate                  | <del>-</del> | 660   |              |
| 205-99-2       | Benzo(b) fluor   | anthene                 | <b>-</b>     | 660   | -            |
| 207-08-9       | Benzo(k) fluor   | anthene                 | <del></del>  | 660   | -            |
| 50-32-8        | Benzo(a)pyren    | e                       |              | 660   |              |
|                | Indeno(1,2,3-    |                         | -1           | 660   | l            |
| 53-70-3        | Dibenzo(a,h)a    | nthracene               | -            | 660   |              |
|                | Benzo(g,h,i)p    |                         | <b>-</b>     | 660   | [ -          |
|                |                  | -                       | _ _          |       |              |
| .) - Cannot be | separated from D | iphenylamine            |              |       |              |

FORM I SV-2

### 1F

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

FEY80

EPA SAMPLE NO.

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: 'FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829005

Sample wt/vol: 30.0 (g/mL) g

Lab File ID: GH029005B62

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: 50 decanted: (Y/N) N

Date Extracted: 10/24/96

Concentrated Extract Volume:

500 (uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.1

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 12

CAS NUMBER RTCOMPOUND NAME EST. CONC. 11000 JAB ALDOL (BC) 4.93 1. . 480 JB UNKNOWN (BC) 2. 5.16 CYCLOHEXENONE 3. 6.17 180 J 4. UNKNOWN 7.08 900 J 5. UNKNOWN 10.41 480 J UNKNOWN 240 J 6. 10.53 7. UNKNOWN 650 J 20.30 8. UNKNOWN 160 J 22.30 9. UNKNOWN 22.76 200 J UNKNOWN 10. 23.36 150 J UNKNOWN 11. 23.85 2100 J 260 J 12. UNKNOWN 25.26 13. 14. 15. 16.\_ 17.\_ 18.\_ 19.\_ 20. 21. 22. 23. 24. 25. 26. 27. 28.

FORM I SV-TIC

OLM03.0

29. 30.

EPA SAMPLE NO.

FEY81

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829006

Sample wt/vol: 30.3 (g/mL) g Lab File ID: GH029006B62

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: 48 decanted: (Y/N) N Date Extracted:10/24/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 108-95-2Phenol                       | 630  | Ŭ  |
|--------------------------------------|------|----|
| 111-44-4bis(2-Chloroethyl)ether      | 630  | ט  |
| 95-57-82-Chlorophenol                | 630  | U  |
| 541-73-11,3-Dichlorobenzene          | 630  | U  |
| 106-46-71,4-Dichlorobenzene          | 630  | U  |
| 95-50-11,2-Dichlorobenzene           | 630  | ซ  |
| 95-48-72-Methylphenol                | 630  | U  |
| 108-60-12,2'-oxybis(1-Chloropropane) | 630  | U  |
| 106-44-54-Methylphenol               | 630  | Ū  |
| 621-64-7N-Nitroso-di-n-propylamine   | 630  | U  |
| 67-72-1Hexachloroethane              | 630  | [U |
| 98-95-3Nitrobenzene                  | 630  | ט  |
| 78-59-1Isophorone                    | 630  | U  |
| 88-75-52-Nitrophenol                 | 630  | שׁ |
| 105-67-92,4-Dimethylphenol           | 630  | ับ |
| 111-91-1bis(2-Chloroethoxy)methane   | 630  | ับ |
| 120-83-22,4-Dichlorophenol           | 630  | U  |
| 120-82-11,2,4-Trichlorobenzene       | 630  | υ  |
| 91-20-3Naphthalene                   | 630  | ט  |
| 106-47-84-Chloroaniline              | 630  | υ  |
| 87-68-3Hexachlorobutadiene           | 630  | U  |
| 59-50-74-Chloro-3-methylphenol       | 630  | U  |
| 91-57-62-Methylnaphthalene           | 630  | ប  |
| 77-47-4Hexachlorocyclopentadiene     | 630  | U  |
| 88-06-22,4,6-Trichlorophenol         | 630  | ប  |
| 95-95-42,4,5-Trichlorophenol         | 1600 | U  |
| 91-58-72-Chloronaphthalene           | 630  | U  |
| 88-74-42-Nitroaniline                | 1600 | ับ |
| 131-11-3Dimethylphthalate            | 630  | บ  |
| 208-96-8Acenaphthylene               | 630  | ប  |
| 606-20-22,6-Dinitrotoluene           | 630  | U  |
| 99-09-23-Nitroaniline                | 1600 | ប  |
| 83-32-9Acenaphthene                  | 630  | U  |
|                                      |      | 1  |

FORM I SV-1

EPA SAMPLE NO.

FEY81

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829006

Sample wt/vol:

30.3 (g/mL) g

Lab File ID:

GH029006B62

Level:

(low/med)

LOW

Date Received: 10/23/96

% Moisture: 48

decanted: (Y/N) N

500 (uL)

Date Extracted:10/24/96

Concentrated Extract Volume:

Date Analyzed: 10/26/96

Injection Volume:

CAS NO.

2.0 (uL)

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| 51-28-5   | 2,4-Dinitrophenol          | 1600    |   |
|-----------|----------------------------|---------|---|
|           | 4-Nitrophenol              | 1600    | U |
|           | Dibenzofuran               | 630     | υ |
| 121-14-2  | 2,4-Dinitrotoluene         | 630     |   |
| 84-66-2   | Diethylphthalate           | `  630` | U |
| 7005-72-3 | 4-Chlorophenyl-phenylether | 630     | U |
| 86-73-7   | Fluorene                   | 630     | ប |
| 100-01-6  | 4-Nitroaniline             | 1600    | ט |
| 534-52-1  | 4,6-Dinitro-2-methylphenol | 1600    |   |
|           | N-nitrosodiphenylamine (1) |         |   |
| 101-55-3  | 4-Bromophenyl-phenylether  | ·l 630  |   |
| 118-74-1  | Hexachlorobenzene          | 630     |   |
| 87-86-5   | Pentachlorophenol          | 1600    |   |
| 85-01-8   | Phenanthrene               | 630     |   |
|           | Anthracene                 | 630     |   |
| 86-74-8   | Carbazole                  | 630     |   |
|           | Di-n-butylphthalate        | 53      |   |
| 206-44-0  | Fluoranthene               | 630     |   |
| 129-00-0  |                            | 630     |   |
|           | Butylbenzylphthalate       | 630     |   |
| 91-94-1   | 3,3'-Dichlorobenzidine     | 630     |   |
| 56-55-3   | Benzo(a)anthracene         | 630     |   |
| 218-01-9  | Chrysene                   | 630     |   |
| 117-81-7  | bis(2-Ethylhexyl)phthalate | 120     |   |
| 117-84-0  | Di-n-octylphthalate        | 630     |   |
| 205-99-2  | Benzo(b) fluoranthene      | 630     |   |
| 207-08-9  | Benzo(k) fluoranthene      | 630     |   |
| 50-32-8   | Benzo(a)pyrene             | 630     |   |
| 193-39-5  | Indeno (1, 2, 3-cd) pyrene | 630     |   |
| 53-70-3   | Dibenzo(a,h)anthracene     | 630     |   |
| 191-24-2  | Benzo(g,h,i)perylene       | 630     |   |

FORM I SV-2

EPA SAMPLE NO.

### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

FEY81

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829006

Sample wt/vol:

.30.3 (g/mL) g

Lab File ID: GH029006B62

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: 48

decanted: (Y/N) N

Date Extracted: 10/24/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

Number TICs found: 10

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| CAS NUMBER | COMPOUND NAME | RT          | EST. CONC.      | Q  |
|------------|---------------|-------------|-----------------|----|
| 1.         | ALDOL (BC)    | 4.93        | 9600            |    |
| 2.         | UNKNOWN (BC)  | 5.16        | 450             |    |
| ] 3.       | CYCLOHEXENONE | 6.17        | 140             |    |
| 4.         | UNKNOWN       | 6.96        | 460             | J  |
| 5.         | UNKNOWN       | 7.08        | 550             | J  |
| 6.         | UNKNOWN       | 10.41       | 420             |    |
| 7.         | UNKNOWN       | 10.53       | 220             | J  |
| 8.         | UNKNOWN       | 20.30       | 390             | J. |
| 9.         | UNKNOWN       | 22.28       | 140             | J  |
| 10.        | UNKNOWN       | 23.84       | 1300            | J  |
| 11         |               | <br>        |                 |    |
| 12.        |               |             |                 |    |
|            |               |             |                 |    |
| 44.        |               | <u> </u>    |                 |    |
| 1 1 2 2    |               |             |                 |    |
| : + 4 .    |               |             | ļ               |    |
| 1 1 1 1    |               |             |                 |    |
| ; +0.      |               |             |                 |    |
| 1 47.      |               |             | ` <del></del>   |    |
|            |               |             |                 |    |
|            |               |             |                 |    |
| 44.        |               | <del></del> |                 |    |
| 43,        |               |             |                 |    |
| 24.        | [ <del></del> | <del></del> | [ <del></del> : |    |
| , 23.      |               |             |                 |    |
| 26         |               | <u> </u>    | <del></del>     |    |
|            |               |             |                 |    |
| 28.<br>29. |               |             | <del></del>     |    |
| 30.        |               |             |                 | ·  |
|            |               | <del></del> | · · · · · ·     |    |

FORM I SV-TIC

EPA SAMPLE NO.

FEY82

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829308

Sample wt/vol: 30.4 (g/mL) g Lab File ID: GH029308A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 50

decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL) Date Analyzed: 11/01/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

CONCENTRATION UNITS:

GPC Cleanup: (Y/N) Y pH: 7.1

| CAS NO.   | COMPOUND (ug/L or ug         | /Kg) ug/Kg | Q  |
|-----------|------------------------------|------------|----|
| 108-95-2  | Phenol                       | 650        | U  |
|           | bis(2-Chloroethyl)ether      | 650        |    |
| 95-57-8   | 2-Chlorophenol               | 650        |    |
| 541-73-1  | 1,3-Dichlorobenzene          | 650        |    |
|           | 1,4-Dichlorobenzene          | 650        |    |
| 95-50-1   | 1,2-Dichlorobenzene          | 650        |    |
| 95-48-7   | 2-Methylphenol               | 650        |    |
| 108-60-1  | 2,2'-oxybis(1-Chloropropane) |            |    |
| 106-44-5  | 4-Methylphenol               | 650        |    |
| 621-64-7  | N-Nitroso-di-n-propylamine_  | 650        |    |
| 67-72-1   | Hexachloroethane             | 650        |    |
| 98-95-3   | Nitrobenzene                 | 650        |    |
| 78-59-1   | Isophorone_                  | 650        |    |
| 88-75-5   | 2-Nitrophenol                | 650        |    |
| 105-67-9  | 2,4-Dimethylphenol           | 650        |    |
| 111-97-1  | bis (2-Chloroethoxy) methane | 650        |    |
| 120-83-2  | 2,4-Dichlorophenol           | 650        |    |
| 120-82-1  | 1,2,4-Trichlorobenzene       | 650        |    |
|           | Naphthalene                  | 650        |    |
| 106-47-8  | 4-Chloroaniline              | 650        |    |
|           | Hexachlorobutadiene          | 650        |    |
|           | 4-Chloro-3-methylphenol      | 650        |    |
| 91-57-6   | 2-Methylnaphthalene          | 650        |    |
| 77-47-4   | Hexachlorocyclopentadiene    | 650        |    |
| 88-06-2   | 2,4,6-Trichlorophenol        | 650        | 1  |
| 95-95-4   | 2,4,5-Trichlorophenol        | 1600       |    |
| 91-58-7   | 2-Chloronaphthalene          | 650        |    |
| 98-74-4   | 2-Nitroaniline               | 1600       |    |
| 131-11-3  | Dimethylphthalate            | 650        |    |
| 208-96-8  | Acenaphthylene               | 650        |    |
| £05-36-63 | 2,6-Dinitrotoluene           | 650        |    |
| 99-09-2   | 3-Nitroaniline               | 1600       |    |
|           | Acenaphthene                 | 650        | 1  |
| 03-34-3   | Acettaptictiene              | 650        | ١٠ |
|           |                              | i .        | 1  |

FORM I SV-1

FEY82

Lab File ID: GH029308A62

Date Analyzed: 11/01/96

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Case No.: 25093 SAS No.: SDG No.: FEY80 Lab Code: COMPU

.30.4 (g/mL) g

Matrix: (soil/water) SOIL Lab Sample ID: 829308

Level: (low/med) LOW Date Received: 10/25/96

Date Extracted:10/27/96 % Moisture: 50 decanted: (Y/N) N

500 (uL)

Injection Volume: 2.0(址) Dilution Factor: 1.0

(Y/N) Y pH: 7.1GPC Cleanup:

Concentrated Extract Volume:

Sample wt/vol:

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 51-28-52,4-Dinitrophenol             | 1600 | ט  |
|--------------------------------------|------|----|
| 100-02-74-Nitrophenol                | 1600 | ש  |
| 132-64-9Dibenzofuran                 | 650  | U  |
| 121-14-22,4-Dinitrotoluene           | 650  | U  |
| 84-66-2Diethylphthalate              | 650  | U  |
| 7005-72-34-Chlorophenyl-phenylether_ | 650  | υ  |
| 86-73-7Fluorene                      | 650  | υ  |
| 100-01-64-Nitroaniline               | 1600 | שו |
| 534-52-14,6-Dinitro-2-methylphenol   | 1600 | lΰ |
| 86-30-6N-nitrosodiphenylamine (1)    | 650  | Ū  |
| 101-55-34-Bromophenyl-phenylether    | 650  | U  |
| 118-74-1Hexachlorobenzene            | 650  |    |
| 87-86-5Pentachlorophenol             | 1600 |    |
| 85-01-8Phenanthrene                  | 650  |    |
| 120-12-7Anthracene                   | 650  |    |
| 86-74-8Carbazole                     | 650  |    |
| 84-74-2Di-n-butylphthalate           | 650  | -  |
| 206-44-0Fluoranthene                 | 650  |    |
| 129-00-0Pyrene                       | 650  | -  |
| 85-68-7Butylbenzylphthalate          | 650  |    |
| 91-94-13,3'-Dichlorobenzidine        | 650  | _  |
| 56-55-3Benzo (a) anthracene          | 650  |    |
| 218-01-9Chrysene                     | 650  |    |
| 117-81-7bis(2-Ethylhexyl)phthalate   | 72   |    |
| 117-84-0Di-n-octylphthalate          | 650  | 1  |
| 205-99-2Benzo(b) fluoranthene        | 650  |    |
| 207-08-9Benzo(k) fluoranthene        | 650  |    |
| 50-32-8Benzo(a) pyrene               | 650  |    |
| 193-39-5Indeno (1, 2, 3-cd) pyrene   | 650  |    |
| 53-70-3Dibenzo(a, h) anthracene      | 650  |    |
| 191-24-2Benzo(g,h,i)perylene         | 650  | í  |

(1) - Cannot be separated from Diphenylamine

FORM I SV-2

### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY82

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829308

Sample wt/vol:

30.4 (g/mL) g

Lab File ID:

GH029308A62

Level:

LOW (low/med)

Date Received: 10/25/96

% Moisture: 50

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/01/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 7.1

Number TICs found: 3

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| CAS NUMBER                      | COMPOUND NAME                           | RT                    | EST. CONC. | Q         |
|---------------------------------|---|-----------------------|------------|-----------|
| 1.<br>2.<br>3.<br>4.            | ALDOL (BC) -<br>UNKNOWN (BC)<br>UNKNOWN | 4.55<br>4.79<br>22.84 |            | JAB<br>JB |
| 5                               |   |                       |            |           |
| 10<br>11<br>12.                 |   |                       |            |           |
| 14.<br>15.                      |   |                       |            |           |
| 17.<br>18.<br>19.<br>20.<br>21. | ,                                       |                       |            |           |
| 22.<br>23.<br>24.               |   |                       |            |           |
| 26                              |   |                       |            |           |
| 30                              |   |                       |            |           |

FORM I SV-TIC

EPA SAMPLE NO.

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829309

Sample wt/vol: 30.1 (g/mL) g Lab File ID: GH029309A62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 63 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/01/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.1

| CAS NO.  | COMPOUND  | CONCENTRATION (ug/L or ug/L   |  | Q                              |
|--|---|---|--|--------------------------------|
| 108-95-2 111-44-4 95-57-8 541-73-1 95-50-1 95-48-7 108-60-1 106-44-5 621-64-7 98-95-3 98-95-3 111-91-1 120-83-2 111-91-1 120-82-1 91-20-3 106-47-8 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 91-58-7 | -Phenol -bis (2-Chloroethy) -2-Chlorophenol -1,3-Dichlorobenze -1,4-Dichlorobenze -1,2-Dichlorobenze -2-Methylphenol -2,2'-oxybis (1-Chloroethylphenol -Nitroso-di-n-pylexachloroethane -Nitrobenzene -Isophorone -2-Nitrophenol -2,4-Dimethylphenol -2,4-Dichlorophenol -1,2,4-Trichlorobenze -4-Chloroaniline -Hexachlorobutadie -4-Chloro-3-methyl -2-Methylnaphthale -4-Chloro-3-methyl -2-Methylnaphthale -2,4,5-Trichlorophenol -2,4,5-Trichlorophenol -2,4,5-Trichlorophenol -2-Chloronaphthale -2-Nitroaniline -Dimethylphthalate | l)ether ene ene ene Loropropane) ropylamine ol ry)methane ol enzene lphenol ene entadiene nenol ene | 890<br>890<br>890<br>890<br>890<br>890<br>890<br>890<br>890<br>890 | יממממממ מממים מממים מממממם מממ |
| 99-09-2<br>83-32-9   | -3-Nitroaniline   |   | 2200<br>2700   | Ū                              |

FORM I SV-1

1F

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY83

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829309

Sample wt/vol:

30.1 (g/mL) g

Lab File ID:

GH029309A62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 63

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

Number TICs found: 31

500 (uL)

Date Analyzed: 11/01/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 7.1

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| CAS NUMBER     | COMPOUND NAME | RT    | EST. CONC. | 1 |
|----------------|---------------|-------|------------|---|
| 1. UN          | KNOWN PAH _   | 17.29 | . 260      | 1 |
| 2.<br>3.<br>4. |               |       |            |   |
| 5.             |               |       |            |   |
| g:             |               |       |            |   |
| Lo. — — —      |               |       |            |   |
| 2. —           |               |       |            |   |
| 4.——           |               |       |            |   |
| .6.<br>.7.     |               |       |            |   |
| -ااو           |               |       |            |   |
| 21             |               |       |            |   |
| 23:            |               |       |            |   |
| 25.            |               |       |            |   |
| 27.            |               |       |            |   |
| 29.            |               |       |            |   |

FORM I SV-TIC

OLMO3.0

FEY83

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829309

Sample wt/vol: 30.1 (g/mL) g

Lab File ID: GH029309A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 63 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/01/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.1

| CAS NO.  | COMPOUND          | CONCENTRATION<br>(ug/L or ug/k |      | Q   |
|----------|-------------------|--------------------------------|------|-----|
| 108-95-2 |                   |                                | 890  |     |
|          | bis(2-Chloroethyl | )ether                         | 890  |     |
| 95-57-8  | 2-Chlorophenol    |                                | 890  |     |
| 541-73-1 | 1,3-Dichlorobenze | ne                             | 890  |     |
| 106-46-7 | 1,4-Dichlorobenze | ne                             | 890  |     |
|          | 1,2-Dichlorobenze | ne                             | 890  | U   |
| 95-48-7  | 2-Methylphenol    |                                | 890  | -   |
|          | 2,2'-oxybis(1-ChI | oropropane)                    | 890  | U   |
|          | 4-Methylphenol    |                                | 890  | -   |
| 621-64-7 | N-Nitroso-di-n-pr | opylamine                      | 890  | ַ ע |
|          | Hexachloroethane  |                                | 890  | ט   |
| 98-95-3  | Nitrobenzene "    |                                | 890  | ט   |
|          | Isophorone        |                                | 890  | υ   |
| 88-75-5  | 2-Nitrophenol     |                                | 890  | ע   |
|          | 2,4-Dimethylpheno | 1                              | 890  | ט   |
| 111-91-1 | bis(2-Chloroethox | y) methane                     | 890  | ប   |
|          | 2,4-Dichloropheno |                                | 890  | ט ו |
| 120-82-1 | 1,2,4-Trichlorobe | nzene                          | 890  |     |
|          | Naphthalene       |                                | 590  | J   |
|          | 4-Chloroaniline   |                                | 890  |     |
| 87-68-3  | Hexachlorobutadie | ne                             |      | บ   |
|          | 4-Chloro-3-methyl |                                |      | ן ט |
|          | 2-Methylnaphthale |                                | 2300 | 1   |
|          | Hexachlorocyclope |                                | 890  | ਹ   |
| 88-06-2  | 2,4,6-Trichloroph | enol                           | 890  |     |
| 95-95-4  | 2,4,5-Trichloroph | enol                           | 2200 | 1   |
| 91-58-7  | 2-Chloronaphthale | ne                             | 890  | Ū   |
| 88-74-4  | 2-Nitroaniline    |                                | 2200 |     |
|          | Dimethylphthalate |                                | 890  |     |
|          | Acenaphthylene    |                                | 660  |     |
|          | 2,6-Dinitrotoluen | e                              | 890  | -   |
|          | 3-Nitroaniline    | ·- <del></del>                 | 2200 | ,   |
|          | Acenaphthene      |                                | 2700 | ľJ  |

FORM I SV-1

EPA SAMPLE NO.

FEY83

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829309

Sample wt/vol:

-30.1 (g/mL) g

Lab File ID:

GH029309A62

Level:

(low/med) LOW Date Received: 10/25/96

% Moisture: 63

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/01/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 7.1

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg 51-28-5-----2,4-Dinitrophenol 2200 U 100-02-7----4-Nitrophenol 2200 U 132-64-9-----Dibenzofuran 890 U 121-14-2----2,4-Dinitrotoluene\_ 890 U 84-66-2-----Diethylphthalate 890 U 7005-72-3----4-Chlorophenyl-phenylether 890 U 86-73-7-----Fluorene 1500 100-01-6----4-Nitroaniline 2200 😈 534-52-1-----4,6-Dinitro-2-methylphenol 2200 U 86-30-6-----N-nitrosodiphenylamine\_(1) 890 U 101-55-3-----4-Bromophenyl-phenylether 890 U 890 U 2200 U 118-74-1-----Hexachlorobenzene 87-86-5-----Pentachlorophenol 85-01-8-----Phenanthrene 2700 580 J 890 U 120-12-7-----Anthracene 86-74-8-----Carbazole 84-74-2-----Di-n-butylphthalate 890 U 206-44-0-----Fluoranthene 760 J 129-00-0-----Pyrene 1400 85-68-7-----Butylbenzylphthalate 890 | <del>U</del> 91-94-1-----3,37-Dichlorobenzidine\_ 890 U 56-55-3-----Benzo(a)anthracene\_ 340 J 218-01-9-----Chrysene 350 J 117-81-7-----bis(2-Ethylhexyl)phthalate 110 J 117-84-0-----Di-n-octylphthalate 890 U 205-99-2----Benzo (b) fluoranthene 280 XJ 207-08-9-----Benzo(k)fluoranthene 240 XJ 50-32-8-----Benzo(a)pyrene 280 J 193-39-5----Indeno (1,2,3-cd) pyrene 890 U 53-70-3-----Dibenzo(a,h)anthracene\_ 890 U 191-24-2-----Benzo(g,h,i)perylene\_ 890 U

FORM I SV-2

(1) - Cannot be separated from Diphenylamine

OLMO3.0

EPA SAMPLE NO.

FEY84

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829310

Sample wt/vol: 1.0 (g/mL) g Lab File ID: GR029310A62

Level: (low/med) MED Date Received: 10/25/96

% Moisture: 67 decanted: (Y/N) N Date Extracted: 11/04/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/06/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

| CAS NO.   COMPOUND   (ug/L or ug/Kg) ug/Kg   Q   |          |                | CONCENTRATION U | JNITS: |                                       |
|--|----------|----------------|-----------------|--------|---------------------------------------|
| 111-44-4   | CAS NO.  | COMPOUND       | (ug/L or ug/Kg) | ug/Kg  | Q                                     |
| 111-44-4   |          |                |                 |        | · · · · · · · · · · · · · · · · · · · |
| 111-44-4   | 108-95-2 | Phenol         |                 | 30000  | լ լ                                   |
| 95-57-8  |          |                | hvl)ether       |        |                                       |
| S41-73-1   |          |                |                 |        |                                       |
| 106-46-71,4-Dichlorobenzene   30000 U   95-50-11,2-Dichlorobenzene   30000 U   95-48-72-Methylphenol   30000 U   108-60-12,2'-oxybis(1-Chloropropane)   30000 U   106-44-54-Methylphenol   30000 U   621-64-7N-Nitroso-di-n-propylamine   30000 U   621-64-7   | 541-73-1 | 1.3-Dichlorobe | nzene           |        |                                       |
| 95-50-1  |          |                |                 | ·      |                                       |
| 95-48-72-Methylphenol 30000 U 108-60-12,2'-oxybis(1-Chloropropane) 30000 U 106-44-54-Methylphenol 30000 U 621-64-7Nitroso-di-n-propylamine 30000 U 67-72-1Hexachloroethane 30000 U 98-95-3Nitrobenzene 30000 U 78-59-1Isophorone 30000 U 105-67-92,4-Dimethylphenol 30000 U 111-91-1bis(2-Chloroethoxy)methane 30000 U 120-83-22,4-Dichlorophenol 30000 U 120-82-11,2,4-Trichlorobenzene 30000 U 91-20-3Naphthalene 30000 U 91-20-3Naphthalene 30000 U 87-68-34-Chloro-3-methylphenol 30000 U 91-57-62-Methylnaphthalene 30000 U 91-57-62,4,6-Trichlorophenol 30000 U 95-95-42,4,6-Trichlorophenol 30000 U 95-95-42,4,5-Trichlorophenol 30000 U 95-95-42,4,5-Trichlorophenol 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-72-Chloronaphthalene 30000 U 91-58-7 |          |                |                 | 30000  | l <del>u</del>                        |
| 108-60-12, 2'-oxybis (1-Chloropropane)       30000 U         106-44-54-Methylphenol       30000 U         621-64-7N-Nitroso-di-n-propylamine       30000 U         67-72-1Hexachloroethane       30000 U         98-95-3   |          |                |                 |        |                                       |
| 106-44-54-Methylphenol   30000 U   621-64-7N-Nitroso-di-n-propylamine   30000 U   67-72-1Hexachloroethane   30000 U   98-95-3Nitrobenzene   30000 U   78-59-1  | 108-60-1 | 2.2'-oxybis(1  | Chloropropane)  | 30000  | lu l                                  |
| 621-64-7Nhitroso-di-n-propylamine       30000 U         67-72-1  |          |                |                 |        |                                       |
| 67-72-1  | 621-64-7 | N-Nitroso-di-  | n-propylamine   |        |                                       |
| 98-95-3Nitrobenzene       30000 U         78-59-1  |          |                |                 | 30000  | l <del>u</del>                        |
| 78-59-1  |          |                |                 |        |                                       |
| 88-75-5  |          |                | **              |        | 1 1                                   |
| 105-67-92,4-Dimethylphenol       30000 U         111-91-1bis(2-Chloroethoxy)methane       30000 U         120-83-22,4-Dichlorophenol       30000 U         120-82-11,2,4-Trichlorobenzene       30000 U         91-20-3Naphthalene       250000 EB         106-47-8Naphthalene       30000 U         87-68-3   |          |                |                 | 30000  | וֹט וֹ                                |
| 111-91-1   | 105-67-9 | 2.4-Dimethylp  | nenol           |        |                                       |
| 120-83-22,4-Dichlorophenol       30000 U         120-82-11,2,4-Trichlorobenzene       30000 U         91-20-3Naphthalene       250000 EB         106-47-84-Chloroaniline       30000 U         87-68-3Hexachlorobutadiene       30000 U         59-50-74-Chloro-3-methylphenol       30000 U         91-57-62-Methylnaphthalene       84000         77-47-4Hexachlorocyclopentadiene       30000 U         88-06-22,4,6-Trichlorophenol       30000 U         95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-23-Nitroaniline       76000 U  |          |                |                 | 30000  | ן ט                                   |
| 120-82-11,2,4-Trichlorobenzene       30000 U         91-20-3Naphthalene       250000 EB         106-47-84-Chloroaniline       30000 U         87-68-3Hexachlorobutadiene       30000 U         59-50-74-Chloro-3-methylphenol       30000 U         91-57-62-Methylnaphthalene       84000         77-47-4Hexachlorocyclopentadiene       30000 U         88-06-22,4,6-Trichlorophenol       30000 U         95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-23-Nitroaniline       76000 U   |          |                |                 |        | 1 - 1                                 |
| 91-20-3Naphthalene       250000 EB         106-47-84-Chloroaniline       30000 U         87-68-3Hexachlorobutadiene       30000 U         59-50-74-Chloro-3-methylphenol       30000 U         91-57-62-Methylnaphthalene       84000 U         77-47-4Hexachlorocyclopentadiene       30000 U         88-06-22,4,6-Trichlorophenol       30000 U         95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-23-Nitroaniline       76000 U  | 120-82-1 | 1,2,4-Trichlo  | robenzene       | 30000  | ן ט                                   |
| 106-47-84-Chloroaniline       30000 U         87-68-3Hexachlorobutadiene       30000 U         59-50-74-Chloro-3-methylphenol       30000 U         91-57-62-Methylnaphthalene       84000 U         77-47-4Hexachlorocyclopentadiene       30000 U         88-06-22,4,6-Trichlorophenol       30000 U         95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-23-Nitroaniline       76000 U   |          |                |                 | 250000 | EB                                    |
| 59-50-74-Chloro-3-methylphenol       30000 U         91-57-62-Methylnaphthalene       84000 U         77-47-4Hexachlorocyclopentadiene       30000 U         88-06-22,4,6-Trichlorophenol       30000 U         95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-22,6-Dinitrotoluene       30000 U         99-09-23-Nitroaniline       76000 U  |          |                | ne .            | 30000  | υ                                     |
| 59-50-74-Chloro-3-methylphenol       30000 U         91-57-62-Methylnaphthalene       84000 U         77-47-4Hexachlorocyclopentadiene       30000 U         88-06-22,4,6-Trichlorophenol       30000 U         95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-22,6-Dinitrotoluene       30000 U         99-09-23-Nitroaniline       76000 U  | 87-68-3  | Hexachlorobuta | adiene          | 30000  | iυ                                    |
| 91-57-62-Methylnaphthalene       84000         77-47-4Hexachlorocyclopentadiene       30000         88-06-22,4,6-Trichlorophenol       30000         95-95-42,4,5-Trichlorophenol       76000         91-58-72-Chloronaphthalene       30000         88-74-42-Nitroaniline       76000         131-11-3Dimethylphthalate       30000         208-96-8Acenaphthylene       25000         606-20-23-Nitroaniline       76000   |          |                |                 | 30000  | ן ט                                   |
| 77-47-4  |          |                |                 | 84000  | l                                     |
| 88-06-22,4,6-Trichlorophenol       30000 U         95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-22,6-Dinitrotoluene       30000 U         99-09-23-Nitroaniline       76000 U   |          |                |                 | 30000  | ਜੁੜ੍ਹਾ                                |
| 95-95-42,4,5-Trichlorophenol       76000 U         91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-22,6-Dinitrotoluene       30000 U         99-09-23-Nitroaniline       76000 U  |          |                |                 | 30000  | บ                                     |
| 91-58-72-Chloronaphthalene       30000 U         88-74-42-Nitroaniline       76000 U         131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-22,6-Dinitrotoluene       30000 U         99-09-23-Nitroaniline       76000 U   |          |                |                 | 76000  | ן טן                                  |
| 131-11-3Dimethylphthalate       30000 U         208-96-8Acenaphthylene       25000 J         606-20-22,6-Dinitrotoluene       30000 U         99-09-23-Nitroaniline       76000 U  |          |                |                 |        |                                       |
| 208-96-8   | 88-74-4  | 2-Nitroaniline | · ——            | 76000  | ן טן                                  |
| 208-96-8Acenaphthylene       25000 J         606-20-23-Nitroaniline       30000 U         76000 U  |          |                |                 | 30000  | ן ט                                   |
| 606-20-22,6-Dinitrotoluene 30000 U<br>99-09-23-Nitroaniline 76000 U  |          |                |                 | 25000  | J                                     |
| 99-09-2 76000 U  | 606-20-2 | 2,6-Dinitroto  | uene            | 30000  | ש                                     |
|  | 99-09-2  | 3-Nitroaniline |                 |        |                                       |
| •  |          |                |                 | 70000  | l ↓                                   |
|  |          | · -            |                 |        |                                       |

FORM I SV-1

EPA SAMPLE NO.

FEY84

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829310

Sample wt/vol:

1.0 (g/mL) g

Lab File ID:

GR029310A62

Level:

(low/med) MED Date Received: 10/25/96

% Moisture: 67

decanted: (Y/N) N

Date Extracted:11/04/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/06/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg 76000 U 51-28-5----2,4-Dinitrophenol 100-02-7----4-Nitrophenol 76000 U 132-64-9-----Dibenzofuran 30000 U 121-14-2----2,4-Dinitrotoluene 30000 U 84-66-2-----Diethylphthalate 30000 U 7005-72-3----4-Chlorophenyl-phenylether 30000 U 86-73-7-----Fluorene 61000 100-01-6-----4-Nitroaniline 76000 T 534-52-1-----4,6-Dinitro-2-methylphenol 76000 U 86-30-6-----N-nitrosodiphenylamine\_(1) 30000 U 101-55-3----4-Bromophenyl-phenylether 30000 U 118-74-1-----Hexachlorobenzene 30000 U 87-86-5-----Pentachlorophenol 76000 U 85-01-8-----Phenanthrene 140000 B 28000 JB 30000 U 30000 U 24000 J 120-12-7-----Anthracene 86-74-8-----Carbazole 84-74-2-----Di-n-butylphthalate 206-44-0-----Fluoranthene 129-00-0-----Pyrene 48000 30000 U 85-68-7-----Butylbenzylphthalate 91-94-1-----3,3'-Dichlorobenzidine 12000 J 56-55-3-----Benzo(a) anthracene 218-01-9-----Chrysene 12000 J 30000 U 117-81-7-----bis(2-Ethylhexyl)phthalate 117-84-0-----Di-n-octylphthalate 30000 U 6000 XJ 205-99-2----Benzo (b) fluoranthene 207-08-9-----Benzo(k) fluoranthene 6800 XJ 9400 J 50-32-8-----Benzo(a)pyrene 193-39-5-----Indeno(1,2,3-cd)pyrene\_ 30000 U 53-70-3-----Dibenzo(a,h)anthracene 30000 U 191-24-2----Benzo(q,h,i)perylene 30000 U (1) - Cannot be separated from Diphenylamine

FORM I SV-2

EPA SAMPLE NO.

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

FEY84

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829310

Sample wt/vol:

.1.0 (g/mL) g

Lab File ID: GR029310A62

Level: (low/med) MED Date Received: 10/25/96

% Moisture: 67

decanted: (Y/N) N

Date Extracted:11/04/96

Concentrated Extract Volume:

500 (սL)

Date Analyzed: 11/06/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y pH: 6.9

CONCENTRATION UNITS: Number TICs found: 30 (ug/L or ug/Kg) ug/Kg

| CAS NUMBER    | COMPOUND NAME                  | RT    | EST. CONC. | Q |
|---------------|--------------------------------|-------|------------|---|
| 1.            | UNKNOWN                        | 6.54  |            |   |
| 2.            | UNKNOWN                        | 6.66  |            | - |
| 3.            | SUBSTITUTED BENZENE            | 6.94  | · ·        |   |
| 4.            | UNKNOWN                        | 7.05  |            |   |
| 5.            | UNKNOWN                        | 7.16  |            |   |
| 6. 65051-83-4 | BENZENE, (1-METHYL-2-CYCLOPR   |       |            |   |
| 7.            | UNKNOWN                        | 8.41  |            |   |
| 8. 15677-15-3 | CYCLOPROP [A] INDENE, 1,1A,6,6 |       |            |   |
| 9.            | METHYLNAPHTHALENE              | 9.79  | 23000      | J |
| 10.           | UNKNOWN                        | 9.96  | 9200       | J |
| 11.           | METHYLNAPHTHALENE              | 10.03 |            | J |
| 12.           | UNKNOWN                        | 10.65 |            | J |
| 13.           | ETHYLNAPHTHALENE               | 10.79 | 46000      | J |
| 14.           | DIMETHYLNAPHTHALENE            | 11.02 | 9800       | J |
| 15.           | UNKNOWN                        | 11.13 | 7500       | J |
| 16.           | UNKNOWN                        | 12.30 | 9700       | J |
| 17.           | UNKNOWN                        | 12.40 | 11000      | J |
| 18.           | UNKNOWN .                      | 12.55 | 8000       | J |
| 19.           | UNKNOWN                        | 12.62 | 14000      | J |
| 20.           | UNKNOWN                        | 12.75 |            | J |
| 21.           | METHYLFLUORENE                 | 13.35 |            |   |
| 22.           | METHYLFLUORENE                 | 13.39 | 12000      | J |
|               | METHYLFLUORENE                 | 13.48 | 10000      | J |
| 24.           | METHYLPHENANTHRENE             | 14.81 |            |   |
|               | METHYLANTHRACENE               | 14.85 |            |   |
|               | UNKNOWN                        | 14.98 |            |   |
|               | METHYLANIHRACENE               | 15.02 |            |   |
|               | 2-PHENYLNAPHTHALENE            | 15.30 |            |   |
| 29.           | UNKNOWN PAH                    | 16.11 | 13000      |   |
| 30.           | UNKNOWN PAH                    | 16.88 | 12000      | J |
|               |                                |       |            | l |

FORM I SV-TIC

EPA SAMPLE NO.

FEY84DL

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829310

Sample wt/vol: 1.0 (g/mL) g Lab File ID: GRD29310C62

Level: (low/med) MED Date Received: 10/25/96

% Moisture: 67 decanted: (Y/N) N Date Extracted: 11/04/96

Concentrated Extract Volume: 500 (uL) Date Analyzed: 11/06/96

Injection Volume: 2.0(uL) Dilution Factor: 2.0

GPC Cleanup: (Y/N) Y pH: 6.9

|          | CONCENTRATIO                 |           | _                |   |
|----------|------------------------------|-----------|------------------|---|
| CAS NO.  | COMPOUND (ug/L or ug/        | kg) ug/kg | $\angle^{\circ}$ |   |
| 108-95-2 |                              | 61000     | ์<br>ד           |   |
|          | bis(2-Chloroethyl)ether      | 61000     | ט                | i |
|          | 2-Chlorophenol               | 61000     | ט                |   |
|          | 1,3-Dichlorobenzene          | 61000     | U                |   |
|          | 1,4-Dichlorobenzene          | 61000     | ש                |   |
| 95-50-1  | 1,2-Dichlorobenzene          | 61000     | שׁ               |   |
| 95-48-7  | 2-Methylphenol               | 61000     | U                | ļ |
| 108-60-1 | 2,2'-oxybis(1-Chloropropane) | 61000     | U                |   |
| 106-44-5 | 4-Methylphenol               | 61000     | บ                | ļ |
| 621-64-7 | N-Nitroso-di-n-propylamine   | 61000     | U                |   |
| 67-72-1  | Hexachloroethane             | 61000     | Ū                | ŀ |
|          | Nitrobenzene                 | 61000     |                  |   |
| 78-59-1  | Isophorone                   | 61000     | שו               |   |
|          | 2-Nitrophenol                | 61000     | ט                |   |
|          | 2,4-Dimethylphenol           | 61000     | שׁוֹ             |   |
|          | bis(2-Chloroethoxy) methane  | 61000     |                  |   |
| 120-83-2 | 2,4-Dichlorophenol           | 61000     | -                |   |
| 120-82-1 | 1,2,4-Trichlorobenzene       | 61000     | Ū                |   |
|          | Naphthalene                  | 210,000   |                  | 4 |
|          | 4-Chloroaniline              | 61000     |                  | ł |
| 87-68-3  | Hexachlorobutadiene          | 61000     |                  |   |
|          | 4-Chloro-3-methylphenol      | 61000     | 1 -              |   |
|          | 2-Methylnaphthalene          | 68000     | D                |   |
| 77-47-4  | Hexachlorocyclopentadiene    | 61000     | Ū                |   |
|          | 2,4,6-Trichlorophenol        | 61000     | 1 -              |   |
|          | 2,4,5-Trichlorophenol        | 150000    | I -              |   |
| 91-58-7  | 2-Chloronaphthalene          | 61000     | I -              | 1 |
|          | 2-Nitroaniline               | 150000    | -                |   |
|          | Dimethylphthalate            | 61000     | _                |   |
| 208-96-8 | Acenaphthylene               | 16000     |                  |   |
| 606-20-2 | 2,6-Dinitrotoluene           | 61000     |                  | - |
| 99-09-2  | 3-Nitroaniline               | 150000    |                  | - |
|          | Acenaphthene                 | 57000     | -                |   |

FORM I SV-1

FEY84DL

SDG No.: FEY80

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Matrix: (soil/water) SOIL

Lab Sample ID: 829310

Sample wt/vol:

. 1.0 (g/mL) g

Lab File ID: GRD29310C62

Level: (low/med) MED

Date Received: 10/25/96

% Moisture: 67 decanted: (Y/N) N Date Extracted: 11/04/96

Concentrated Extract Volume: 500(uL)

Date Analyzed: 11/06/96

Injection Volume: 2.0(uL)

Lab Code: COMPU Case No.: 25093 SAS No.:

Dilution Factor: 2.0

GPC Cleanup: (Y/N) Y pH: 6.9

| CAS NO.   | COMPOUND         |            | ration u<br>or ug/Kg) |        | C   |
|-----------|------------------|------------|-----------------------|--------|-----|
| 51-28-5   | 2,4-Dinitroph    | enol       | 1                     | 150000 | บ   |
|           | 4-Nitrophenol    |            | <del></del> )         | 150000 | 1   |
|           | Dibenzofuran     |            | <del></del>           | 61000  | Ū   |
|           | 2,4-Dinitroto    | luene      |                       | 61000  |     |
| 84-66-2   | Diethylphthal    | ate        |                       | 61000  | U   |
| 7005-72-3 | 4-Chloropheny    | l-phenylet | her                   | 61000  | U   |
| 86-73-7   | Fluorene         |            | <b>—</b>              | 48000  | Ŋ   |
| 100-01-6  | 4-Nitroanilin    | e          |                       | 150000 | U   |
|           | 4,6-Dinitro-2    |            |                       | 150000 | U   |
|           | N-nitrosodiph    |            |                       | 61000  | U   |
| 101-55-3  | 4-Bromophenyl    | -phenyleth | er                    | 61000  | U   |
|           | Hexachloroben    |            |                       | 61000  | _   |
|           | Pentachloroph    | enol       | <u> </u>              | 150000 |     |
|           | Phenanthrene_    |            |                       | 110000 | DΒ  |
|           | Anthracene       |            |                       | 22000  | DJE |
|           | Carbazole        |            |                       | 61000  | U   |
|           | Di-n-butylpht    | halate     |                       | 61000  | _   |
|           | Fluoranthene_    |            |                       | 18000  |     |
| 129-00-0  | Pyrene           |            |                       | 40000  |     |
|           | Butylbenzylph    |            |                       | 61000  |     |
| 91-94-1   | 3,3'-Dichloro    | benzidine_ |                       | 61000  |     |
|           | Benzo(a)anthr    | acene      |                       | 12000  |     |
| 218-01-9  | Chrysene         |            |                       | 9400   |     |
|           | bis(2-Ethylhe    |            | ate                   | 61000  | _   |
|           | Di-n-octylpht    |            |                       | 61000  |     |
|           | Benzo(b) fluor   |            |                       | 5600   |     |
|           | Benzo(k) fluor   |            |                       | 6200   |     |
| 50-32-8   | Benzo(a)pyren    | e          |                       | 8100   |     |
|           | Indeno (1, 2, 3- |            |                       | 61000  | _   |
|           | Dibenzo (a, h) a |            |                       | 61000  | _   |
| 191-24-2  | Benzo(g,h,i)p    | erylene    |                       | 61000  | U   |
|           | separated from D |            |                       |        | ا   |

FORM I SV-2

OLMO3.0

### 1F

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY84DL

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829310

Sample wt/vol:

· 1.0 (g/mL) g

Lab File ID:

GRD29310C62

Level: (low/med)

MED

Date Received: 10/25/96

% Moisture: 67

decanted: (Y/N) N

Date Extracted:11/04/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/06/96

Injection Volume:

2.0 (uL)

Dilution Factor: 2.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

CONCENTRATION UNITS:

Number TICs found: 14 (ug/L or ug/Kg) ug/Kg

|             |                         | 1     |            |    |
|-------------|-------------------------|-------|------------|----|
| CAS NUMBER  | COMPOUND NAME           | RT    | EST. CONC. | _  |
| 1.          | UNKNOWN -               | 6.54  |            |    |
| 2.          | UNKNOWN                 | 6.66  |            |    |
| 3.          | PROPENYLBENZENE         | 7.04  |            |    |
| 4.          | UNKNOWN                 | 7.16  |            |    |
| 5. 767-59-9 | 1H-INDENE, 1-METHYL-    | 8.34  |            |    |
| 6.          | UNKNOWN                 | 8.40  |            |    |
| 7.          | SUBSTITUTED NAPHTHALENE | 9.78  |            |    |
| 8.          | METHYLNAPHTHALENE       | 10.03 |            |    |
| ē.          | UNKNOWN                 | 10.64 |            |    |
| 10.         | ETHYLNAPHTHALENE        | 10.79 |            | JD |
| 11.         | METHYLFLUORENE          | 13.35 |            |    |
| 12.         | UNKNOWN                 | 14.98 | 22000      | JD |
| 13.         | PHENYLNAPHTHALENE       | 15.31 | 13000      | ΣD |
| 14.         | BENZOFLUORENE           | 16.87 | 13000      | JD |
| 15.         |                         |       |            |    |
| 16.         |                         |       |            |    |
| <b>-</b> /- |                         | i     |            |    |
| 10.         | I                       |       |            |    |
| 1J.         |                         |       |            |    |
| 20.         |                         |       |            |    |
| <b>4</b> 1. |                         |       |            |    |
| 44.         |                         |       |            |    |
| 4J.         |                         |       |            |    |
|             |                         |       |            |    |
| 20.         |                         |       |            |    |
| <b>4</b> 0. |                         |       |            |    |
|             |                         |       |            |    |
| 20.         |                         |       |            |    |
| 49.         |                         |       |            |    |
| 30.         |                         | l     |            |    |
|             |                         | l     |            |    |

FORM I SV-TIC

EPA SAMPLE NO.

FEY85

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004 Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829311

Sample wt/vol: 30.2 (g/mL) g Lab File ID: GH029311A62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 58 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500 (uL) Date Analyzed: 11/01/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

|  | •    | ,        |
|--|------|----------|
| 108-95-2Phenol   | 780  | ט        |
| 111-44-4bis(2-Chloroethyl)ether  | 780  |          |
| 95-57-82-Chlorophenol  | 780  |          |
| 541-73-11,3-Dichlorobenzene  | 780  | Ū        |
| 106-46-71,4-Dichlorobenzene  | 780  |          |
| 95-50-11,2-Dichlorobenzene   | 780  | Ū        |
| 95-48-72-Methylphenol  | 780  | ט        |
| 108-60-12,2'-oxybis(1-Chloropropane)   | 780  | <u> </u> |
| 106-44-54-Methylphenol   | 780  | ו ט      |
| 621-64-7N-Nitroso-di-n-propylamine   | 780  | Ū        |
| 67-72-1Hexachloroethane  | 780  | 1        |
| 98-95-3Nitrobenzene  | 780  | Ū        |
| 78-59-1Isophorone  | 780  | ] -      |
| 88-75-52-Nitrophenol   | 780  |          |
| 105-67-92,4-Dimethylphenol   | 780  | -        |
| 111-91-1bis(2-Chloroethoxy) methane  | 780  | _        |
| 120-83-22,4-Dichlorophenol   | 780  | -        |
| 120-82-11,2,4-Trichlorobenzene   | 780  |          |
| 91-20-3Naphthalene   | 780  | -        |
| 106-47-84-Chloroaniline  | 780  | -        |
| 87-68-3Hexachlorobutadiene   | 780  | 1 *      |
| 59-50-74-Chloro-3-methylphenol   | 780  |          |
| 91-57-62-Methylnaphthalene   | 780  | -        |
| 77-47-4Hexachlorocyclopentadiene   | 780  | -        |
| 88-06-22,4,6-Trichlorophenol   | 780  | 1        |
| 95-95-42,4,5-Trichlorophenol   | 2000 | -        |
| 91-58-72-Chloronaphthalene   | 780  | I -      |
| 88-74-42-Nitroaniline  | 2000 | 1 7      |
| 131-11-3Dimethylphthalate  | 780  | 1 -      |
| 208-96-8Acenaphthylene   | 230  | -        |
| 606-20-22,6-Dinitrotoluene   | 780  | _        |
| 99-09-23-Nitroaniline  | 2000 |          |
| 83-32-9Acenaphthene  | 780  | ltī      |
| The state of the s | 1    |          |
|  | ·    | ·——      |

FORM I SV-1

EPA SAMPLE NO.

FEY85

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829311

Sample wt/vol:

30.2 (g/mL) g

Lab File ID: GH029311A62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 58

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/01/96

Injection Volume:

CAS NO.

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

рН: 6.9

CONCENTRATION UNITS:

COMPOUND

(ug/L or ug/Kg) ug/Kg

| 51-28-52,4-Dinitrophenol            | 2000 | U   |
|-------------------------------------|------|-----|
| 100-02-74-Nitrophenol               | 2000 | U   |
| 132-64-9Dibenzofuran                | 780  | U   |
| 121-14-22,4-Dinitrotoluene          | 780  | U   |
| 34-66-2Diethylphthalate             | 780  | Ų   |
| 7005-72-34-Chlorophenyl-phenylether | 780  | U   |
| 36-73-7Fluorene                     | 780  | U   |
| .00-01-64-Nitroaniline              | 2008 | ប   |
| 34-52-14,6-Dinitro-2-methylphenol   | 2000 | Ū   |
| 86-30-6N-nitrosodiphenylamine_(1)   | 780  | Ū   |
| .01-55-34-Bromophenyl-phenylether   | 780  | U   |
| 18-74-1Hexachlorobenzene            | 780  | IJ  |
| 37-86-5Pentachlorophenol            | 2000 |     |
| 35-01-8Phenanthrene                 | 28   |     |
| .20-12-7Anthracene                  | 94   |     |
| 86-74-8Carbazole                    | 780  |     |
| 4-74-2Di-n-butylphthalate           | 780  | Ū   |
| 206-44-0Fluoranthene                | 780  | U   |
| .29-00-0Pyrene                      | 780  | U   |
| 35-68-7Butylbenzylphthalate         | 780  | . – |
| 91-94-13,3'-Dichlorobenzidine       | 780  | U   |
| 66-55-3Benzo (a) anthracene         | 780  | Ū   |
| 218-01-9Chrysene                    | 780  | -   |
| .17-81-7bis(2-Ethylhexyl)phthalate  | 780  | _   |
| .17-84-0Di-n-octylphthalate         | 780  |     |
| 05-99-2Benzo(b) fluoranthene        | 780  |     |
| 07-08-9Benzo(k)fluoranthene         | 780  |     |
| 60-32-8Benzo (a) pyrene             | 780  | υ   |
| 93-39-5Indeno(1,2,3-cd)pyrene       | 780  |     |
| 3-70-3Dibenzo(a,h)anthracene        | 780  |     |
| .91-24-2Benzo(g,h,i)perylene        | 780  | U   |

FORM I SV-2

EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

FEY85

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829311

Sample wt/vol:

.30.2 (g/mL) g

Lab File ID: GH029311A62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 58

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/01/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS: Number TICs found: 2 (ug/L or ug/Kg) ug/Kg

| CAS NUMBER               | COMPOUND NAME              | RT           | EST. CONC. | Q   |
|--------------------------|----------------------------|--------------|------------|-----|
| 1.<br>2.<br>3.           | ALDOL (BC)<br>UNKNOWN (BC) | 4.55<br>4.79 |            | JAB |
| 4.<br>5.<br>6.<br>7.     |                            |              |            |     |
| 9.<br>10.                |                            |              |            |     |
| 11.<br>12.<br>13.<br>14. |                            |              |            |     |
| 16.<br>17.               |                            |              |            |     |
| 19.<br>20.<br>21.<br>22. |                            |              |            |     |
| 23.<br>24.<br>25.        |                            |              |            |     |
| 27.<br>28.<br>29.        |                            |              |            |     |
| 30                       |                            |              |            |     |

FORM I SV-TIC

EPA SAMPLE NO.

FEY86

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Concentrated Extract Volume:

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829312

Sample wt/vol:

.30.2 (g/mL) g

Lab File ID:

GH029312A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 48

decanted: (Y/N) N

Date Extracted:10/27/96 Date Analyzed: 11/01/96

Injection Volume:

CAS NO.

2.0 (uL)

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 6.9

500 (uL)

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

|          | (dg/1 01 dg/                 | ng, ag,ng |     |
|----------|------------------------------|-----------|-----|
| 108-95-2 | Phenol                       | 630       | บ   |
| 111-44-4 | bis(2-Chloroethyl)ether      | 630       | שׁו |
| 95-57-8  | 2-Chlorophenol               | 630       | שׁ  |
| 541-73-1 | 1,3-Dichlorobenzene          | 630       | ប   |
| 106-46-7 | 1,4-Dichlorobenzene          | 630       | U   |
| 95-50-1  | 1.2-Dichlorobenzene          | 630       | שׁ  |
| 95-48-7  | 2-Methylphenol               | 630       | ĺΨ  |
| 108-60-1 | 2,2'-oxybis(1-Chloropropane) | 630       | ĺυ  |
| 106-44-5 | 4-Methylphenol               | 630       | שו  |
| 621-64-7 | N-Nitroso-di-n-propylamine   | 630       | lυ  |
| 67-72-1  | Hexachloroethane             | 630       |     |
| 98-95-3  | Nitrobenzene                 | 630       |     |
| 78-59-1  | Isophorone                   | 630       |     |
| 88-75-5  | 2-Nitrophenol                | 630       |     |
| 105-67-9 | 2,4-Dimethylphenol           | 630       | •   |
| 111-91-1 | bis(2-Chloroethoxy)methane   | 630       |     |
| 120-83-2 | 2,4-Dichlorophenol           | 630       | 1   |
| 120-82-1 | 1,2,4-Trichlorobenzene       | 630       | 1 - |
| 91-20-3  | Naphthalene                  | 630       |     |
| 106-47-8 | 4-Chloroaniline              | 630       |     |
|          | Hexachlorobutadiene          | 630       |     |
| 59-50-7  | 4-Chloro-3-methylphenol      | 630       | 1   |
| 91-57-6  | 2-Methylnaphthalene          | 630       |     |
| 77-47-4  | Hexachlorocyclopentadiene    | 630       |     |
| 88-06-2  | 2,4,6-Trichlorophenol        | 630       | 1   |
| 95-95-4  | 2,4,5-Trichlorophenol        | 1600      |     |
| 91-58-7  | 2-Chloronaphthalene          | 630       |     |
| 88-74-4  | 2-Nitroaniline               | 1600      | -   |
| 131-11-3 | Dimethylphthalate            | 630       |     |
| 208-96-8 | Acenaphthylene               | 630       |     |
| 606-20-2 | 2,6-Dinitrotoluene           | 630       |     |
| 99-09-2  | 3-Nitroaniline               | 1600      |     |
| 83-32-9  | Acenaphthene                 | 630       |     |
| 05 52 5  | we create                    | ا         | 13  |

FORM I SV-1

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829312

Sample wt/vol: 30.2 (g/mL) g Lab File ID: GH029312A62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 48 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500 (uL) Date Analyzed: 11/01/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS:
CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 2,4-Dinitrophenol                  | 1600<br>1600<br>630<br>630   | Ū   |
|------------------------------------|--|---|
| Dibenzofuran<br>2,4-Dinitrotoluene | 630  |   |
| 2,4-Dinitrotoluene                 |  | ITT   |
| Diethylphthalate                   |  |   |
|                                    | 630  |   |
| 4-Chlorophenyl-phenylether         | 630  |   |
|                                    |  |   |
|                                    |  |   |
|                                    |  |   |
|                                    |  | _   |
| 4-Promonhanyl-nhanylether          |  |   |
| Howach orobonzone                  |  |   |
| Pentachloropenzene                 |  | I -   |
|                                    |  |   |
|                                    |  |   |
|                                    |  |   |
| Di a hundahthalata                 |  |   |
| DI-N-DutyIphthalace                |  |   |
| Fluoranthene                       |  |   |
| Putulbenesinbahalata               |  |   |
| Butytbenzytphthatate               |  |   |
| 3,3'-Dichioropenzidine             |  | _   |
|                                    |  |   |
| chrysene                           |  |   |
| Di n octulable late                |  |   |
| Di-n-octylphthalate                |  |   |
| Benzo (b) iluoranthene             |  |   |
| Benzo(k) Iluoranthene              |  | ı –   |
| Benzo(a) pyrene                    |  | -   |
| Indeno(1,2,3-cd)pyrene             |  |   |
| Dibenzo(a,n)anthracene             |  |   |
| Benzo(g,n,1)perylene               | 630  | ľ   |
|                                    | Fluorene4-Nitroaniline4,6-Dinitro-2-methylphenolN-nitrosodiphenylamine (1)4-Bromophenyl-phenyletherHexachlorobenzenePentachlorophenolPhenanthreneAnthraceneCarbazoleDi-n-butylphthalateFluoranthenePyreneButylbenzylphthalate3,3'-DichlorobenzidineBenzo(a) anthraceneChrysenebis(2-Ethylhexyl)phthalateBenzo(b)fluorantheneBenzo(b)fluorantheneBenzo(a)pyreneBenzo(a,h)anthraceneBenzo(g,h,i)peryleneBenzo(g,h,i)perylene | Fluorene 16304-Nitroaniline 16004,6-Dinitro-2-methylphenol 1600N-nitrosodiphenylamine (1) 6304-Bromophenyl-phenylether 630Hexachlorobenzene 630Pentachlorophenol 1600Phenanthrene 630Phenanthrene 630Carbazole 630Carbazole 630Fluoranthene 630Fluoranthene 630Butylbenzylphthalate 630Benzo (a) anthracene 630Chrysene 630Chrysene 630Di-n-octylphthalate 630Benzo (b) fluoranthene 630Benzo (c) fluoranthene 630Benzo (c) pyrene 630Benzo (c) h) anthracene 630 |

FORM I SV-2

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY86

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829312

Sample wt/vol:

30.2 (g/mL) g

Lab File ID:

GH029312A62

Level:

(low/med) LOW Date Received: 10/25/96

% Moisture: 48

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/01/96

Injection Volume:

2.0(址)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 4

| CAS NUMBER  1. 2. 3. 4.                       | COMPOUND NAME  ALDOL (BC) UNKNOWN (BC) UNKNOWN CARBOXYLIC ACID UNKNOWN | RT<br>4.55<br>4.80<br>18.24<br>20.30 | EST. CONC.<br>3600<br>220<br>170<br>180 | JAB<br>JB<br>J |
|---|--|--------------------------------------|---|----------------|
| 6.<br>7.<br>8.<br>9.                          |  |                                      |   |                |
| 13.<br>14.<br>15.<br>16.                      |  |                                      |   |                |
| 18.<br>19.<br>20.<br>21.<br>22.<br>23.<br>24. |  |                                      |   |                |
| 25.<br>26.<br>27.<br>28.<br>29.<br>30.        |  |                                      |   |                |

FORM I SV-TIC

EPA SAMPLE NO.

FEY87

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829313

Sample wt/vol: 30.2 (g/mL) g Lab File ID: GH029313A62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 64 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/01/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 108-95-2 | Phenol                       | 910             | ט    |
|----------|------------------------------|-----------------|------|
| 111-44-4 | bis(2-Chloroethyl)ether      | 910             | บ    |
| 95-57-8  | 2-Chlorophenol               | 910             | ש    |
|          | 1,3-Dichlorobenzene          | 910             | ד    |
|          | 1,4-Dichlorobenzene          | 910             | Ū    |
| 95-50-1  | 1,2-Dichlorobenzene          | 910             | ש    |
| 95-48-7  | 2-Methylphenol               | 910             | שׁ   |
| 108-60-1 | 2,2'-oxybis(1-Chloropropane) | 910             | ប    |
| 106-44-5 | 4-Methylphenol               | 910             | ש    |
| 621-64-7 | N-Nitroso-di-n-propylamine   | 910             | υ .  |
| 67-72-1  | Hexachloroethane             | 910             | U    |
| 98-95-3  | Nitrobenzene                 | 910             | U    |
| 78-59-1  | Isophorone                   | 910             | U    |
| 88-75-5  | 2-Nitrophenol                | 910             | U    |
| 105-67-9 | 2,4-Dimethylphenol           | 910             | U    |
| 111-91-1 | bis(2-Chloroethoxy)methane   | <del>9</del> 10 | U    |
| 120-83-2 | 2,4-Dichlorophenol           | 910             | U    |
| 120-82-1 | 1.2.4-Trichlorobenzene       | 910             | ប    |
| 91-20-3  | Naphthalene                  | 910             | U    |
| 106-47-8 | 4-Chloroaniline              | 910             | ប    |
| 87-68-3  | Hexachlorobutadiene          | 910             | U    |
| 59-50-7  | 4-Chloro-3-methylphenol      | 910             | υ    |
| 91-57-6  | 2-Methylnaphthalene          | 910             | ט    |
| 77-47-4  | Hexachlorocyclopentadiene    | 910             | ט    |
| 88-06-2  | 2,4,6-Trichlorophenol        | 910             | U    |
| 95-95-4  | 2,4,5-Trichlorophenol        | 2300            | U    |
| 91-58-7  | 2-Chloronaphthalene          | 910             | Ū    |
| 88-74-4  | 2-Nitroaniline               | 2300            | U    |
| 131-11-3 | Dimethylphthalate            | 910             | บ    |
| 208-96-8 | Acenaphthylene               | 910             | U    |
| 606-20-2 | 2,6-Dinitrotoluene           | 910             | U    |
| 99-09-2  | 3-Nitroaniline               | 2300            | U    |
| 83-32-9  | Acenaphthene                 | 910             | l tt |

FORM I SV-1

EPA SAMPLE NO.

FEY87

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829313

Sample wt/vol:

.30.2 (g/mL) g

Lab File ID:

GH029313A62

Level:

LOW (low/med)

Concentrated Extract Volume:

Date Received: 10/25/96

% Moisture: 64

decanted: (Y/N) N

Date Extracted:10/27/96

Date Analyzed: 11/01/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

500 (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg 2300 U 51-28-5-----2,4-Dinitrophenol 100-02-7-----4-Nitrophenol 2300 U 910 U 132-64-9-----Dibenzofuran 910 U 121-14-2----2,4-Dinitrotoluene 84-66-2------Diethylphthalate 910 U 910 U 7005-72-3-----4-Chlorophenyl-phenylether 910 0 86-73-7-----Fluorene 2300 U 100-01-6----4-Nitroaniline 2300 U 2300 U 910 U 910 U 910 U 910 U 910 U 910 U 910 U 534-52-1----4,6-Dinitro-2-methylphenol 86-30-6-----N-nitrosodiphenylamine\_(1) 101-55-3----4-Bromophenyl-phenylether\_ 118-74-1-----Hexachlorobenzene 87-86-5-----Pentachlorophenol 85-01-8-----Phenanthrene 120-12-7-----Anthracene 86-74-8-----Carbazole 84-74-2-----Di-n-butylphthalate 910 U 206-44-0-----Fluoranthene 129-00-0-----Pyrene 910 U 85-68-7-----Butylbenzylphthalate 910 U 91-94-1-----3,37-Dichlorobenzidine 910 U 56-55-3-----Benzo (a) anthracene 910 U 218-01-9-----Chrysene 910 U 117-81-7-----bis(2-Ethylhexyl)phthalate 120 J 117-84-0-----Di-n-octylphthalate 910 U 205-99-2----Benzo (b) fluoranthene 910 U 207-08-9-----Benzo(k) fluoranthene 910 U 50-32-8-----Benzo(a) pyrene 910 U 193-39-5-----Indeno(1,2,3-cd)pyrene 910 U 53-70-3-----Dibenzo(a,h)anthracene\_ 910 U 191-24-2-----Benzo(q,h,i)perylene 910 U

FORM I SV-2

(i) - Cannot be separated from Diphenylamine

### 1F

EPA SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

FEY87

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829313

Sample wt/vol:

30.2 (g/mL) g

Lab File ID:

GH029313A62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 64

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (ਘੱL)

Date Analyzed: 11/01/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y pH: 6.9

CONCENTRATION UNITS: Number TICs found: 5 (ug/L or ug/Kg) ug/Kg

| CAS NUMBER  | COMPOUND NAME | RT                                      | EST. CONC.    | Q |
|-------------|---------------|---|---------------|---|
| 1.          | ALDOL (BC)    | 4.55                                    |               |   |
| 2.          | UNKNOWN (BC)  | 4.79                                    | 340           |   |
| 3.          | UNKNOWN       | 18.24                                   | 270           |   |
| 4.          | UNKNOWN       | 19.31                                   | 190           | Ĵ |
| 5.          | UNKNOWN       | 20.29                                   | . 240         | J |
| 6           |               |   |               |   |
| 7           |               | ]                                       |               |   |
| Q.          |               | - <del></del>                           | [ <del></del> |   |
| <i>7</i> .  |               |   |               |   |
| TO:         |               |   |               |   |
| ~~·         |               |   |               |   |
| <i>±2</i> . |               |   |               |   |
| 13.         |               |   |               |   |
| 7.2 •       |               |   |               |   |
| ±J.         |               |   |               |   |
| TP.         |               |   |               |   |
|             | `             |   |               |   |
| 10.         | <u> </u>      | I                                       |               |   |
| <b>4</b> 3. |               | ļ — — — — — — — — — — — — — — — — — — — |               |   |
| 40.         |               |   |               |   |
| Z. 1 .      |               |   |               |   |
| 44.         |               |   |               |   |
| 43.         |               | ,                                       |               |   |
| <b>4</b> 7. |               |   |               |   |
| 23.         |               |   |               |   |
| 20.         |               |   |               |   |
| 2/:         |               |   |               |   |
| <b>40.</b>  |               |   |               |   |
| ~ ·         |               |   |               |   |
| 30          |               |   |               |   |
| <del></del> |               |   |               |   |

FORM I SV-TIC

EPA SAMPLE NO.

FEY88

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829314

Sample wt/vol: 30.4 (g/mL) g

Lab File ID: GH029314A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 71 decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

| CAS NO.  | COMPOUND       | CONCENTRATION U<br>(ug/L or ug/Kg) |      | Q              |
|----------|----------------|------------------------------------|------|----------------|
| 108-95-2 | Phenol         | -                                  | 1100 | U              |
|          | bis(2-Chloroet | hvl)ether                          | 1100 |                |
| 95-57-8  | 2-Chloropheno  |                                    | 1100 | - 1            |
|          | 1,3-Dichlorobe |                                    | 1100 | -              |
|          | 1,4-Dichlorobe |                                    | 1100 | Ŭ              |
|          | 1,2-Dichlorobe |                                    | 1100 | ប              |
|          | 2-Methylphenol |                                    | 1100 | 1              |
| 108-60-1 | 2,2'-oxybis(1  | Chloropropane)                     | 1100 | ប              |
| 106-44-5 | 4-Methvlphenol | L .                                | 1100 | Ŭ              |
| 621-64-7 | N-Nitroso-di-  | -propylamine                       | 1100 | i <del>u</del> |
| 67-72-1  | Hexachloroetha | ane                                | 1100 | - 1            |
|          | Nitrobenzene   |                                    | 1100 | Ū              |
|          | Isophorone     | <del>  </del>                      | 1100 |                |
| 88-75-5  | 2-Nitrophenol  |                                    | 1100 | ប              |
| 105-67-9 | 2,4-Dimethylph | nenol                              | 1100 | _              |
|          | bis(2-Chloroet |                                    | 1100 | יט ו           |
|          | 2,4-Dichloroph |                                    | 1100 | Ū              |
|          | 1,2,4-Trichlo  |                                    | 1100 | ו ט            |
|          | Naphthalene    |                                    | 1100 | υ l            |
|          | 4-Chloroanilin | ne                                 | 1100 | - 6            |
| 87-68-3  | Hexachlorobuta | adiene                             | 1100 | ן ט            |
|          | 4-Chloro-3-met |                                    | 1100 | ן ט            |
|          | 2-Methylnaphtl |                                    | 1100 | ן ט            |
| 77-47-4  | Hexachlorocycl | lopentadiene                       | 1100 | ן ט            |
|          | 2,4,6-Trichlo  |                                    | 1100 | ט              |
|          | 2,4,5-Trichlor |                                    | 2800 | ט              |
| 91-58-7  | 2-Chloronaphtl | nalene                             | 1100 | ן ט            |
|          | 2-Nitroaniline |                                    | 2800 | Ū              |
| 131-11-3 | Dimethylphthal | late                               | 1100 | -              |
|          | Acenaphthylene |                                    | 1100 |                |
|          | 2,6-Dinitrotol |                                    | 1100 | - 1            |
| 99-09-2  | 3-Nitroaniline | · ———                              | 2800 | ซั l           |
|          | Acenaphthene   |                                    | 1100 | ŭ              |

FORM I SV-1

OLMO3.0

EPA SAMPLE NO.

.FEY88

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829314

Sample wt/vol: 30.4 (g/mL) g Lab File ID: GH029314A62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 71 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500 (uL) Date Analyzed: 11/04/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 51-28-52,4-Dinitrophenol            | 2800 | υ  |
|-------------------------------------|------|----|
| 100-02-74-Nitrophenol               | 2800 | Ū  |
| 132-64-9Dibenzofuran                | 1100 | U  |
| 121-14-22,4-Dinitrotoluene          | 1100 | ש  |
| 84-66-2Diethylphthalate             | 1100 | ប  |
| 7005-72-34-Chlorophenyl-phenylether | 1100 | ប  |
| 86-73-7Fluorene                     | 1100 | ប  |
| 100-01-64-Nitroaniline              | 2800 | υ  |
| 534-52-14,6-Dinitro-2-methylphenol  | 2800 | ש  |
| 86-30-6N-nitrosodiphenylamine_(1)   | 1100 | ប  |
| 101-55-34-Bromophenyl-phenylether   | 1100 | ប  |
| 118-74-1Hexachlorobenzene           | 1100 | ប  |
| 87-86-5Pentachlorophenol            | 2800 | U  |
| 85-01-8Phenanthrene                 | 1100 | U  |
| 120-12-7Anthracene                  | 1100 | U  |
| 86-74-8Carbazole                    | 1100 | U  |
| 84-74-2Di-n-butylphthalate          | 140  | J  |
| 206-44-0Fluoranthene                | 1100 | U  |
| 129-00-0Pyrene                      | 1100 | U  |
| 85-68-7Butylbenzylphthalate         | 1100 | U  |
| 91-94-13,3'-Dichlorobenzidine       | 1100 | U  |
| 56-55-3Benzo(a) anthracene          | 1100 | U  |
| 218-01-9Chrysene                    | 1100 | U  |
| 117-81-7bis(2-Ethylhexyl)phthalate  | 1100 | U  |
| 117-84-0Di-n-octylphthalate         | 1100 | U  |
| 205-99-2Benzo (b) fluoranthene      | 1100 | ซ  |
| 207-08-9Benzo(k) fluoranthene       | 1100 | שׁ |
| 50-32-8Benzo(a)pyrene               | 1100 | U  |
| 193-39-5Indeno (1, 2, 3-cd) pyrene  | 1100 | Ū  |
| 53-70-3Dibenzo(a,h)anthracene       | 1100 | U  |
| 191-24-2Benzo(q,h,i) perylene       | 1100 | U  |
|                                     |      |    |

FORM I SV-2

### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY88

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Sample wt/vol: 30.4 (g/mL) g Lab File ID: GH029314A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 71 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

Lab Sample ID: 829314

GPC Cleanup: (Y/N) Y pH: 6.8

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 14

CAS NUMBER EST. CONC. COMPOUND NAME \_\_\_\_\_ 1. ALDOL (BC) 4.53 11000 JAB UNKNOWN (BC) 4.76 2. 3. UNKNOWN 5.19 4. UNKNOWN 6.67

650 JB 240 J 650 J 790 J 5. SUBSTITUTED ALCOHOL 8.65 610 J UNKNOWN 9.98 6. 270 J 7. UNKNOWN 16.00 UNKNOWN 16.45 1000 J 8. 9. SUBSTITUTED PHENOL 760 J 16.48 260 J 10. UNKNOWN 16.58 660|J 11. UNKNOWN 17.62 12. UNKNOWN 20.27 410 J 13. UNKNOWN 23.42 260 J UNKNOWN 300 J 14. 24.44 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30.

FORM I SV-TIC

OLMO3.0

EPA SAMPLE NO.

FEY89

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829016

Sample wt/vol:

30.4 (g/mL) g

Lab File ID: GH029016B62

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: 36

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume: 500 (uL)

COMPOUND

Date Analyzed: 10/26/96

Injection Volume:

CAS NO.

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| 108-95-2Phenol                       | 510           | υ              |
|--------------------------------------|---------------|----------------|
| 111-44-4bis(2-Chloroethyl)ether      | 510           | Ū              |
| 95-57-82-Chlorophenol                | _  510        | Ū              |
| 541-73-11,3-Dichlorobenzene          | 510           | U              |
| 106-46-71,4-Dichlorobenzene          | 510           | ĺŪ             |
| 95-50-11,2-Dichlorobenzene           | 510           | Ι <del>υ</del> |
| 95-48-72-Methylphenol                | -  510        | lΰ             |
| 108-60-12,2'-oxybis(1-Chloropropane  |               | _              |
| 106-44-54-Methylphenol               | 510           | -              |
| 621-64-7N-Nitroso-di-n-propylamine   | 510           | 1 -            |
| 67-72-1Hexachloroethane              | - 510         |                |
| 98-95-3Nitrobenzene                  | 510           | I -            |
| 78-59-1Isophorone                    | -  510        | -              |
| 88-75-52-Nitrophenol                 | -  510        | 1 -            |
| 105-67-92,4-Dimethylphenol           | - 510         | 1 -            |
| 111-91-1bis (2-Chloroethoxy) methane | 510           | 1 -            |
| 120-83-22,4-Dichlorophenol           | - 510         | -              |
| 120-82-11,2,4-Trichlorobenzene       | 510           | _              |
| 91-20-3Naphthalene                   | - 510         | _              |
| 106-47-84-Chloroaniline              | - 510         | -              |
| 87-68-3Hexachlorobutadiene           | -  510<br>510 | 1 -            |
| 59-50-74-Chloro-3-methylphenol       | - 510         | 1 ~            |
| 91-57-62-Methylnaphthalene           | - 510         |                |
| 77-47-4Hexachlorocyclopentadiene     | 510           |                |
| 88-06-22,4,6-Trichlorophenol         | 510           | -              |
| 95-95-42,4,5-Trichlorophenol         | - 1300        | _              |
| 91-58-72-Chloronaphthalene           | - 510         | -              |
| 88-74-42-Chicronaphchaiche           | - 1300        | -              |
|                                      |               | , -            |
| 131-11-3Dimethylphthalate            | 510           | , -            |
| 208-96-8Acenaphthylene               | 510           | _              |
| 606-20-22,6-Dinitrotoluene           | _ 510         | ប្ត            |
| 99-09-23-Nitroaniline                | _ 1300        | 1 -            |
| 83-32-9Acenaphthene                  | _ 510         | U              |

FORM I SV-1

EPA SAMPLE NO.

FEY89

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

SDG No.: FEY80

Lab Code: COMPU

Case No.: 25093 SAS No.:

Matrix: (soil/water) SOIL

Lab File ID: GH029016B62

Sample wt/vol:

30.4 (g/mL) g

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: 36

decanted: (Y/N) N

Date Extracted:10/24/96

Lab Sample ID: 829016

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

CAS NO.

2.0 (uL)

COMPOUND

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| <u>.</u>    |                                |               |                | <u> </u> |     |
|-------------|--------------------------------|---------------|----------------|----------|-----|
|             | 2,4-Dinitroph                  |               | <u></u>        | 1300     | _   |
|             | 4-Nitrophenol                  |               | i              | 1300     |     |
|             | Dibenzofuran_                  |               |                | 510      |     |
| 121-14-2    | $2,4$ -Dinitrot $\overline{0}$ | luene         |                | 510      |     |
| 84-66-2     | Diethylphthal:                 | ate           |                | 510      |     |
| 7005-72-3   | 4-Chloropheny                  | l-phenylether | r              | 510      |     |
|             | Fluorene                       |               |                | 510      |     |
|             | 4-Nitroa <del>nilin</del>      |               |                | 1300     | ប   |
| 534-52-1    | 4,6-Dinitro-2                  | methylpheno.  |                | 1300     | U   |
| 86-30-6     | N-nitrosodiph                  | enylamine (1) | ) <del></del>  | 510      | שו  |
| 101-55-3    | 4-Bromophenyl                  | -phenylether  | -              | 510      | U   |
| 118-74-1    | Hexachloroben                  | zene -        |                | 510      | ĺυ  |
| 87-86-5     | Pentachloroph                  | enol          | <del></del>    | 1300     | U   |
| 85-01-8     | Phenanthrene                   |               | <b>—</b>       | 510      | U   |
| 120-12-7    | Anthracene                     |               |                | 510      | U   |
| 86-74-8     | Carbazole                      |               |                | 510      |     |
| 84-74-2     | Di-n-butylpht                  | halate        |                | 510      |     |
| 206-44-0    | Fluoranthene                   | <del></del>   |                | 510      | ប   |
| 129-00-0    | Pyrene —                       |               |                | 510      | ប   |
| 85-68-7     | Butylbenzylph                  | thalate       |                | 510      |     |
| 91-94-1     | 3,3'-Dichloro                  | benzidine     |                | 510      |     |
| 56-55-3     | Benzo (a) anthr                | acene         | _              | 510      |     |
| 218-01-9    | Chrvsene                       |               | <del>-</del> - | 510      |     |
| 117-81-7    | bis(2-Ethylhe                  | xyl)phthalate | ₹              | 510      |     |
| 117-84-0    | Di-n-octylpht                  | halate        |                | 510      |     |
| 205-99-2    | Benzo(b) fluor                 | anthene       | <del>-</del>   | 510      |     |
| 207-08-9    | Benzo(k) fluor                 | anthene       | <del>-</del>   | 510      |     |
| 50-32-8     | Benzo(a)pyren                  | e <u></u>     | <del></del>    | 510      |     |
| 193-39-5    | Indeno (1, 2, 3-               | cd) pyrene    | -              | 510      | 1 - |
| 53-70-3     | Dibenzo(a,h)a                  | nthracene     |                | 510      |     |
| 191-24-2    | Benzo(g,h,i)p                  | erylene       |                | 510      |     |
| - Cannot be | e separated from D             | inhenvlamine  |                |          | I   |

FORM I SV-2

EPA SAMPLE NO.

FEZ02

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829318

Sample wt/vol: 30.1 (g/mL) g Lab File ID: GH029318A62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 40 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/04/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 51-28-52,4-Dinitrophenol            | 1400 | - |
|-------------------------------------|------|---|
| 100-02-74-Nitrophenol               | 1400 | _ |
| 132-64-9Dibenzofuran                | 550  | U |
| 121-14-22,4-Dinitrotoluene          | 550  | U |
| 84-66-2Diethylphthalate             | 550  | U |
| 7005-72-34-Chlorophenyl-phenylether | 550  | U |
| 86-73-7Fluorene                     | 550  | U |
| 100-01-64-Nitroaniline              | 1400 | U |
| 534-52-14,6-Dinitro-2-methylphenol  | 1400 | U |
| 86-30-6N-nitrosodiphenylamine (1)   | 550  | U |
| 101-55-34-Bromophenyl-phenylether   | 550  | U |
| 118-74-1Hexachlorobenzene           | 550  | U |
| 87-86-5Pentachlorophenol            | 1400 | ซ |
| 85-01-8Phenanthrene                 | 550  | ש |
| 120-12-7Anthracene                  | 550  | ש |
| 86-74-8Carbazole                    | 550  | U |
| 84-74-2Di-n-butylphthalate          | 120  | J |
| 206-44-0Fluoranthene                | 550  | U |
| 129-00-0Pyrene                      | 550  | U |
| 85-68-7Butylbenzylphthalate         | 550  | U |
| 91-94-13,3'-Dichlorobenzidine       | 550  | U |
| 56-55-3Benzo (a) anthracene         | 550  | Ū |
| 218-01-9Chrysene                    | 550  | U |
| 117-81-7bis(2-Ethylhexyl)phthalate  | 220  | J |
| 117-84-0Di-n-octylphthalate         | 550  | Ū |
| 205-99-2Benzo (b) fluoranthene      | 550  | Ū |
| 207-08-9Benzo(k) fluoranthene       | 550  | U |
| 50-32-8Benzo(a)pyrene               | 550  | U |
| 193-39-5Indeno (1, 2, 3-cd) pyrene  | 550  | U |
| 53-70-3Dibenzo(a,h)anthracene       | 550  | U |
| 191-24-2Benzo(g,h,i)perylene        | 550  | ט |
| 251 24 2 20110 (9,11,1) por 1 2010  | 250  |   |

FORM I SV-2

OLMO3.0

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEZ02

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829318

Sample wt/vol:

Lab Code: COMPU

30.1 (g/mL) g

Lab File ID:

GH029318A62

Level: (low/med)

LOW

Date Received: 10/25/96

decanted: (Y/N) N

% Moisture: 40

Date Extracted:10/27/96

Concentrated Extract Volume:

Number TICs found: 14

500 (uL)

Date Analyzed: 11/04/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.8

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| CAS NUMBER                             | COMPOUND NAME                         | RT                | EST. CONC.   | _           |
|--|---------------------------------------|-------------------|--------------|-------------|
| ====================================== | ALDOL (BC) -                          | 4.53              | 3300         |             |
| 2.                                     | UNKNOWN (BC)                          | 4.76              | 170          |             |
| 3.                                     | UNKNOWN                               | 6.68              | 140          |             |
| 4. 149-30-4                            | 2-MERCAPTOBENZOTHIAZOLE               | 15.21             | 270          |             |
| 5.                                     | UNKNOWN                               | 16.45             | 890          |             |
| 6.                                     | UNKNOWN                               | 16.58             | 330          |             |
| 7.                                     | UNKNOWN                               | 17.62             | 710          |             |
| 8.                                     | UNKNOWN                               | 17.74             | 170          |             |
| 9.                                     | UNKNOWN                               | 17.86             | 240          | -           |
| 0.                                     | UNKNOWN                               | 22.80             | 2000         |             |
| 1.                                     | UNKNOWN                               | 23.03             | 320          |             |
| 2.                                     | UNKNOWN                               | 23.43             | 180          |             |
| 2.<br>3.                               | UNKNOWN                               | 23.59             | 340          |             |
| 3.<br>4.                               | UNKNOWN                               | 24.54             | 210          |             |
|  | CIVITIONIA                            | 24.54             | 210          | U           |
| 5                                      | · · · · · · · · · · · · · · · · · · · | -                 |              |             |
| 6                                      |                                       |                   |              | <del></del> |
|  |                                       | -  ·              |              |             |
|  |                                       | <b>-</b>          | <del> </del> |             |
|  |                                       | -                 | ·            |             |
| 0.<br>1.                               |                                       | -                 |              |             |
| <u> </u>                               | <del></del>                           | -   <u>-</u>      |              |             |
|  |                                       | - i               |              |             |
|  |                                       | ( <del> [</del> - |              |             |
| 7.                                     |                                       |                   | <del></del>  |             |
| J.                                     | · · · · · · · · · · · · · · · · · · · |                   |              |             |
| ъ.                                     |                                       | <b></b>           |              |             |
| 7                                      |                                       | \                 |              |             |
| o.                                     |                                       | _                 | <del></del>  |             |
| 9.<br>0.                               |                                       | _                 |              | l           |

FORM I SV-TIC

EPA SAMPLE NO.

FEZ03

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829319

Sample wt/vol:

30.1 (g/mL) g

Lab File ID: GH029319A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 42

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

CAS NO.

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| 108-95-2 | Phenol                       | 570              | υ              |
|----------|------------------------------|------------------|----------------|
|          | bis(2-Chloroethyl)ether      | 570 <sup>1</sup> | Ū              |
| 95-57-8  | 2-Chlorophenol               | 570              | ប              |
|          | 1,3-Dichlorobenzene          | 570              | ប              |
| 106-46-7 | 1,4-Dichlorobenzene          | 570              | ប              |
| 95-50-1  | 1,2-Dichlorobenzene          | 570              | บ              |
| 95-48-7  | 2-Methylphenol               | 570              | U              |
| 108-60-1 | 2,2'-oxybis(1-Chloropropane) | 570              | ש              |
| 106-44-5 | 4-Methylphenol               | 570 <sup>1</sup> | U              |
| 621-64-7 | N-Nitroso-di-n-propylamine   | 570              | שׁ             |
| 67-72-1  | Hexachloroethane             | 570              | υ              |
| 98-95-3  | Nitrobenzene                 | 570              | ប              |
| 78-59-1  | Isophorone                   | 570              | U              |
|          | 2-Nitrophenol                | 570              | ט              |
| 105-67-9 | 2,4-Dimethylphenol           | 570              | ប              |
| 111-91-1 | bis(2-Chloroethoxy)methane   | 570              | Ū              |
|          | 2,4-Dichlorophenol           | 570              | Ū              |
| 120-82-1 | 1,2,4-Trichlorobenzene       | 570              | บั             |
| 91-20-3  | Naphthalene                  | 570              | Ū              |
| 106-47-8 | 4-Chloroaniline              | 570              | ΙŪ             |
|          | Hexachlorobutadiene          | 570              | ָ<br>ע         |
|          | 4-Chloro-3-methylphenol      | 570              | -              |
| 91-57-6  | 2-Methylnaphthalene          | 60               | _              |
| 77-47-4  | Hexachlorocyclopentadiene    | 570              |                |
| 88-06-2  | 2,4,6-Trichlorophenol        | 570              | _              |
| 95-95-4  | 2,4,5-Trichlorophenol        | 1400             | Ü              |
| 91-58-7  | 2-Chloronaphthalene          | 570              | Ū              |
|          | 2-Nitroaniline               | 1400             | Ū              |
|          | Dimethylphthalate            | 570              |                |
|          | Acenaphthylene               | 98               |                |
|          | 2,6-Dinitrotoluene           | 570              |                |
| 99-09-2  | 3-Nitroaniline               | 1400             | _              |
| 83-32-9  | Acenaphthene                 | 570              | Ι <del>ΰ</del> |

FORM I SV-1

EPA SAMPLE NO.

FEZ03

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

Lab Sample ID: 829319

SDG No.: FEY80

Matrix: (soil/water) SOIL

30.1 (g/mL) g

Lab File ID: GH029319A62

Sample wt/vol:

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 42

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.9

CONCENTRATION UNITS:

| 51-28-5   | 2,4-Dinitrophen    | .01             | 1400       | TT |
|-----------|--------------------|-----------------|------------|----|
| 100-02-7  | 4-Nitrophenol_     | ~±              | 1400       |    |
| 132-64-9  | Dibenzofuran       |                 | 570        |    |
|           | 2,4-Dinitrotolu    | ene             | 570<br>570 |    |
| 84-66-2   | Diethylphthalat    |                 | 570        |    |
| 7005-72-3 | 4-Chlorophenyl-    | phenylether     | 570        |    |
| 86-73-7   | Fluorene           | pricity recites | 570<br>570 |    |
|           | 4-Nitroaniline     |                 | 1400       |    |
|           | 4,6-Dinitro-2-m    | ethylphenol     | 1400       | _  |
| 86-30-6   | N-nitrosodiphen    | vlamine (1)     | 570        | _  |
| 101-55-3  | 4-Bromophenyl-p    | benylether —    | 570        |    |
| 118-74-1  | Hexachlorobenze    | ne              | 570        |    |
|           | Pentachlorophen    |                 | 1400       |    |
| 85-01-8   | Phenanthrene       | · - <u> </u>    | 570        |    |
| 120-12-7  | Anthracene         |                 | 570        |    |
|           | Carbazole          |                 | 570        |    |
| 84-74-2   | Di-n-butylphtha    | late            | 58         |    |
| 206-44-0  | Fluoranthene       |                 | 570        |    |
| 129-00-0  | Pyrene             | ······          | 570        | บ  |
| 85-68-7   | Butylbenzylphth    | alate           | 570        | U  |
| 91-94-1   | 3,3'-Dichlorobe    | nzidine         | 570        | U  |
|           | Benzo (a) anthrac  | ene             | 570        | U  |
| 218-01-9  | Chrysene           |                 | 570        | U  |
| 117-81-7  | bis(2-Ethylhexy    | l)phthalate     | 100        | J  |
| 117-84-0  | Di-n-octylphtha    | late            | 570        | ט  |
| 205-99-2  | Benzo(b) fluoran   | thene           | 570        | ט  |
| 207-08-9  | Benzo(k) fluoran   | thene           | 570        | ט  |
| 50-32-8   | Benzo(a)pyrene_    | i               | 570        | U  |
| 193-39-5  | Indeno (1, 2, 3-cd | )pyrene         | 570        | U  |
| 53-70-3   | Dibenzo(a,h)ant    | hracene         | 570        | U  |
| 191-24-2  | Benzo(g,h,i)per    | vlene           | 570        | U  |

FORM I SV-2

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

'FEZ03

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829319

Sample wt/vol:

30.1 (g/mL) g

Lab File ID:

GH029319A62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 42

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume:

2.0(址)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 7.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 11

FORM I SV-TIC

# PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FEY77

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829307

Sample wt/vol:

Lab Code: COMPU

30.0 (g/mL) G

Lab File ID:

% Moisture: 64

decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/11/96

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.4

Injection Volume: 2.0(uL)

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG CAS NO. COMPOUND Q

| the state of the s | •    |     |
|--|------|-----|
| 319-84-6alpha-BHC  | 4.7  | ט   |
| 319-85-7beta-BHC   | 4.7  | ן ט |
| 319-86-8delta-BHC  | 4.7  | ו ל |
| 58-89-9gamma-BHC (Lindane)   | 4.7  |     |
| 76-44-8Heptachlor  | 4.7  | -   |
| 309-00-2Aldrin   | 4.7  | - I |
| 1024-57-3Heptachlor epoxide  | 4.7  |     |
| 959-98-8Endosulfan I   | 0.31 |     |
| 60-57-1Dieldrin  | 9.2  |     |
| 72-55-94,4'-DDE  | 9.2  |     |
| 72-20-8Endrin  | 2.5  |     |
| 33213-65-9Endosulfan II  | 9.2  |     |
|  |      |     |
| 72-54-84, 4'-DDD   | 9.2  |     |
| 1031-07-8Endosulfan sulfate  | 9.2  |     |
| 50-29-34,4'-DDT  | 9.2  |     |
| 72-43-5Methoxychlor  | 47   |     |
| 53494-70-5Endrin ketone  | 9.2  |     |
| 7421-93-4Endrin aldehyde   | 4.0  | 1 1 |
| 5103-71-9alpha-Chlordane   | 2.8  |     |
| 5103-74-2gamma-Chlordane   | 4.3  |     |
| 8001-35-2Toxaphene   | 470  |     |
| 12674-11-2Aroclor-1016   | 92   | U   |
| 11104-28-2Aroclor-1221   | 190  | U   |
| 11141-16-5Aroclor-1232   | 92   | ี บ |
| 53469-21-9Aroclor-1242   | 92   | υ   |
| 12672-29-6Aroclor-1248   | 92   | ប   |
| 11097-69-1Aroclor-1254   | 130  |     |
| 11096-82-5Aroclor-1260   | 92   | ប   |
|  | }    |     |
| I de transmitte de la t | ·    |     |

FORM I PEST

### PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FEY80

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829005

Sample wt/vol:

30.1 (g/mL) G

Lab File ID:

% Moisture: 50 decanted: (Y/N) N Date Received: 10/23/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted: 10/24/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/01/96

Injection Volume: 2.0(uL)

CAS NO.

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.1 Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG

3.4 U 319-84-6-----alpha-BHC 3.4 U 319-85-7-----beta-BHC 319-86-8-----delta-BHC 0.19 JPB 58-89-9-----gamma-BHC (Lindane) 3.4 U 76-44-8-----Heptachlor 3.4 U 309-00-2-----Aldrin 3.4 U 1024-57-3-----Heptachlor epoxide 3.4 U 959-98-8-----Endosulfan I 0.17 JP 60-57-1-----Dieldrin 72-55-9-----4,4'-DDE 72-20-8-----Endrin 33213-65-9-----Endosulfan II 72-54-8-----4,4'-DDD 1031-07-8-----Endosulfan sulfate 50-29-3-----4,4'-DDT 72-43-5-----Methoxychlor 6.6 U 0.31 JP 3.4 U 3.4 U 53494-70-5-----Endrin ketone 7421-93-4-----Endrin aldehyde 5103-71-9-----alpha-Chlordane 5103-74-2----gamma-Chlordane 340 U 8001-35-2----Toxaphene 66 U 12674-11-2----Aroclor-1016 11104-28-2-----Aroclor-1221 130 U 66 U 11141-16-5-----Aroclor-1232 66 U 53469-21-9-----Aroclor-1242 12672-29-6-----Aroclor-1248 66 U 11097-69-1-----Aroclor-1254 66 U 11096-82-5----Aroclor-1260 66 U

FORM I PEST

### 1D PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FEY81

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829006

Sample wt/vol:

30.2 (g/mL) G

Lab File ID:

% Moisture: 48 decanted: (Y/N) N

Date Received: 10/23/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:10/24/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/01/96

Injection Volume: 2.0(uL)

CAS NO.

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG

| 319-84-6          | alpha-BHC                 |   | 3.2  | ប  |
|-------------------|---------------------------|---|------|----|
| 319-85-7          | beta-BHC                  | <b>8</b> 500 € 100                            | 3.2  | U  |
| 319-86-8          | delta-BHC                 | Agent   | 3.2  | ប  |
| 58-89-9           | gamma-BHC (Lindane)       |   | 3.2  | U  |
| 76-44-8           | Heptachlor                |   | 3.2  | U  |
| 309-00-2          | Aldrin                    |   | 3.2  | ប  |
| 1024-57-3         | Heptachlor epoxide        |   | 3.2  | U  |
| 959-98-8          | Endosulfan I              |   | 3.2  | U  |
|                   | Dieldrin                  |   | 0.18 | JΡ |
| 72-55-9           | 4,4'-DDE                  | · .   | 6.3  | ប  |
| 72-20-8           | Endrin                    | !   | 6.3  | บ  |
|                   | Endosulfan II             |   | 6.3  | ប  |
| 72-54-8           | 4,4'-DDD                  | <u>u.                                    </u> | 6.3  | บ  |
| 1031-07-8         | Endosulfan sulfate        |   | 6.3  |    |
| 50-29-3           | 4,4'-DDT                  |   | 6.3  | บ  |
| 72-43-5           | Methoxychlor              |   | 32   | ប  |
|                   | Endrin ketone             |   | 6.3  | υ  |
| 7421-93-4         | Endrin aldehyde           |   | 6.3  |    |
| 5103-71-9         | alpha-Chlordane           | <u> </u>                                      | 3.2  | U  |
| 5103-74-2 <b></b> | gamma-Chlordane           |   | 3.2  | ט  |
| 8001-35-2         | Toxaphene<br>Aroclor-1016 |   | 320  |    |
|                   |                           |   | 63   |    |
|                   | Aroclor-1221              |   | 130  |    |
|                   | Aroclor-1232              |   | 63   |    |
|                   | Aroclor-1242              |   | 63   |    |
| 12672-29-6        | Aroclor-1248              |   | 63   |    |
| 11097-69-1        | Aroclor-1254              | <u> </u>                                      | 63   |    |
| 11096-82-5        | Aroclor-1260              |   | 63   | U  |

FORM I PEST

#### 1D PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FEY82

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829308

Sample wt/vol: 30.0 (g/mL) G

Lab File ID:

% Moisture: 50 decanted: (Y/N) N Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL) Date Analyzed: 11/11/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.1 Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

COMPOUND CAS NO. (ug/L or ug/Kg) UG/KG

| 319-84-6alpha-BHC           | 3.4                | 77  |
|-----------------------------|--------------------|-----|
| 319-85-7beta-BHC            | —  3. <del>4</del> | -   |
| 319-86-8delta-BHC           | 3.4<br>3.4         |     |
| 58-89-9gamma-BHC (Lindane)  | 3.4                |     |
| 76-44-8Heptachlor           | —  3.4<br>3.4      |     |
| 309-00-2Aldrin              |                    |     |
|                             | 3.4                |     |
| 1024-57-3Heptachlor epoxide | 3.4                |     |
| 959-98-8Endosulfan I        | 0.25               |     |
| 60-57-1Dieldrin             | 6.6                |     |
| 72-55-94,4'-DDE             | 0.37               | 1 - |
| 72-20-8Endrin               | 0.35               |     |
| 33213-65-9Endosulfan II     | 6.6                |     |
| 72-54-84,4'-DDD             | 0.24               |     |
| 1031-07-8Endosulfan sulfate | 6.6                |     |
| 50-29-3 <b>4</b> ,4'-DDT    | 6.6                | U   |
| 72-43-5Methoxychlor         | 34                 | ĮŪ  |
| 53494-70-5Endrin ketone     | 6.6                | U   |
| 7421-93-4Endrin aldehyde    | 0.40               | JP  |
| 5103-71-9alpha-Chlordane    | 3.4                | ט   |
| 5103-74-2gamma-Chlordane    | 3.4                | ប   |
| 8001-35-2Toxaphene          | 340                |     |
| 12674-11-2Aroclor-1016      |                    |     |
| 11104-28-2Aroclor-1221      | 130                | 1 - |
| 11141-16-5Aroclor-1232      | <u> </u>           | -   |
| 53469-21-9Aroclor-1242      |                    |     |
| 12672-29-6Aroclor-1248      | <del></del>   66   |     |
| 11097-69-1Aroclor-1254      | 66                 |     |
| 11096-82-5Aroclor-1260      | - 66               | 1 - |
|                             | —ı                 | 1   |

# PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FEY83

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829309

Sample wt/vol:

30.0 (g/mL) G

Lab File ID:

% Moisture: 63

decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted: 11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/11/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 7.1

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG Q 4.6 U 319-84-6-----alpha-BHC 4.6 U 319-85-7-----beta-BHC 319-86-8-----delta-BHC 0.30 JP 58-89-9-----gamma-BHC (Lindane) 0.38 J 4.6 U 76-44-8-----Heptachlor

309-00-2-----Aldrin 4.6 U 1024-57-3-----Heptachlor epoxide 0.91 JP 959-98-8-----Endosulfan I 4.6|U 60-57-1-----Dieldrin 0.84 JP 72-55-9-----4,4'-DDE 1.7|JPB 72-20-8-----Endrin 8.9 U 33213-65-9-----Endosulfan II 1.1 JP 72-54-8-----4,4'-DDD 8.9 U 1031-07-8-----Endosulfan sulfate 8.9 U

50-29-3-----4,4'-DDT 0.63 JP 72-43-5-----Methoxychlor 0.85 JP 53494-70-5-----Endrin ketone 8.9 0 8.9 U 7421-93-4-----Endrin aldehyde 5103-71-9-----alpha-Chlordane 4.6 U

5103-74-2----gamma-Chlordane 1.4 JP 8001-35-2-----Toxaphene 460 U 12674-11-2----Aroclor-1016 89 U 180 U 11104-28-2----Aroclor-1221 11141-16-5----Aroclor-1232

53469-21-9-----Aroclor-1242 12672-29-6-----Aroclor-1248 11097-69-1-----Aroclor-1254

89 U 89 U 89 U 89 U 11096-82-5----Aroclor-1260 89 U

FORM I PEST

OLM03.0

1653

EPA SAMPLE NO.

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

FEY89

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829016

Sample wt/vol:

.30.4 (g/mL) g

Lab File ID: GH029016B62

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: 36

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume: 500(uL)

Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS: Number TICs found: 16 (ug/L or ug/Kg) ug/Kg

| CAS NUMBER   | COMPOUND NAME  | RT   | EST. CONC.  | Q  |
|--|--|--|---|--|
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. | ALDOL (BC) UNKNOWN (BC) CYCLOHEXENOL CYCLOHEXENONE UNKNOWN UNKNOWN UNKNOWN ALCOHOL UNKNOWN UNKNOWN AMIDE UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN | 4.92<br>5.16<br>5.59<br>6.17<br>16.76<br>17.90<br>18.67<br>19.74<br>20.15<br>20.25<br>20.30<br>20.79<br>22.18<br>22.30<br>23.35<br>23.84 | 7200<br>340<br>110<br>130<br>180<br>150<br>280<br>410<br>130<br>150 | JAB<br>JB<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J<br>J |
| 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29.                |  |  |   |  |

FORM I SV-TIC

EPA SAMPLE NO.

FEY90

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829315

Sample wt/vol:

30.3 (g/mL) g Lab File ID: G2J29315A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 32 decanted: (Y/N) N Date Extracted:10/27/96

Injection Volume: 2.0(uL)

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/04/96 Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

CONCENTRATION UNITS:

| CAS NO.     |                      | CENTRATION OF<br>/L or ug/Kg) |      | Q             |
|-------------|----------------------|-------------------------------|------|---------------|
|             |                      | <del></del>                   |      | <del></del> - |
| 108-95-2    |                      |                               | 480  | υ             |
|             | bis(2-Chloroethyl)et | her                           | 480  | U             |
| 95-57-8     | 2-Chlorophenol       |                               | 480° | U             |
| 541-73-1    | 1,3-Dichlorobenzene_ |                               | 480  | U             |
| 106-46-7    | 1,4-Dichlorobenzene  |                               | 480  | U             |
| 95-50-1     | 1,2-Dichlorobenzene  | · .                           | 480  | U             |
| 95-48-7     | 2-Methylphenol       | <del></del> -                 | 480  | U             |
| 108-60-1    | 2,2'-oxybis(1-Chloro | propane)                      | 480  | U             |
|             | 4-Methylphenol       | · • ·                         | 480  |               |
| 621-64-7    | N-Nitroso-di-n-propy | [amine]                       | 480  | ប             |
| 67-72-1     | Hexachloroethane     |                               | 480  |               |
|             | Nitrobenzene         |                               | 480  |               |
|             | Isophorone           |                               | 480  |               |
|             | 2-Nitrophenol        | <del></del>                   | 480  |               |
|             | 2,4-Dimethylphenol   |                               | 480  |               |
|             | bis(2-Chloroethoxy)m | ethane                        | 480  |               |
|             | 2,4-Dichlorophenol   | _                             | 480  | Ū             |
| 120-82-1    | 1,2,4-Trichlorobenze | ne e                          | 480  | _             |
|             | Naphthalene          |                               | 480  |               |
| 106-47-8    | 4-Chloroaniline      | <del></del>                   | 480  |               |
|             | Hexachlorobutadiene  | ——I                           | 480  |               |
|             | 4-Chloro-3-methylphe | nol                           | 480  | •             |
|             | 2-Methylnaphthalene  |                               | 480  |               |
| 77-47-4     | Hexachlorocyclopenta | diene                         | 480  |               |
| 88-06-2     | 2,4,6-Trichloropheno | 1                             | 480  |               |
| 95-95-4     | 2,4,5-Trichloropheno | 1                             | 1200 | -             |
| 91-58-7     | 2-Chloronaphthalene  |                               | 480  |               |
| 88-74-4     | 2-Nitroaniline       |                               | 1200 |               |
|             | Dimethylphthalate    |                               | 480  |               |
| 208-96-8    | Acenaphthylene       |                               | 480  |               |
| 606-20-2    | 2,6-Dinitrotoluene   |                               | 480  |               |
| 99-09-2     | 3-Nitroaniline       | <del></del>                   | 1200 |               |
| 83-32-9     | Acenaphthene         | <del></del>                   | 480  |               |
| <del></del> |                      |                               | -45  | _             |
|             |                      |                               |      |               |

FORM I SV-1

O.EOMIO

EPA SAMPLE NO.

FEY90

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

CONCENTRATION UNITS:

SDG No.: FEY80

Matrix: (soil/water) SOIL

30.3 (g/mL) g

Lab Sample ID: 829315

Sample wt/vol:

LOW

Date Received: 10/25/96

Lab File ID: G2J29315A62

% Moisture: 32

Level: (low/med)

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 6.8

|          | · ·                | · · · · · · · · · · · · · · · · · · · | <del>.</del> | <u> </u> |
|----------|--------------------|---------------------------------------|--------------|----------|
|          | 2,4-Dinitropher    | nol                                   | 1200         |          |
|          | 4-Nitrophenol_     | <u> </u>                              | 1200         |          |
|          | Dibenzofuran       |                                       | 480          |          |
| 121-14-2 | 2,4-Dinitrotoly    | iene                                  | 480          |          |
| 84-66-2  | Diethylphthalat    | ce                                    | 480          |          |
|          | 4-Chlorophenyl     | -phenylether                          | 480          |          |
|          | Fluorene           |                                       | 480          |          |
|          | 4-Nitroaniline     |                                       | 1200         |          |
|          | 4,6-Dinitro-2-     |                                       | 1200         |          |
| 86-30-6  | N-nitrosodipher    | nylamine_(1)                          | 480          | U        |
| 101-55-3 | 4-Bromophenyl-p    | phenylether                           | 480          | שׁ       |
| 118-74-1 | Hexachlorobenze    | ene                                   | 480          | U        |
| 87-86-5  | Pentachloropher    | nol                                   | 1200         | U        |
|          | Phenanthrene       |                                       | 480          | U        |
|          | Anthracene         |                                       | 480          | U        |
|          | Carbazole          |                                       | 480          | U        |
|          | Di-n-butylphth     |                                       | 480          | U        |
| 206-44-0 | Fluoranthene       |                                       | 480          | U        |
| 129-00-0 | Pyrene             |                                       | 480          | U        |
| 85-68-7  | Butylbenzylphtl    |                                       | 480          | U        |
| 91-94-1  | 3,3'-Dichlorobe    | enzidine                              | 480          | U        |
| 56-55-3  | Benzo(a) anthrac   | cene                                  | 480          | U        |
| 218-01-9 | Chrysene           |                                       | 480          | U        |
| 117-81-7 | bis(2-Ethylhex     | yl)phthalate                          | 72           | J        |
| 117-84-0 | Di-n-octylphtha    | alate                                 | 480          | U        |
| 205-99-2 | Benzo(b) fluora:   | nthene                                | 480          | U        |
| 207-08-9 | Benzo(k) fluora:   | nthene                                | 480          | U        |
| 50-32-8  | Benzo(a)pyrene     | · · · · · · · · · · · · · · · · · · · | 480          | U        |
| 193-39-5 | Indeno (1, 2, 3-c  | d)pyrene                              | 480          | U        |
| 53-70-3  | Dibenzo (a, h) ant | hracene                               | 480          | ប        |
| 191-24-2 | Benzo(g,h,i)per    | rylene                                | 480          |          |
|          |                    | -                                     | 1            |          |

FORM I SV-2

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY90

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829315

Sample wt/vol:

30.3 (g/mL) g

Lab File ID: G2J29315A62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 32

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 6.8

Number TICs found: 6

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| CAS NUMBER                             | COMPOUND NAME  | RT   | EST. CONC.                             | Q                  |
|--|--|--|--|--------------------|
| 1.<br>2.<br>3.<br>4.<br>5.<br>6.<br>7. | ALDOL (BC) UNKNOWN (BC) CYCLOHEXENONE (BC) UNKNOWN UNKNOWN AMIDE UNKNOWN | 4.54<br>4.76<br>5.76<br>8.23<br>17.50<br>19.84 | 5600<br>330<br>100<br>99<br>100<br>120 | JB<br>JB<br>J<br>J |
| 10.<br>11.<br>12.<br>13.<br>14.<br>15. |  |  |  |                    |
| 18.<br>19.<br>20.<br>21.<br>22.        |  |  |  |                    |
| 24.<br>25.<br>26.<br>27.<br>28.<br>29. |  |  |  |                    |

FORM I SV-TIC

EPA SAMPLE NO.

FEY91

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829316

Sample wt/vol:

Lab Code: COMPU

30.3 (g/mL) g

Lab File ID: G2J29316A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 38

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg

|                                      | -    |     |
|--------------------------------------|------|-----|
| 108-95-2Phenol                       | 530  | ט   |
| 111-44-4bis(2-Chloroethyl)ether      | 530  | Ŭ   |
| 95-57-82-Chlorophenol                | 530  | Ū   |
| 541-73-11,3-Dichlorobenzene          | 530  | Ŭ   |
| 106-46-71,4-Dichlorobenzene          | 530  | Ū   |
| 95-50-11,2-Dichlorobenzene           | 530  | Ū   |
| 95-48-72-Methylphenol                | 530  | Ū   |
| 108-60-12,2'-oxybis(1-Chloropropane) | 530  | Ū   |
| 106-44-54-Methylphenol               | 530  | _   |
| 621-64-7N-Nitroso-di-n-propylamine   | 530  | U   |
| 67-72-1Hexachloroethane              | 530  | _   |
| 98-95-3Nitrobenzene                  | 530  | _   |
| 78-59-1Isophorone                    | 530  |     |
| 88-75-52-Nitrophenol                 | 530  |     |
| 105-67-92,4-Dimethylphenol           | 530  | Ū   |
| 111-91-1bis(2-Chloroethoxy)methane   | 530  | -   |
| 120-83-22,4-Dichlorophenol           | 530  |     |
| 120-82-11,2,4-Trichlorobenzene       | 530  | -   |
| 91-20-3Naphthalene                   | 530  |     |
| 106-47-84-Chloroaniline              | 530  |     |
| 87-68-3Hexachlorobutadiene           | 530  | _   |
| 59-50-74-Chloro-3-methylphenol       | 530  |     |
| 91-57-62-Methylnaphthalene           | 530  | -   |
| 77-47-4Hexachlorocyclopentadiene     | 530  | Ŭ   |
| 88-06-22,4,6-Trichlorophenol         | 530  | Ū   |
| 95-95-42,4,5-Trichlorophenol         | 1300 | -   |
| 91-58-72-Chloronaphthalene           | 530  | Ŭ   |
| 88-74-42-Nitroaniline                | 1300 | Ŭ   |
| 131-11-3Dimethylphthalate            | 530  | Ŭ   |
| 208-96-8Acenaphthylene               | 530  | _   |
| 606-20-22,6-Dinitrotoluene           | 530  |     |
| 99-09-23-Nitroaniline                | 1300 | i – |
| 83-32-9Acenaphthene                  | 530  | Ū   |
|                                      |      |     |
| <del></del>                          |      | ·—— |

FORM I SV-1

EPA SAMPLE NO.

FEY91

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829316

Sample wt/vol:

30.3 (g/mL) g

Lab File ID:

G2J29316A62

Level:

% Moisture: 38

(low/med) LOW Date Received: 10/25/96

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500(山)

Date Analyzed: 11/04/96

Injection Volume:

CAS NO.

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

CONCENTRATION UNITS:

COMPOUND

(ug/L or ug/Kg) ug/Kg

| 51-28-52,4-Dinitrophenol                   | 1300 | U          |
|--|------|------------|
| 100-02-74-Nitrophenol                      | 1300 | ש          |
| 132-64-9Dibenzofuran                       | 530  | שׁ         |
| 121-14-22,4-Dinitrotoluene                 | 530  | ט          |
| 84-66-2Diethylphthalate                    | 530  | ט          |
| 7005-72-34-Chlorophenyl-phenylether        | 530  | ט          |
| 86-73-7Fluorene                            | 530  | ับ         |
| 100-01-64-Nitroaniline                     | 1300 | U          |
| 534-52-14,6-Dinitro-2-methylphenol         | 1300 | ប          |
| 86-30-6N-nitrosodiphenylamine (1)          | 530  | U          |
| 101-55-34-Bromophenyl-phenylether          | 530  | <b>υ</b> . |
| 118-74-1Hexachlorobenzene                  | 530  | lυ         |
| 87-86-5Pentachlorophenol                   | 1300 | lυ         |
| 85-01-8Phenanthrene                        | 530  | שו         |
| 120-12-7Anthracene                         | 530  | lυ         |
| 86-74-8Carbazole                           | 530  | l۳         |
| 84-74-2Di-n-butylphthalate                 | 130  |            |
| 206-44-0Fluoranthene                       | 530  | U          |
| 129-00-0Pyrene                             | 530  | U          |
| 85-68-7Butylbenzylphthalate                | 530  | U          |
| 91-94-13,3 <sup>7</sup> -Dichlorobenzidine | 530  | ប          |
| 56-55-3Benzo (a) anthracene                | 530  | U          |
| 218-01-9Chrysene                           | 530  | บ          |
| 117-81-7bis(2-Ethylhexyl)phthalate         | 60   | J          |
| 117-84-0Di-n-octylphthalate                | 530  | U          |
| 205-99-2Benzo (b) fluoranthene             | 530  | ប          |
| 207-08-9Benzo(k)fluoranthene               | 530  | U          |
| 50-32-8Benzo(a)pyrene                      | 530  | ប          |
| 193-39-5Indeno (1,2,3-cd) pyrene           | 530  | ប          |
| 53-70-3Dibenzo(a,h)anthracene              | 530  | U          |
| 191-24-2Benzo(g,h,i)perylene               | 530  | Ū          |

FORM I SV-2

OLMO3.0

1F

EPA SAMPLE NO.

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

FEY91

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829316

Sample wt/vol: 30.3 (g/mL) g

Lab File ID: G2J29316A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 38 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 13

EST. CONC. CAS NUMBER RT COMPOUND NAME ALDOL (BC) 4.53 3100 JAB 150 JB 260 NJ UNKNOWN (BC) 4.76 3. 149-30-4 2-MERCAPTOBENZOTHIAZOLE 15.22 UNKNOWN 1100 J 16.45 4. 5. UNKNOWN 16.58 440 J 860 J 6. UNKNOWN ESTER 17.62 7. UNKNOWN 17.74 180 J UNKNOWN 8. 17.87 240 J 9. 260 J UNKNOWN 23.42 10. UNKNOWN 23.58 170 J 11. UNKNOWN 24.13 170 J UNKNOWN 12. 24.44 110 J 120 J 13. UNKNOWN 25.55 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.\_ 26.\_ 27.\_ 28.\_ 29.\_ 30.

FORM I SV-TIC

EPA SAMPLE NO.

FEY92

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829017

Sample wt/vol:

.30.2 (g/mL) g

Lab File ID:

GJ029017A62

Level:

(low/med) LOW

Date Received: 10/23/96

% Moisture: 58

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

83-32-9-----Acenaphthene

pH: 6.9

CONCENTRATION UNITS:

0

CAS NO.

COMPOUND

(ug/L or ug/Kg) ug/Kg

780 U 108-95-2----Phenol 780 U 111-44-4-----bis(2-Chloroethyl)ether 95-57-8----2-Chlorophenol 780 U 541-73-1-----1,3-Dichlorobenzene 780 U 780 U 780 U 780 U 780 U 780 U 780 U 780 U 780 U 780 U 780 U 780 U 780 U 780 U 106-46-7-----1,4-Dichlorobenzene 95-50-1------1,2-Dichlorobenzene 95-48-7----2-Methylphenol 108-60-1-----2,2'-oxybis(1-Chloropropane) 106-44-5----4-Methylphenol 621-64-7-----N-Nitroso-di-n-propylamine 67-72-1------Hexachloroethane 98-95-3-----Nitrobenzene 78-59-1------Isophorone 88-75-5-----2-Nitrophenol 105-67-9-----2,4-Dimethylphenol 111-91-1-----bis(2-Chloroethoxy)methane 120-83-2-----2,4-Dichlorophenol 780 U 120-82-1----1,2,4-Trichlorobenzene 91-20-3-----Naphthalene 780 U 106-47-8-----4-Chloroaniline 780 U 87-68-3------Hexachlorobutadiene 780 U 780 U 59-50-7-----4-Chloro-3-methylphenol 91-57-6-----2-Methylnaphthalene 780 U 77-47-4-----Hexachlorocyclopentadiene 780 U 88-06-2-----2,4,6-Trichlorophenol 780 U 95-95-4-----2,4,5-Trichlorophenol 2000 U 91-58-7-----2-Chloronaphthalene 780 U 88-74-4-----2-Nitroaniline 2000 U 131-11-3-----Dimethylphthalate 780 U 208-96-8-----Acenaphthylene 780 U 606-20-2-----2,6-Dinitrotoluene 780 U 99-09-2-----3-Nitroaniline 2000 U

FORM I SV-1

OLM03.0

780 U

EPA SAMPLE NO.

FEY92

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829017

Sample wt/vol:

(30.2 (g/mL) g

Lab File ID:

GJ029017A62

Q

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: 58

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

CAS NO.

2.0 (uL)

COMPOUND

Dilution Factor: 1.0

CONCENTRATION UNITS:

(ug/L or ug/Kg) ug/Kg

GPC Cleanup: (Y/N) Y

50-32-8-----Benzo(a)pyrene\_

193-39-5-----Indeno (1, 2, 3-cd) pyrene

53-70-3-----Dibenzo(a,h)anthracene

(1) - Cannot be separated from Diphenylamine

191-24-2----Benzo(g,h,i)perylene\_

pH: 6.9

|   | 51-28-52,4-Dinitrophenol            | 2000 | U   | ĺ |
|---|-------------------------------------|------|-----|---|
|   | 100-02-74-Nitrophenol               | 2000 | U   | ı |
|   | 132-64-9Dibenzofuran                | 780  | U   |   |
|   | 121-14-22,4-Dinitrotoluene          | 780  | σ   | ĺ |
|   | 84-66-2Diethylphthalate             | 780  | U   |   |
|   | 7005-72-34-Chlorophenyl-phenylether | 780  | U   | ı |
|   | 86-73-7Fluorene                     | 780  | υ   | ĺ |
|   | 100-01-64-Nitroaniline              | 2000 | U   | ĺ |
| : | 534-52-14,6-Dinitro-2-methylphenol  | 2000 | ប   | ĺ |
|   | 86-30-6N-nitrosodiphenylamine (1)   | 780  | U   |   |
|   | 101-55-34-Bromophenyl-phenylether   | 780  | U   | ĺ |
|   | 118-74-1Hexachlorobenzene           | 780  | U   | ĺ |
|   | 87-86-5Pentachlorophenol            | 2000 | ט   |   |
|   | 85-01-8Phenanthrene                 | 780  | U   | ŀ |
|   | 120-12-7Anthracene                  | 780  | ט   |   |
|   | 86-74-8Carbazole                    | 780  |     | ĺ |
|   | 84-74-2Di-n-butylphthalate          | 780  | U   | ĺ |
|   | 206-44-0Fluoranthene                | 37   | J   | ĺ |
|   | 129-00-0Pyrene                      | 60   | J   |   |
|   | 85-68-7Butylbenzylphthalate         | 780  | U   | ĺ |
|   | 91-94-13,3'-Dichlorobenzidine       | 780  | ַ ט | ĺ |
|   | 56-55-3Benzo(a)anthracene           | 780  | U   | ĺ |
|   | 218-01-9Chrysene                    | 780  | U   | ĺ |
|   | 117-81-7bis(2-Ethylhexyl)phthalate  | 780  | U   | ĺ |
|   | 117-84-0Di-n-octylphthalate         | 780  | ָּט |   |
|   | 205-99-2Benzo(b) fluoranthene       | 780  | ប   |   |
|   | 207-08-9Benzo(k) fluoranthene       | 780  | U   | ı |
|   |                                     |      |     |   |

FORM I SV-2

OLM03.0

780 U

780 U

780 U

780 U

### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY92

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829017

Sample wt/vol:

30.2 (g/mL) g

Lab File ID: GJ029017A62

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: 58

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

CONCENTRATION UNITS:

Number TICs found: 31

(ug/L or ug/Kg) ug/Kg

| CAS NUMBER          | COMPOUND NAME                | RT    | EST. CONC.      | Q   |
|---------------------|------------------------------|-------|-----------------|-----|
| (                   | ALDOL (BC)                   | 4.90  | 3800            | TAD |
| 1.<br>2. 55134-07-1 | BENZENE, (1,1,4,6,6-PENTAMET | 16.09 | 180             |     |
| 3.                  | UNKNOWN                      | 16.77 | 1200            |     |
| 4.                  | UNKNOWN                      | 17.39 | 550             |     |
| 5.                  | UNKNOWN                      | 17.93 |                 |     |
| 6.                  | UNKNOWN                      | 18.07 |                 |     |
| 7.                  | UNKNOWN                      | 19.31 |                 |     |
| 8. 511-05-7         | 9(1H)-PHENANTHRENONE, 2,3,4, |       |                 |     |
| 9.                  | UNKNOWN                      | 19.71 |                 |     |
| 10.                 | UNKNOWN                      | 19.87 | 390             | , , |
| 11.                 | UNKNOWN                      | 19.97 | 280             |     |
| 12.                 | UNKNOWN                      | 20.01 |                 |     |
| 13.                 | UNKNOWN                      | 20.04 | -               |     |
| 14.                 | UNKNOWN                      | 20.10 |                 |     |
| 15.                 | UNKNOWN                      | 20.16 |                 |     |
| 16.                 | UNKNOWN                      | 20.33 |                 |     |
| 17.                 | UNKNOWN                      | 20.43 |                 |     |
| 18.                 | UNKNOWN                      | 20.54 |                 |     |
| 19.                 | UNKNOWN                      | 20.63 |                 |     |
| 20.                 | UNKNOWN                      | 20.72 |                 |     |
| 21.                 | UNKNOWN                      | 20.77 |                 |     |
| 22.                 | UNKNOWN                      | 20.86 | 620             | J   |
| 23.                 | UNKNOWN                      | 20.91 | 420             | J   |
| 24.                 | UNKNOWN                      | 20.97 | <del>9</del> 70 | J   |
| 25.                 | UNKNOWN                      | 20.97 | 970             | J   |
| 26.                 | UNKNOWN                      | 21.08 | 370             | J   |
| 27.                 | UNKNOWN                      | 21.23 | 780             | J   |
| 28.                 | UNKNOWN                      | 21.39 | 660             | J   |
| 29.                 | UNKNOWN                      | 21.72 | 1000            | J   |
| 30.                 | UNKNOWN                      | 22.29 | 1300            | J   |
| l                   | -                            | ·     |                 |     |

FORM I SV-TIC

O.EOMAIO

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY92

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829017

Sample wt/vol:

30.2 (g/mL) g

Lab File ID:

GJ029017A62

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: 58

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume:

Number TICs found: 31

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

рН: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

|            | <u> </u>      | -[    | · · · · · · · · · · · · · · · · · · · |               |
|------------|---------------|-------|---------------------------------------|---------------|
| CAS NUMBER | COMPOUND NAME | RT    | EST. CONC.                            | _             |
| 1.         | UNKNOWN _     | 22.99 | 550                                   | J             |
| 2.<br>3.   |               |       |                                       |               |
| 5.         |               |       |                                       |               |
| <b>6.</b>  |               |       |                                       |               |
| 7          |               |       |                                       |               |
| 10.        |               |       |                                       | <del></del>   |
| 12.        |               |       |                                       |               |
| 14.        |               | -     |                                       |               |
| 15.<br>16. |               | -     |                                       |               |
|            |               |       |                                       |               |
| 18.        |               |       |                                       |               |
| 20.        |               |       | <u> </u>                              |               |
| 23.        |               | -     |                                       |               |
| 24.<br>25. |               |       |                                       |               |
| 26.        |               |       |                                       |               |
| 28.        |               |       |                                       | <del></del> - |
| 29.<br>30. |               |       |                                       |               |
|            |               |       |                                       |               |

FORM I SV-TIC

EPA SAMPLE NO.

FEY93

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol:

30.1 (g/mL) g

Lab File ID: GH029018B62

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: 43

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume:

Date Analyzed: 10/26/96

CAS NO.

500 (uL)

Dilution Factor: 1.0

Injection Volume: GPC Cleanup:

(Y/N) Y

2.0(uL)

pH: 6.7

CONCENTRATION UNITS: COMPOUND (ug/L or ug/Kg) ug/Kg

| <u> </u>                             | Υ           | ,                |
|--------------------------------------|-------------|------------------|
| 108-95-2Phenol                       | 580         | ט                |
| 111-44-4bis(2-Chloroethyl)ether      | 580         | ו טו             |
| 95-57-82-Chlorophenol                | 580         | ן ט              |
| 541-73-11,3-Dichlorobenzene          | 580         | ן טו             |
| 106-46-71,4-Dichlorobenzene          | 580         | lů l             |
| 95-50-11,2-Dichlorobenzene           | 580         | ا تا             |
| 95-48-72-Methylphenol                | 580         | l <del>u</del> l |
| 108-60-12,2'-oxybis(1-Chloropropane) | 580         | I - I            |
| 106-44-54-Methylphenol               | 580         |                  |
| 621-64-7N-Nitroso-di-n-propylamine   | 580         | _                |
| 67-72-1Hexachloroethane              | 580         |                  |
| 98-95-3Nitrobenzene                  | 580         |                  |
| 78-59-1Isophorone                    | 580         | _                |
| 88-75-52-Nitrophenol                 | 580         |                  |
| 105-67-92,4-Dimethylphenol           | 580         | ı - I            |
| 111-91-1bis (2-Chloroethoxy) methane | 580         | ا تا             |
| 120-83-22,4-Dichlorophenol           | 580         |                  |
| 120-82-11,2,4-Trichlorobenzene       | 580         | T .              |
| 91-20-3Naphthalene                   | 580         |                  |
| 106-47-84-Chloroaniline              | 580         | ı –              |
| 87-68-3Hexachlorobutadiene           | 580         |                  |
| 59-50-74-Chloro-3-methylphenol       | 580         |                  |
| 91-57-62-Methylnaphthalene           | 580         |                  |
| 77-47-4Hexachlorocyclopentadiene     | 580         | <del> </del>     |
| 88-06-22,4,6-Trichlorophenol         | 580         | l u              |
| 95-95-42,4,5-Trichlorophenol         | 1400        | ا تا             |
| 91-58-72-Chloronaphthalene           |             |                  |
| 88-74-42-Nitroaniline                | 580<br>1400 |                  |
|                                      |             |                  |
| 131-11-3Dimethylphthalate            | 580         | 1 - 1            |
| 208-96-8Acenaphthylene               | 580         |                  |
| 606-20-22,6-Dinitrotoluene           | 580         |                  |
| 99-09-23-Nitroaniline                | 1400        | - 1              |
| 83-32-9Acenaphthene                  | 580         | ן ט              |
|                                      | l           |                  |

FORM I SV-1

EPA SAMPLE NO.

FEY93

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol: .30.1 (g/mL) g Lab File ID: GH029018B62

Level: (low/med) LOW

CONCENTRATION UNITS:

Date Received: 10/23/96

% Moisture: 43 decanted: (Y/N) N Date Extracted:10/24/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.7

| CAS NO.     | COMPOUND                   | (ug/L or ug/                                 | Kg) ug/Kg | <br> |
|-------------|----------------------------|--|-----------|------|
|             | 2,4-Dinitroph              |  | 1400      | U    |
|             | 4-Nitrophenol              |  | 1400      | U    |
|             | Dibenzofuran_              |  | 580       | -    |
| 121-14-2    | 2,4-Dinitroto              | luene  | 580       | U    |
| 84-66-2     | Diethylphthal              | ate  | 580       | U    |
| 7005-72-3   | 4-Chloropheny              | 1-phenylether                                | 580       |      |
| 86-73-7     | Fluorene                   |  | 580       | U    |
|             | 4-Nitroanilin              |  | 1400      | Ŭ    |
|             | 4,6-Dinitro-2              |  | 1400      | U    |
| 86-30-6     | N-nitrosodiph              | enylamine (1)                                | 580       |      |
| 101-55-3    | 4-Bromophenyl              | -phenylether —                               | 580       | U    |
|             | Hexachloroben              |  | 580       | U    |
| 87-86-5     | Pentachloroph              | enol   | 1400      | U    |
|             | Phenanthrene               |  | 580       | U    |
| 120-12-7    | Anthracene $\overline{}$   |  | 580       | Ū    |
|             | Carbazole                  |  | 580       | U    |
| 84-74-2     | Di-n-butylpht              | halate                                       | 580       | υ    |
| 206-44-0    | Fluoranthene               | <del></del>                                  | 61        | J    |
| 129-00-0    | Pyrene                     |  | 170       | J    |
| 85-68-7     | Butylbenzylph              | thalate                                      | 580       | U    |
| 91-94-1     | 3,3 <sup>7</sup> -Dichloro | benzidi <del>ne</del>                        | 580       | U    |
| 56-55-3     | Benzo (a) anthr            | acene  | 580       | U    |
| 218-01-9    | Chrysene                   |  | 580       | Ü    |
| 117-81-7    | bis(2-Ethylhe              | xyl)phthalate                                | 580       | U    |
| 117-84-0    | Di-n-octylpht              | halate                                       | 580       | U    |
| 205-99-2    | Benzo(b) fluor             | anthene                                      | 130       | ХJ   |
| 207-08-9    | Benzo(k) fluor             | anthene                                      | 140       |      |
| 50-32-8     | Benzo (a) pyren            | e <u></u>                                    | 580       | U    |
| 193-39-5    | Indeno (1, 2, 3-           | cd) pyrene                                   | 580       |      |
| 53-70-3     | Dibenzo(a,h)a              | nthracene                                    | 580       |      |
| 191-24-2    | Benzo (g, h, i) p          | erylene                                      | 580       | U    |
| - Cannot be | e separated from D         | <u>                                     </u> |           |      |

FORM I SV-2

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY93

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol:

30.1 (g/mL) g

Lab File ID:

GH029018B62

Level: (low/med)

LOW

Date Received: 10/23/96

% Moisture: 43

decanted: (Y/N) N

Date Extracted: 10/24/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 6.7

Number TICs found: 30

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| CAS NUMBER       | COMPOUND NAME                 | RT    | EST. CONC. | Q  |
|------------------|-------------------------------|-------|------------|----|
| 1.               | ALDOL (BC)                    | 4.92  | 7900       |    |
| $\overline{2}$ . | UNKNOWN CARBOXYLIC ACID       | 15.45 | 860        |    |
| 3.               | UNKNOWN                       | 15.52 | 1200       |    |
| 4.               | UNKNOWN                       | 15.73 | 870        |    |
| 5.               | UNKNOWN                       | 15.99 | 820        |    |
| 6.               | UNKNOWN                       | 18.10 | , 600      |    |
| 7.               | UNKNOWN                       | 18.25 | 350        |    |
| 8.               | UNKNOWN                       | 18.48 |            | J  |
| 9.               | TERPHENYL + UNKNOWN           | 18.53 |            | J  |
| 10.              | UNKNOWN                       | 18.64 | 550        | J  |
| 11.              | UNKNOWN                       | 18.71 | 330        |    |
| 12.              | UNKNOWN                       | 18.79 | 490        |    |
| 13.              | UNKNOWN                       | 18.95 | 360        |    |
| 14.              | UNKNOWN                       | 18.99 | 900        |    |
| 15.              | UNKNOWN                       | 19.10 | 690        |    |
| 16.              | UNKNOWN                       | 19.16 | 320        |    |
| 17.              | UNKNOWN                       | 19.23 | 910        |    |
| 18.              | UNKNOWN                       | 19.33 | 680        |    |
| 19.              | UNKNOWN                       | 19.38 | 600        |    |
| 20.              | UNKNOWN                       | 19.47 | 810        |    |
| 21.              | UNKNOWN                       | 19.53 | 380        |    |
| 22.              | UNKNOWN                       | 19.56 | 310        |    |
| 23.              | UNKNOWN                       | 19.61 | 390        | J  |
| 24.              | UNKNOWN                       | 19.68 | 310        |    |
| 25.              | UNKNOWN                       | 19.73 | 970        |    |
| 26.              | UNKNOWN                       | 19.81 | 420        | J  |
| 27.              | UNKNOWN                       | 19.88 | 700        | J  |
| 28.              | UNKNOWN                       | 19.98 | 420        | J  |
| 29. 54986-63-9   | BENZO[C] PHENANTHRENE, 5,8-DI | 20.04 | 500        | NJ |
| 30.              | UNKNOWN                       | 20.17 | 540        | J  |
| ·                |                               |       |            |    |

FORM I SV-TIC

OLMO3.0

EPA SAMPLE NO.

FEY93RE

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol:

30.1 (g/mL) g

Lab File ID: GJ029018A62

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: 43

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.7

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg

| 108-95-2Phenol                       | 580  | U   |
|--------------------------------------|------|-----|
| 111-44-4bis(2-Chloroethyl)ether      | 580  | U   |
| 95-57-82-Chlorophenol                | 580  | ប   |
| 541-73-11,3-Dichlorobenzene          | 580  | U   |
| 106-46-71,4-Dichlorobenzene          | 580  | ซ   |
| 95-50-11,2-Dichlorobenzene           | 580  | U   |
| 95-48-72-Methylphenol                | 580  | U   |
| 108-60-12,2'-oxybis(1-Chloropropane) | 580  | ប   |
| 106-44-54-Methylphenol               | 580  | ט   |
| 621-64-7N-Nitroso-di-n-propylamine   | 580  | שׁ  |
| 67-72-1Hexachloroethane              | 580  | 1   |
| 98-95-3Nitrobenzene                  | 580  | Ū   |
| 78-59-1Isophorone                    | 580  | Ū   |
| 88-75-52-Nitrophenol                 | 580  | Ū   |
| 105-67-92,4-Dimethylphenol           | 580  | Ū   |
| 111-91-1bis (2-Chloroethoxy) methane | 580  |     |
| 120-83-22,4-Dichlorophenol           | 580  |     |
| 120-82-11,2,4-Trichlorobenzene       | 580  | -   |
| 91-20-3Naphthalene                   | 580  | -   |
| 106-47-84-Chloroaniline              | 580  | -   |
| 87-68-3Hexachlorobutadiene           | 580  |     |
| 59-50-74-Chloro-3-methylphenol       | 580  | -   |
| 91-57-62-Methylnaphthalene           |      | -   |
| 77-47-4Hexachlorocyclopentadiene     | 580  | -   |
| 88-06-22,4,6-Trichlorophenol         |      | ΰ   |
| 95-95-42,4,5-Trichlorophenol         | 1400 | Ü   |
| 91-58-72-Chloronaphthalene           | 580  | -   |
| 88-74-42-Nitroaniline                | 1400 | 1 ~ |
| 131-11-3Dimethylphthalate            | 580  | -   |
| 208-96-8Acenaphthylene               | 580  | l - |
| 606-20-22,6-Dinitrotoluene           | 580  | T   |
| 99-09-23-Nitroaniline                | 1400 | -   |
| 83-32-9Acenaphthene                  | 580  | _   |
|                                      |      | ۱   |
|                                      |      | '   |

FORM I SV-1

EPA SAMPLE NO.

FEY93RE

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol: 30.1 (g/mL) g

Lab File ID: GJ029018A62

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: 43 decanted: (Y/N) N Date Extracted:10/24/96

Concentrated Extract Volume: 500(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

CONCENTRATION UNITS:

GPC Cleanup: (Y/N) Y pH: 6.7

| CAS NO.   | COMPOUND (ug/L or ug         | g/Kg) ug/Kg  | Q  |
|-----------|------------------------------|--------------|----|
| 51-28-5   | 2,4-Dinitrophenol            | 1400         | IJ |
| 100-02-7  | 4-Nitrophenol                | 1400         | U  |
|           | Dibenzofuran                 | 580          | ប  |
|           | 2,4-Dinitrotoluene           | 580          | U  |
| 84-66-2   | Diethylphthalate             | 580          | U  |
| 7005-72-3 | 4-Chlorophenyl-phenylether   | 580          | U  |
| 86-73-7   | Fluorene                     | 580          | U  |
| 100-01-6  | 4-Nitroaniline               | 1400         | U  |
| 534-52-1  | 4,6-Dinitro-2-methylphenol   | 1400         | U  |
| 86-30-6   | N-nitrosodiphenylamine_(1)   | 580          | υ  |
| 101-55-3  | 4-Bromophenyl-phenylether    | 580          | σ  |
| 118-74-1  | Hexachlorobenzene            | 580          | שׁ |
|           | Pentachlorophenol            | 1400         |    |
|           | Phenanthrene                 | T 580        | Ü  |
| 120-12-7  | Anthracene                   | 580          | บั |
|           | Carbazole                    | 580          |    |
| 84-74-2   | Di-n-butylphthalate          | 580          |    |
|           | Fluoranthene                 | 580          |    |
| 129-00-0  |                              | 94           |    |
| 85-68-7   | Butylbenzylphthalate         | 580          |    |
| 91-94-1   | 3,3'-Dichlorobenzidine       | 580          |    |
| 56-55-3   | Benzo (a) anthracene         | 580          |    |
|           | Chrysene                     | 81           |    |
| 117-81-7  | bis(2-Ethylhexyl)phthalate   | 80           |    |
| 117-84-0  | Di-n-octylphthalate          | 580          |    |
| 205-99-2  | Benzo (b) fluoranthene       | 72           |    |
| 207-08-9  | Benzo(k) fluoranthene        | 65           |    |
|           | Benzo(a) pyrene              | 580          |    |
|           | Indeno (1, 2, 3-cd) pyrene   | 580          |    |
| 53-70-3   | Dibenzo(a,h) anthracene      | - 580<br>580 |    |
| 191-24-2  | Benzo(g,h,i)perylene         | 580          |    |
|           | separated from Diphenylamine | _            |    |

FORM I SV-2

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY93RE

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol:

30.1 (g/mL) g

Lab File ID: GJ029018A62

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: 43

decanted: (Y/N) N

Date Extracted:10/24/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.7

Number TICs found: 30

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

| 1. ALDOL (BC) 4.91 4900 2. UNKNOWN 15.33 770 3. UNKNOWN 15.36 420 4. 57~10~3 HEXADECANOIC ACID 15.44 680 5. UNKNOWN 15.73 740 6. UNKNOWN 15.73 740 7. UNKNOWN 15.85 460 8. UNKNOWN 15.88 470 9. UNKNOWN 15.97 410 10. UNKNOWN 15.97 410 11. UNKNOWN 16.11 510 11. UNKNOWN 16.17 400 12. UNKNOWN 16.17 400 12. UNKNOWN 16.27 550 13. UNKNOWN 16.76 490 14. UNKNOWN 17.40 650 15. UNKNOWN 17.40 650 15. UNKNOWN 19.72 1200 17. UNKNOWN 19.72 1200 17. UNKNOWN 19.72 1200 17. UNKNOWN 19.96 480 19. UNKNOWN 19.96 480 19. UNKNOWN 19.96 480 19. UNKNOWN 20.15 780 20. UNKNOWN 20.55 700 21. UNKNOWN 20.55 700 22. UNKNOWN 20.63 1100 22. UNKNOWN 20.63 1100 22. UNKNOWN 20.97 790 23. UNKNOWN 20.97 790 25. UNKNOWN 21.38 1400 27. UNKNOWN 21.38 1400 27.  | NUMBER | COMPOUND NAME | RT    | EST. CONC. | Q   |
|---|--------|---------------|-------|------------|-----|
| 2.  |        |               |       |            | JAB |
| 3.  |        |               |       |            | J   |
| 4. 57-10-3       HEXADECANOIC ACID       15.44       680         5.       UNKNOWN       15.50       1000         6.       UNKNOWN       15.73       740         7.       UNKNOWN       15.85       460         8.       UNKNOWN       15.88       470         9.       UNKNOWN       15.97       410         10.       UNKNOWN       16.11       510         11.       UNKNOWN       16.17       400         12.       UNKNOWN       16.27       550         13.       UNKNOWN       16.76       490         14.       UNKNOWN       17.40       650         15.       UNKNOWN       19.72       1200         17.       UNKNOWN       19.87       510         18.       UNKNOWN       19.87       510         18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.97       790         24.       UNKNOWN       20.97       790  | 1      |               |       |            | -   |
| 5.       UNKNOWN       15.50       1000         6.       UNKNOWN       15.73       740         7.       UNKNOWN       15.85       460         8.       UNKNOWN       15.88       470         9.       UNKNOWN       15.97       410         10.       UNKNOWN       16.11       510         11.       UNKNOWN       16.17       400         12.       UNKNOWN       16.27       550         13.       UNKNOWN       16.76       490         14.       UNKNOWN       17.40       650         15.       UNKNOWN       19.72       1200         16.       UNKNOWN       19.87       510         18.       UNKNOWN       19.87       510         18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.97       790         24.       UNKNOWN       20.97       790         25.       UNKNOWN       21.38       1400   | 1      |               |       |            |     |
| 6. UNKNOWN 15.73 740 7. UNKNOWN 15.85 460 8. UNKNOWN 15.88 470 9. UNKNOWN 15.97 410 10. UNKNOWN 16.11 510 11. UNKNOWN 16.17 400 12. UNKNOWN 16.27 550 13. UNKNOWN 16.76 490 14. UNKNOWN 17.40 650 15. UNKNOWN 18.07 690 16. UNKNOWN 19.72 1200 17. UNKNOWN 19.87 510 18. UNKNOWN 19.87 510 18. UNKNOWN 19.87 510 18. UNKNOWN 19.96 480 19. UNKNOWN 19.96 480 19. UNKNOWN 20.15 780 20. UNKNOWN 20.55 700 21. UNKNOWN 20.63 1100 22. UNKNOWN 20.63 1100 22. UNKNOWN 20.63 1100 23. UNKNOWN 20.86 600 24. UNKNOWN 20.97 790 25. UNKNOWN 20.97 790 26. UNKNOWN 20.97 790 26. UNKNOWN 21.38 1400 27. UNKNOWN 21.38 1400 27.   |        |               |       |            | J   |
| 7. UNKNOWN 15.85 460 8. UNKNOWN 15.88 .470 9. UNKNOWN 15.97 410 10. UNKNOWN 16.11 510 11. UNKNOWN 16.17 400 12. UNKNOWN 16.76 490 14. UNKNOWN 16.76 490 15. UNKNOWN 17.40 650 15. UNKNOWN 18.07 690 16. UNKNOWN 19.72 1200 17. UNKNOWN 19.87 510 18. UNKNOWN 19.87 510 18. UNKNOWN 19.96 480 19. UNKNOWN 19.96 480 19. UNKNOWN 20.15 780 20. UNKNOWN 20.55 700 21. UNKNOWN 20.63 1100 22. UNKNOWN 20.63 1100 22. UNKNOWN 20.63 1100 23. UNKNOWN 20.63 1100 24. UNKNOWN 20.97 790 25. UNKNOWN 20.97 790 26. UNKNOWN 20.97 790 26. UNKNOWN 21.38 1400 27. UNKNOWN 21.38 1400 27.  | מט     | NKNOWN        |       |            | J   |
| 8.       UNKNOWN       15.88       470         9.       UNKNOWN       15.97       410         10.       UNKNOWN       16.11       510         11.       UNKNOWN       16.17       400         12.       UNKNOWN       16.27       550         13.       UNKNOWN       16.76       490         14.       UNKNOWN       17.40       650         15.       UNKNOWN       18.07       690         16.       UNKNOWN       19.72       1200         17.       UNKNOWN       19.87       510         18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.15       780         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.63       1100         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930  | מט     | NKNOWN        |       |            | J   |
| 9. UNKNOWN 15.97 410 10. UNKNOWN 16.11 510 11. UNKNOWN 16.17 400 12. UNKNOWN 16.27 550 13. UNKNOWN 16.76 490 14. UNKNOWN 17.40 650 15. UNKNOWN 18.07 690 16. UNKNOWN 19.72 1200 17. UNKNOWN 19.87 510 18. UNKNOWN 19.87 510 18. UNKNOWN 19.96 480 19. UNKNOWN 20.15 780 20. UNKNOWN 20.55 700 21. UNKNOWN 20.55 700 21. UNKNOWN 20.63 1100 22. UNKNOWN 20.63 1100 22. UNKNOWN 20.63 1100 23. UNKNOWN 20.77 760 24. UNKNOWN 20.97 790 25. UNKNOWN 20.97 790 26. UNKNOWN 20.97 790 26. UNKNOWN 21.38 1400 27. UNKNOWN 21.38 1400 27.  | מטן    | NKNOWN        |       | . 470      | J . |
| 10.   | מט     | NKNOWN        |       | 410        | J   |
| 12.   | מט     | NKNOWN        |       | 510        | J   |
| 13.       UNKNOWN       16.76       490         14.       UNKNOWN       17.40       650         15.       UNKNOWN       18.07       690         16.       UNKNOWN       19.72       1200         17.       UNKNOWN       19.87       510         18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.77       760         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       20.97       790         26.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930  | מט     | NKNOWN        | 16.17 | 400        | J   |
| 14.       UNKNOWN       17.40       650         15.       UNKNOWN       18.07       690         16.       UNKNOWN       19.72       1200         17.       UNKNOWN       19.87       510         18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.77       760         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       20.97       790         26.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930  | מט     | NKNOWN        | 16.27 | 550        | J   |
| 15.   | UI     | NKNOWN        | 16.76 | 490        | J   |
| 16.       UNKNOWN       19.72       1200         17.       UNKNOWN       19.87       510         18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.77       760         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       20.97       790         26.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930  | עט     | NKNOWN        | 17.40 | 650        | J   |
| 17.       UNKNOWN       19.87       510         18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.77       760         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       20.97       790         26.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930   | UI     | NKNOWN        | 18.07 | 690        | J   |
| 18.       UNKNOWN       19.96       480         19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.77       760         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       20.97       790         26.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930   | UI     | NKNOWN        | 19.72 | 1200       | J   |
| 19.       UNKNOWN       20.15       780         20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.77       760         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       20.97       790         26.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930   | ינט    | NKNOWN        | 19.87 | 510        | J   |
| 20.       UNKNOWN       20.55       700         21.       UNKNOWN       20.63       1100         22.       UNKNOWN       20.77       760         23.       UNKNOWN       20.86       600         24.       UNKNOWN       20.97       790         25.       UNKNOWN       20.97       790         26.       UNKNOWN       21.38       1400         27.       UNKNOWN       21.73       930   | TU U   | NKNOWN        | 19.96 | 480        | J   |
| 21.   UNKNOWN   20.63   1100   22.   UNKNOWN   20.77   760   23.   UNKNOWN   20.86   600   24.   UNKNOWN   20.97   790   25.   UNKNOWN   20.97   790   26.   UNKNOWN   21.38   1400   27.   UNKNOWN   21.73   930   27.   | UI     | NKNOWN        |       | 780        | J   |
| 22.   UNKNOWN   20.77   760 | UI)    | NKNOWN        | 20.55 | 700        | J   |
| 23.   | UI)    | NKNOWN        |       |            |     |
| 24.     UNKNOWN     20.97     790       25.     UNKNOWN     20.97     790       26.     UNKNOWN     21.38     1400       27.     UNKNOWN     21.73     930  | UN     | NKNOWN        | 20.77 |            | J   |
| 25.     UNKNOWN     20.97     790       26.     UNKNOWN     21.38     1400       27.     UNKNOWN     21.73     930  | UN     | NKNOWN        | 20.86 | 600        | J   |
| 26.     UNKNOWN     21.38     1400       27.     UNKNOWN     21.73     930  | UN     | NKNOWN        | 20.97 | 790        | J   |
| 27. UNKNOWN 21.73 930   | UN     | NKNOWN        |       | 790        | J   |
|   |        |               |       |            | J   |
| 00  |        |               |       |            | J   |
|   |        | NKNOWN        | 21.99 | 1200       |     |
|   |        |               |       |            | J   |
| 30. UNKNOWN   22.99   1000  | ן עזו  | NKNOWN .      | 22.99 | 1000       | J   |

FORM I SV-TIC

0.E0MIO

EPA SAMPLE NO.

FEY94

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

30.0 (g/mL) g

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab File ID: GJ029020A62

Sample wt/vol:

Level: (low/med)

Date Received: 10/23/96

% Moisture: 31

LOW

decanted: (Y/N) N

Date Extracted:10/24/96

Lab Sample ID: 829020

Concentrated Extract Volume:

CAS NO.

500 (uL)

Date Analyzed: 10/26/96

Injection Volume:

2.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

CONCENTRATION UNITS:

COMPOUND

(ug/L or ug/Kg) ug/Kg

| 108-95-2Phenol                       | 480  | ט              |
|--------------------------------------|------|----------------|
| 111-44-4bis(2-Chloroethyl)ether      | 480  | 1 ~            |
| 95-57-82-Chlorophenol                | 480  | l <del>-</del> |
| 541-73-11,3-Dichlorobenzene          | 480  |                |
| 106-46-71,4-Dichlorobenzene          | 480  | Ιΰ             |
| 95-50-11,2-Dichlorobenzene           | 480  | -              |
| 95-48-72-Methylphenol                | 480  |                |
| 108-60-12,2'-oxybis(1-Chloropropane) | 480  |                |
| 106-44-54-Methylphenol               | 480  | , -            |
| 621-64-7N-Nitroso-di-n-propylamine   | 480  | -              |
| 67-72-1Hexachloroethane              | 480  | 1 -            |
| 98-95-3Nitrobenzene                  |      |                |
|                                      | 480  |                |
| 78-59-1Isophorone                    | 480  | <u>ט</u>       |
| 88-75-52-Nitrophenol                 | 480  | Ŭ              |
| 105-67-92,4-Dimethylphenol           | 480  | ŭ              |
| 111-91-1bis(2-Chloroethoxy)methane   | 480  | _              |
| 120-83-22,4-Dichlorophenol           | 480  | _              |
| 120-82-11,2,4-Trichlorobenzene       | 480  | 1              |
| 91-20-3Naphthalene                   | 480  | 1 -            |
| 106-47-84-Chloroaniline              | 480  | 1 -            |
| 87-68-3Hexachlorobutadiene           | 480  | U              |
| 59-50-74-Chloro-3-methylphenol       | 480  | U              |
| 91-57-62-Methylnaphthalene           | 480  | ט              |
| 77-47-4Hexachlorocyclopentadiene     | 480  | Ψ              |
| 88-06-22,4,6-Trichlorophenol         | 480  | יטן            |
| 95-95-42,4,5-Trichlorophenol         | 1200 | שׁ             |
| 91-58-72-Chloronaphthalene           | 480  | Ü              |
| 88-74-42-Nitroaniline                | 1200 | ı ט            |
| 131-11-3Dimethylphthalate            | 480  | υ u            |
| 208-96-8Acenaphthylene               | 480  | Ι <del>ΰ</del> |
| 606-20-22,6-Dinitrotoluene           | 480  | Ιŭ             |
| 99-09-23-Nitroaniline                | 1200 | ١.             |
| 83-32-9Acenaphthene                  | 480  | l –            |

FORM I SV-1

OLMO3.0

EPA SAMPLE NO.

FEY94

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Concentrated Extract Volume:

Lab Sample ID: 829020

Sample wt/vol:

30.0 (g/mL) g

Lab File ID:

GJ029020A62

Date Received: 10/23/96

Level: (low/med) LOW

% Moisture: 31

decanted: (Y/N) N

500 (uL)

Date Extracted:10/24/96

Injection Volume: 2.0(uL)

Date Analyzed: 10/26/96

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

CAS NO. COMPOUND

pH: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Q

| 51-28-5   | 2,4-Dinitrophenol        |         | 1200 |   |
|-----------|--------------------------|---------|------|---|
| 100-02-7  | 4-Nitrophenol            |         | 1200 |   |
| 132-64-9  | Dibenzofuran             |         | 480  |   |
| 121-14-2  | 2,4-Dinitrotoluene_      |         | 480  |   |
| 84-66-2   | Diethylphthalate         |         | 480  |   |
| 7005-72-3 | 4-Chlorophenyl-pheny     | ylether | 480  |   |
|           | Fluorene                 |         | 480  |   |
|           | 4-Nitroaniline           |         | 1200 |   |
| 534-52-1  | 4,6-Dinitro-2-methy      | lphenol | 1200 |   |
| 86-30-6   | N-nitrosodiphenylam      | ine_(1) | 480  |   |
| 101-55-3  | 4-Bromophenyl-pheny      | lether  | 480  |   |
|           | Hexachlorobenzene        |         | 480  |   |
| 87-86-5   | Pentachlorophenol        |         | 1200 |   |
| 85-01-8   | Phenanthrene             |         | 480  |   |
| 120-12-7  | Anthracene               |         | 480  | U |
| 86-74-8   | Carbazole                |         | 480  |   |
| 84-74-2   | Di-n-butylphthalate      |         | 480  |   |
|           | Fluoranthene             |         | 480  |   |
| 129-00-0  | Pyrene                   |         | 480  | U |
| 85-68-7   | Butylbenzylphthalate     | e       | 480  | U |
| 91-94-1   | 3,3'-Dichlorobenzid      | ine     | 480  | - |
| 56-55-3   | Benzo (a) anthracene_    |         | 480  |   |
| 218-01-9  | Chrysene                 |         | 480  |   |
| 117-81-7  | bis(2-Ethylhexyl)ph      | thalate | 60   |   |
| 117-84-0  | Di-n-octylphthalate      |         | 480  | U |
| 205-99-2  | Benzo(b) fluoranthen     | e       | 480  |   |
| 207-08-9  | Benzo(k) fluoranthen     | e       | 480  |   |
| 50-32-8   | Benzo (a) pyrene         |         | 480  | U |
| 193-39-5  | Indeno (1, 2, 3-cd) pyre | ene     | 480  | U |
| 53-70-3   | Dibenzo (a, h) anthrac   | ene     | 480  |   |
| 191-24-2  | Benzo(g,h,i)perylen      | e       | 480  | U |

FORM I SV-2

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY94

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

LOW

Lab File ID: GJ029020A62

Sample wt/vol:

30.0 (g/πL) g

Date Received: 10/23/96

Level: (low/med)

decanted: (Y/N) N

Lab Sample ID: 829020

% Moisture: 31

Date Extracted:10/24/96

Concentrated Extract Volume: 500 (uL) Date Analyzed: 10/26/96

Injection Volume:

2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y

pH: 6.9

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 8

| CAS NUMBER                                      | COMPOUND NAME                         | RT            | EST. CONC.    | Q           |
|---|---------------------------------------|---------------|---------------|-------------|
| <del></del>                                     |                                       |               |               |             |
| 1.  | ALDOL (BC)                            | 4.91          |               |             |
| 2.  | UNKNOWN (BC)                          | 5.15          |               |             |
| 3.  | UNKNOWN                               | 7.07          | 100           |             |
| 4.  | UNKNOWN CARBOXYLIC ACID               | 15.42         | 100           | J [         |
| 5.  | LABORATORY ARTIFACT                   | 18.06         | 97            |             |
| 6.  | UNKNOWN AMIDE                         | 20.13         | 100           | J           |
| 7.  | UNKNOWN                               | 20.29         | 100           | lj l        |
| . 8 <b>.</b>                                    | UNKNOWN                               | 25.43         |               |             |
| 9.<br>10.                                       | · · · · · · · · · · · · · · · · · · · | <b></b>       |               |             |
| 10.   | <u> </u>                              |               |               | <del></del> |
| 1 11.   |                                       |               |               |             |
| 12  | <del></del>                           |               |               |             |
| 13.   | <del></del>                           |               | [ <del></del> | <del></del> |
| 17.   |                                       | <del></del>   | <del></del>   | <del></del> |
| 14.   |                                       |               |               | l           |
| 1 II I  | <u> </u>                              |               | <u> </u>      | J[          |
| 10  | <del></del>                           | l             | <del></del>   | ļ           |
| <del>                                    </del> |                                       | ļ <del></del> |               | ]           |
| 10.   |                                       | i             |               |             |
| 12.   |                                       |               |               | <u> </u>    |
| 20.   |                                       |               |               | <u></u>     |
|   |                                       | i             |               | ll          |
|   |                                       | l             |               | l           |
|   |                                       |               |               |             |
|   |                                       |               |               |             |
|   |                                       |               |               |             |
| 20.   |                                       |               |               |             |
| 27  |                                       |               | <del></del>   |             |
| 28.   |                                       | <del></del>   |               |             |
| 28.   | ·                                     | I ——          | <del></del>   | <b> </b>    |
| 30.   |                                       | <del></del>   | <del></del>   |             |
|   |                                       | <u> </u>      | <del></del>   |             |
| J   | l                                     | !             |               |             |

FORM I SV-TIC

OLMO3.0

FEZ01

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829317

Sample wt/vol: 30.3 (g/mL) g Lab File ID: GD029317C62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: 55 decanted: (Y/N) N Date Extracted:10/27/96

Concentrated Extract Volume: 500 (uL) Date Analyzed: 11/04/96

Injection Volume: 2.0(uL) Dilution Factor: 4.0

GPC Cleanup: (Y/N) Y pH: 6.8

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/Kg Q

| 51-28-5                  | 2,4-Dinitropher    | , <sub>01</sub> | 7300  | [             |
|--------------------------|--------------------|-----------------|-------|---------------|
|                          | 4-Nitrophenol      |                 | 7300  |               |
|                          | Dibenzofuran       |                 | 2900  |               |
|                          | 2,4-Dinitrotolu    | ene             | 2900  |               |
| 84-66-2                  | Diethylphthalat    |                 | 2900  | -             |
| 7005-72-3                | 4-Chlorophenyl-    | phenylether     | 2900  |               |
|                          | Fluorene           |                 | 9200  |               |
|                          | 4-Nitroaniline     |                 | 7300  |               |
|                          | 4,6-Dinitro-2-π    | ethylphenol     | 7300  |               |
| 86-30-6                  | N-nitrosodipher    | vlamine (1)—    | 2900  |               |
| 101-55-3                 | 4-Bromophenyl-r    | henvlether      | 2900  |               |
|                          | Hexachlorobenze    |                 | 2900  |               |
|                          | Pentachloropher    |                 | 7300  |               |
| 85-01-8                  | Phenanthrene       |                 | 21000 |               |
| 120-12-7                 | Anthracene         |                 | 5000  | ·             |
|                          | Carbazole          |                 | 2900  | <del>  </del> |
|                          | Di-n-butylphtha    | late            | 2900  | , ,           |
| 206-44-0                 | Fluoranthene       |                 | 8500  |               |
| 129-00-0                 |                    |                 | 11000 |               |
|                          | Butylbenzylphth    | alate           | 2900  |               |
| 91-94-7                  | 3,3'-Dichlorobe    | nzidine         | 2900  |               |
| 26-22-3                  | Benzo (a) anthrac  | inzitutile      | 4200  |               |
| 218-01-9                 | Chrysene           |                 | 4900  | <del></del>   |
| 210-01-3<br>117-01-7     | bis(2-Ethylhexy    | (l\phthalata    | 400   |               |
| 117-81-7                 | Dis(2-Ecnytheky    | 1.pholiatace    | 2900  |               |
| 777-04-0                 | Benzo(b) fluoran   | thene           | 4200  |               |
| 203-33-2                 | Benzo(k) fluoran   | thone           | 4700  |               |
|                          | Benzo (a) pyrene   | rememe          | 3300  |               |
|                          | Indeno (1, 2, 3-cd | l nicene        | 720   |               |
| 193~39~3~~~~<br>53_70_3_ | Dibenzo(a,h)ant    | hascene         |       |               |
| 33-70 <b>-</b> 3         | Persola h ilant    | uracene         | 2900  |               |
| 131-24-2                 | Benzo(g,h,i)per    | Arene           | ` 580 | ا ۱           |

FORM I SV-2

OLM03.0

1166A

EPA SAMPLE NO.

FEZ01

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829317

Sample wt/vol:

30.3 (g/mL) g

Lab File ID: GD029317C62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 55

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL)

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 4.0

CONTINUED A DECAR ENTERC.

GPC Cleanup: (Y/N) Y pH: 6.8

|          | CONCENTRATI                  |                 |             |
|----------|------------------------------|-----------------|-------------|
| CAS NO.  | COMPOUND (ug/L or ug         | /Kg) ug/Kg      | Q           |
|          |                              |                 |             |
| _        | _                            |                 | ľ           |
| 108-95-2 |                              | 2900            |             |
|          | bis(2-Chloroethyl)ether      | 2900            |             |
| 95-57-8  | 2-Chlorophenol               | 2900            | ן טן        |
| 541-73-1 | 1,3-Dichlorobenzene          | 2900            | U           |
| 106-46-7 | 1,4-Dichlorobenzene          | 2900            | ט           |
| 95-50-1  | 1,2-Dichlorobenzene          | 2900            | ן טן        |
| 95-48-7  | 2-Methylphenol               | 2900            | U           |
| 108-60-1 | 2,2'-oxybis(1-Chloropropane) | 2900            | U           |
| 106-44-5 | 4-Methylphenol               | 2900            | ן טן        |
| 621-64-7 | N-Nitroso-di-n-propylamine   | 2900            | lu l        |
| 67-72-1  | Hexachloroethane             | 2900            |             |
| 98-95-3  | Nitrobenzene                 | 2900            | ן ט         |
|          | Isophorone                   | 2900            |             |
|          | 2-Nitrophenol                | 2900            |             |
|          | 2,4-Dimethylphenol           | 2900            |             |
| 111-91-1 | bis(2-Chloroethoxy) methane  | 2900            |             |
|          | 2,4-Dichlorophenol           | 2900            |             |
|          | 1,2,4-Trichlorobenzene       | 2900            |             |
|          | Naphthalene                  | 6700            | l I         |
|          | 4-Chloroaniline              | 2900            |             |
|          | Hexachlorobutadiene          | 2900            | 1 - 1       |
|          | 4-Chloro-3-methylphenol      | 2900            | Ū           |
|          | 2-Methylnaphthalene          | 8000            |             |
| 77-47-4  | Hexachlorocyclopentadiene    | 2900            | <u> </u>    |
|          | 2,4,6-Trichlorophenol        | 2900            |             |
| 95-95-4  | 2,4,5-Trichlorophenol        | 7300            |             |
| 91-58-7  | 2-Chloronaphthalene          | 2900            | 1 -         |
|          | 2-Nitroaniline               | 7300            |             |
|          | Dimethylphthalate            | 2900            |             |
| 208-96-8 | Acenaphthylene               | 7300            |             |
|          | 2,6-Dinitrotoluene           | 2900            |             |
|          | 3-Nitroaniline               | 7300            |             |
|          | Acenaphthene                 | 8800            |             |
|          |                              |                 | <del></del> |
| ·        |                              | · · <del></del> | · ——— ·     |

FORM I SV-1

OLM03.0

1166B

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEZ01

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829317

Sample wt/vol:

30.3 (g/mL) g

Lab File ID: GD029317C62

Level: (low/med)

LOW

Date Received: 10/25/96

% Moisture: 55

decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume:

500 (uL)

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

Dilution Factor: 4.0

GPC Cleanup: (Y/N) Y pH: 6.8

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/Kg

Number TICs found: 30

| CAS NUMBER                              | COMPOUND NAME          | RT    | EST. CONC. | Q |
|---|------------------------|-------|------------|---|
| ======================================= |                        |       | 7300       |   |
| 1.                                      | ALDOL (BC)             | 4.51  |            |   |
| 2.                                      | UNKNOWN                |       | 15000      |   |
| 3.                                      | UNKNOWN                |       | 18000      |   |
| 4.                                      | UNKNOWN                | 7.28  |            |   |
| 5.                                      | UNKNOWN PAH            | 9.80  |            |   |
| 6. 15220-85-6                           |                        |       |            |   |
| 7.                                      | 1-METHYLNAPHTHALENE    | 10.05 |            |   |
| 8.                                      | UNKNOWN                | 10.10 |            | J |
| 9.                                      | UNKNOWN                | 10.21 |            |   |
| 10.                                     | ETHYLNAPHTHALENE       | 10.81 |            |   |
| 11.                                     | UNKNOWN PAH            | 12.42 |            |   |
| 12.                                     | UNKNOWN                | 12.57 | 1600       | J |
| 13.                                     | UNKNOWN PAH            | 12.83 |            |   |
| 14.                                     | UNKNOWN                | 13.30 | 3100       | J |
| 15.                                     | METHYLFLUORENE         | 13.36 | 7400       | J |
| 16.                                     | METHYLFLUORENE         | 13.42 | 3300       | J |
| 17.                                     | UNKNOWN                | 13.52 | .4700      | J |
| 18.                                     | UNICNOWN               | 13.60 |            | J |
| 19.                                     | UNKNOWN                | 13.66 |            |   |
| 20. 2444-68-0                           | ANTHRACENE, 9-ETHENYL- | 14.51 |            |   |
| 21.                                     | METHYLANTHRACENE       | 14.83 |            |   |
| 22.                                     | METHYLPHENANTHRENE     | 14.87 |            |   |
| 23.                                     | UNKNOWN PAH            | 15.00 | 7300       |   |
| 24.                                     | METHYLPHENANTHRENE     | 15.04 |            |   |
| 25.                                     | PHENYLNAPHTHALENE      | 15.33 |            |   |
| 26.                                     | UNKNOWN PAH            | 16.13 |            |   |
| 27.                                     | BENZOFLUORENE          | 16.89 |            |   |
| 28.                                     | BENZOPYRENE            | 20.09 | 1800       |   |
| 29.                                     | BENZOFLUORANTHENE      | 20.34 |            |   |
| 29.<br>30.                              | UNKNOWN                | 21.50 | 1700       | _ |
| J                                       | OTITIONIA              | 21.50 | 1700       | ٦ |
|   |                        | l     |            |   |

FORM I SV-TIC

EPA SAMPLE NO.

FEZ02

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829318

Sample wt/vol:

30.1 (g/mL) g

Lab File ID: GH029318A62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: 40 decanted: (Y/N) N

Date Extracted:10/27/96

Concentrated Extract Volume: 500(uL)

CAS NO.

Date Analyzed: 11/04/96

Injection Volume: 2.0(uL)

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

| CONCENTRATION | Units:      |
|---------------|-------------|
| (ug/L or ug/K | ig) ug/Kg Q |

| 108-95-2Phenol                       | 550          | ש                |
|--------------------------------------|--------------|------------------|
| 111-44-4bis(2-Chloroethyl)ether      | 550          | l <del>u</del> l |
| 95-57-82-Chlorophenol                | 550          | l <del>u</del> l |
| 541-73-11,3-Dichlorobenzene          | 550          | lữ l             |
| 106-46-71,4-Dichlorobenzene          | 550          | -                |
| 95-50-11,2-Dichlorobenzene           | 550          | -                |
| 95-48-72-Methylphenol                | 550          |                  |
| 108-60-12,2'-oxybis(1-Chloropropane) |              |                  |
| 106-44-54-Methylphenol               | 550          |                  |
| 621-64-7N-Nitroso-di-n-propylamine   |              |                  |
| 67-72-1Hexachloroethane              | 550          |                  |
| 98-95-3Nitrobenzene                  | 550          | I - I            |
| 78-59-1Isophorone                    | 550          |                  |
| 88-75-52-Nitrophenol                 | 550          |                  |
| 105-67-92,4-Dimethylphenol           | . 550<br>550 |                  |
| lll-91-1bis(2-Chloroethoxy)methane   | .1           | I - I            |
| 120 02 0                             | 550          |                  |
| 120-83-22,4-Dichlorophenol           | 550          | 4 -              |
| 120-82-11,2,4-Trichlorobenzene       | 550          | 1                |
| 91-20-3Naphthalene                   | 550          | _                |
| 106-47-84-Chloroaniline              | 550          |                  |
| 37-68-3Hexachlorobutadiene           | 550          |                  |
| 59-50-74-Chloro-3-methylphenol       | 550          |                  |
| 21-57-62-Methylnaphthalene           | 550          | _                |
| 77-47-4Hexachlorocyclopentadiene     | 550          |                  |
| 38-06-22,4,6-Trichlorophenol         | 550          |                  |
| 95-95-42,4,5-Trichlorophenol         | 1400         |                  |
| 91-58-72-Chloronaphthalene           | 550          | 1 .              |
| 88-74-42-Nitroaniline                | 1400         | 1 -              |
| 31-11-3Dimethylphthalate             | 550          | U                |
| 208-96-8Acenaphthylene               | 82           | , -              |
| 606-20-22,6-Dinitrotoluene           | 550          | [U               |
| 99-09-23-Nitroaniline                | 1400         | ן שן             |
| 33-32-9Acenaphthene                  | 550          | ן שן             |

FORM I SV-1

EPA SAMPLE NO.

FEY84

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829310

Sample wt/vol:

30.0 (g/mL) G

Lab File ID:

% Moisture: 67

decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/11/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG CAS NO. COMPOUND

| 319-84-6alpha-BHC           | 2.9  | JР  |
|-----------------------------|------|-----|
| 319-85-7beta-BHC            | 5.2  | ט   |
| 319-86-8delta-BHC           | 2.6  | JP  |
| 58-89-9gamma-BHC (Lindane)  | 0.67 | J₽  |
| 76-44-8Heptachlor           | 5.2  |     |
| 309-00-2Aldrin              | 2.4  |     |
| 1024-57-3Heptachlor epoxide | 5.2  |     |
| 959-98-8Endosulfan I        | 5.2  |     |
| 60-57-1Dieldrin             | 10   |     |
| 72-55-94,4'-DDE             | . 10 |     |
| 72-20-8Endrin               | 10   |     |
| 33213-65-9Endosulfan II     | 10   | Ū   |
| 72-54-84,4'-DDD             | 10   |     |
| 1031-07-8Endosulfan sulfate | 10   |     |
| 50-29-34,4'-DDT             | 20   |     |
| 72-43-5Methoxychlor         | 52   |     |
| 53494-70-5Endrin ketone     | 18   |     |
| 7421-93-4Endrin aldehyde    | 10   |     |
| 5103-71-9alpha-Chlordane    | 5.2  |     |
| 5103-74-2gamma-Chlordane    | 5.2  |     |
| 8001-35-2Toxaphene          | 520  | U   |
| 12674-11-2Aroclor-1016      | 100  |     |
| 11104-28-2Aroclor-1221      | 200  | ט   |
| 11141-16-5Aroclor-1232      | 100  | 1 - |
| 53469-21-9Aroclor-1242      | 100  | I - |
| 12672-29-6Aroclor-1248      | 100  | j - |
| 11097-69-1Aroclor-1254      | 100  | 1 - |
| 11096-82-5Aroclor-1260      | 100  | 1 - |

FORM I PEST

EPA SAMPLE NO.

FEY85

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Case No.: 25093

SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829311

Sample wt/vol:

Lab Code: COMPU

30.0 (g/mL) G

Lab File ID:

% Moisture: 58

decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/11/96

Injection Volume:

CAS NO.

2.0 (uL)

COMPOUND

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y

pH: 6.9

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG Q

| 319-84-6alpha-BHC           | 4.0  | U    |
|-----------------------------|------|------|
| 319-85-7beta-BHC            | 4.0  | שׁ   |
| 319-86-8delta-BHC           | 4.0  | lυ   |
| 58-89-9gamma-BHC (Lindane)  | 4.0  |      |
| 76-44-8Heptachlor           | 0.51 | JВ   |
| 309-00-2Aldrin              | 4.0  | U    |
| 1024-57-3Heptachlor epoxide | 4.0  | ט    |
| 959-98-8Endosulfan I        | 4.0  | U    |
| 60-57-1Dieldrin             | 7.8  | U    |
| 72-55-94,4'-DDE             | 0.78 | JPB  |
| 72-20-8Endrin               | 7.8  | ן ש. |
| 33213-65-9Endosulfan II     | 7.8  | U    |
| 72-54-84,4'-DDD             | 7.8  | บ    |
| 1031-07-8Endosulfan sulfate | 7.8  | υ    |
| 50-29-34,4'-DDT             | 7.8  |      |
| 72-43-5Methoxychlor         | 40   |      |
| 53494-70-5Endrin ketone     | 7.8  |      |
| 7421-93-4Endrin aldehyde    | 7.8  |      |
| 5103-71-9alpha-Chlordane    | 4.0  |      |
| 5103-74-2gamma-Chlordane    | 4.0  |      |
| 8001-35-2Toxaphene          | 400  |      |
| 12674-11-2Aroclor-1016      | 78   | 4 -  |
| 11104-28-2Aroclor-1221      | 160  |      |
| 11141-16-5Aroclor-1232      | 78   |      |
| 53469-21-9Aroclor-1242      | 78   |      |
| 12672-29-6Aroclor-1248      | 78   | 1 -  |
| 11097-69-1Aroclor-1254      | 78   | 1 -  |
| 11096-82-5Aroclor-1260      | T 78 | เบ   |

FORM I PEST

OLM03.0

1674

30.0 (g/mL) G

EPA SAMPLE NO.

FEY86

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Sample wt/vol:

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829312

racity. (boil) water, boil

% Moisture: 48 decanted: (Y/N) N Date Received: 10/25/96

Lab File ID:

Extraction: (SepF/Cont/Sonc) SONC Date Extracted:11/05/96

Extraction: (Sept., cont., Soile) Soile

Concentrated Extract Volume: 5000(uL) Date Analyzed: 11/11/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9 Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:
CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG Q

| r          |                     | , i.g, 00, i.e. 2   |
|------------|---------------------|---------------------|
| 319-84-6   | alpha-BHC           | 3.3 U               |
| 319-85-7   | beta-BHC            | 3.3 0               |
|            | delta-BHC           | 3.3 U               |
|            | gamma-BHC (Lindane) | 3.3 U               |
| 76-44-8    | Heptachlor          | 0.13 JPB            |
| 309-00-2   | Aldrin              | 3.3 U               |
|            | Heptachlor epoxide  | 3.3 U               |
| 959-98-8   | Endosulfan I        | 3.3 0               |
| 60-57-1    |                     | 6.3 U               |
|            | 4,4'-DDE            | 6.3 U               |
| 72-20-8    |                     | 6.3 U               |
|            | Endosulfan II       | 6.3 0               |
|            | 4,4'-DDD            | 6.3 U               |
| 1031-07-8  | Endosulfan sulfate  | 6.3 U               |
| 50-29-3    |                     | 6.3 U               |
|            | Methoxychlor        | 33 0                |
| 53494-70-5 | Endrin ketone       | 6.3 0               |
| 7421-93-4  | Endrin aldehyde     | 6.3 U               |
| 5103-71-9  | alpha-Chlordane     | 3.3 0               |
| 5103-74-2  | gamma-Chlordane     | 3.3 0               |
| 8001-35-2  | Toxaphene           | 330 0               |
|            | Aroclor-1016        | 63 l <del>u</del>   |
|            | Aroclor-1221        | 130 0               |
|            | Aroclor-1232        | 63 U                |
|            | Aroclor-1242        | ์   63   บ          |
|            | Aroclor-1248        | 63 U                |
|            | Aroclor-1254        | 63 U                |
|            | Aroclor-1260        | l 63 l <del>u</del> |

FORM I PEST

EPA SAMPLE NO.

FEY87

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829313

Sample wt/vol:

30.0 (g/mL) G

Lab File ID:

% Moisture: 64

decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:11/05/96

Concentrated Extract Volume:

5000 (uL)

Date Analyzed: 11/11/96

Injection Volume:

2.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG

| CAS NO.    | COMPOUND         | (ug/L or ug/ |     | Q    |
|------------|------------------|--------------|-----|------|
| 319-84-6   | alpha-BHC        |              | 4.7 | U    |
| 319-85-7   |                  |              | 4.7 | U    |
| 319-86-8   | delta-BHC        |              | 4.7 | U    |
| 58-89-9    | gamma-BHC (Linda | ne)          | 4.7 | U    |
|            | Heptachlor       |              | 4.7 |      |
| 309-00-2   | Aldrin           |              | 4.7 |      |
| 1024-57-3  | Heptachlor epoxi | .de          | 4.7 | U    |
| 959-98-8   | Endosulfan I     |              | 4.7 | י סו |
| 60-57-1    |                  | · "·         | 9.2 |      |
| 72-55-9    | 4,4'-DDE         |              | 9.2 |      |
| 72-20-8    |                  |              | 9.2 |      |
| 33213-65-9 | Endosulfan II    | <del>-</del> | 9.2 |      |
| 72-54-8    |                  |              | 9.2 |      |
| 1031-07-8  | Endosulfan sulfa | ite          | 9.2 |      |
| 50-29-3    |                  |              | 9.2 |      |
| 72-43-5    | Methoxychlor     |              | 47  |      |
| 53494-70-5 | Endrin ketone    |              | 9.2 |      |
|            | Endrin aldehyde  |              | 9.2 |      |
|            | alpha-Chlordane  |              | 4.7 |      |
| 5103-74-2  | gamma-Chlordane  |              | 4.7 |      |
| 8001-35-2  | Toxaphene        |              | 470 | שו   |
|            | Aroclor-1016     |              | 92  | U    |
| 11104-28-2 | Aroclor-1221     |              | 190 | ש    |
|            | Aroclor-1232     |              | 92  |      |
|            | Aroclor-1242     |              | 92  | שׁ   |
|            | Aroclor-1248     |              | 92  | שׁ   |
|            | Aroclor-1254     | <del></del>  | 92  | lυ   |
|            | Aroclor-1260     | -            | 92  |      |
| 11036-82-3 | ATOCTOL-1760     |              | 92  | U    |

FORM I PEST

EPA SAMPLE NO.

FEY88

Q

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829314

Sample wt/vol:

 $30.0 \, (g/mL) \, G$ 

Lab File ID:

% Moisture: 71

decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/11/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG

| ·  |                 |   |
|--|-----------------|---|
| 319-84-6alpha-BHC                              | 5.9             | U |
| 319-85-7beta-BHC                               | اوُ. 5          | - |
| 319-86-8delta-BHC                              | -  5.5 <br>5.9  | _ |
| 58-89-9gamma-BHC (Lindane)                     | -  5 <u>.</u> 5 |   |
| 76-44-8Heptachlor                              | - 0.35          | _ |
| 309-00-2Aldrin                                 | -  °5.5         |   |
| 1024-57-3Heptachlor epoxide                    | اوَ. 5          | _ |
| 959-98-8Endosulfan I                           | - -<br>  5.9    |   |
| 60-57-1Dieldrin                                | - ii            |   |
| 72-55-94,4'-DDE                                | -  11           |   |
| 72-20-8Endrin                                  | -  11           | _ |
| 33213-65-9Endosulfan II                        | 11              | _ |
|  | -   11          |   |
| 72-54-84,4'-DDD<br>1031-07-8Endosulfan sulfate | -   11          | - |
|  | -  11           | _ |
| 50-29-34,4'-DDT                                |                 |   |
| 72-43-5Methoxychlor                            | 59              |   |
| 53494-70-5Endrin ketone                        | 11              | _ |
| 7421-93-4Endrin aldehyde                       |                 | _ |
| 5103-71-9alpha-Chlordane                       | 0.64            |   |
| 5103-74-2gamma-Chlordane                       | 5.9             |   |
| 8001-35-2Toxaphene                             | 590             |   |
| 12674-11-2Aroclor-1016                         | 110             | _ |
| 11104-28-2Aroclor-1221                         | 230             |   |
| 11141-16-5Aroclor-1232                         |                 | _ |
| 53469-21-9Aroclor-1242                         | 110             | _ |
| 12672-29-6Aroclor-1248                         | 110             | - |
| 11097-69-1Aroclor-1254                         | 110             | U |
| 11096-82-5Aroclor-1260                         | 110             | U |
|  |                 |   |
|  |                 |   |

FORM I PEST

EPA SAMPLE NO.

FEY89

Lab Name: COMPUCHEM ENV. CORP.

Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829016

Sample wt/vol:

30.1 (g/mL) G

Lab File ID:

% Moisture: 36

decanted: (Y/N) N

Date Received: 10/23/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted: 10/24/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/01/96

Injection Volume:

2.0 (uL)

Dilution Factor: 1.0

GPC Cleanup:

(Y/N) Y pH: 6.9

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

CAS NO.

COMPOUND

(ug/L or ug/Kg) UG/KG 0

| 319-84-6alpha-BHC           | 2.6  |            |
|-----------------------------|------|------------|
| 319-85-7beta-BHC            | 2.6  |            |
| 319-86-8delta-BHC           | 0.20 | JPB        |
| 58-89-9gamma-BHC (Lindane)  | 2.6  | lυ         |
| 76-44-8Heptachlor           | 2.6  | U          |
| 309-00-2Aldrin              | 2.6  | U          |
| 1024-57-3Heptachlor epoxide | 2.6  | U          |
| 959-98-8Endosulfan I        | 2.6  | ט          |
| 60-57-1Dieldrin             | 5.1  | U          |
| 72-55-94,4'-DDB             | 5.1  | U          |
| 72-20-8Endrin               | 5.1  | U          |
| 33213-65-9Endosulfan II     | 5.1  | U          |
| 72-54-84,4'-DDD             | 0.20 | JP         |
| 1031-07-8Endosulfan sulfate | 5.1  | Įυ         |
| 50-29-34,4'-DDT             | 5.1  |            |
| 72-43-5Methoxychlor         |      | U          |
| 53494-70-5Endrin ketone     | 5.1  |            |
| 7421-93-4Endrin aldehyde    | 0.62 | JΡ         |
| 5103-71-9alpha-Chlordane    | 2.6  | ַ <b>ט</b> |
| 5103-74-2gamma-Chlordane    | 2.6  |            |
| 8001-35-2Toxaphene          |      |            |
| 12674-11-2Aroclor-1016      |      | U          |
| 11104-28-2Aroclor-1221      |      |            |
| 11141-16-5Aroclor-1232      | 51   | ַ ט        |
| 53469-21-9Aroclor-1242      | 51   | U          |
| 12672-29-6Aroclor-1248      | 51   | U          |
| 11097-69-1Aroclor-1254      | 51   | U          |
| 11096-82-5Aroclor-1260      | 51   | lu         |

FORM I PEST

EPA SAMPLE NO.

FEY90

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829315

Sample wt/vol:

30.0 (g/mL) G

Lab File ID:

% Moisture: 32 decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/12/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG

| · · · · · · · · · · · · · · · · · · · | <del></del>  |     |
|---------------------------------------|--------------|-----|
| 319-84-6alpha-BHC                     | 2.5          | U   |
| 319-85-7beta-BHC                      | 2.5          |     |
| 319-86-8delta-BHC                     | 2.5          | Ū   |
| 58-89-9gamma-BHC (Lindane)            | 2.5          |     |
| 76-44-8Heptachlor                     | 0.11         |     |
| 309-00-2Aldrin                        | 2.5          |     |
| 1024-57-3Heptachlor epoxide           | 2.5          |     |
| 959-98-8                              |              |     |
| 60-57-1Dieldrin                       | —  4.8       | -   |
| 72-55-94,4'-DDE                       | — 4.8        |     |
| 72-20-8Endrin                         | 4.8          |     |
| 33213-65-9Endosulfan II               | — 4.8<br>4.8 |     |
| <del></del>                           |              |     |
| 72-54-84,4'-DDD                       | 4.8          | 1 . |
| 1031-07-8Endosulfan sulfate           | 4.8          |     |
| 50-29-34,4'-DDT                       | 4.8          |     |
| 72-43-5Methoxychlor                   | 25           |     |
| 53494-70-5Endrin ketone               | 4.8          |     |
| 7421-93-4Endrin aldehyde              | 4.8          |     |
| 5103-71-9alpha-Chlordane              | 2.5          |     |
| 5103-74-2gamma-Chlordane              | 2.5          |     |
| 8001-35-2Toxaphene                    | 250          |     |
| 12674-11-2Aroclor-1016                | 48           |     |
| 11104-28-2Aroclor-1221                | 98           |     |
| 11141-16-5Aroclor-1232                | 48           | ]ប  |
| 53469-21-9Aroclor-1242                | 48           | U   |
| 12672-29-6Aroclor-1248                | 48           | U   |
| 11097-69-1Aroclor-1254                | 48           | υ   |
| 11096-82-5Aroclor-1260                | 48           | U   |
|                                       |              | l   |
|                                       |              |     |

FORM I PEST

EPA SAMPLE NO.

FEY91

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829316

Sample wt/vol:

30.0 (g/mL) G

Lab File ID:

% Moisture: 38 decanted: (Y/N) N

Date Received: 10/25/96

٠,٠

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted: 11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/12/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

CAS NO.

COMPOUND

(ug/L or ug/Kg) UG/KG

| 210-04-6-            |                       | 1 2  |     |
|----------------------|-----------------------|--|-----|
| 317-84-6<br>310 0E 7 | alpha-BHC<br>beta-BHC | _ 2.7<br>2.7                               |     |
|                      | delta-BHC             |  |     |
|                      |                       | 2.7  |     |
|                      | gamma-BHC (Lindane)   | 2.7  |     |
|                      | Heptachlor_           | 0.26                                       |     |
| 309-00-2             | AIGIII                | $\begin{bmatrix} 2.7 \\ 2.7 \end{bmatrix}$ |     |
| 1024-57-3            | Heptachlor epoxide    | _ 2.7                                      |     |
|                      | Endosulfan I          | 2.7  |     |
| 20 EE 0              | Dieldrin              | 5.3  |     |
|                      | 4,4'-DDB              | 0.15                                       | 2   |
| 72-20-8 <i>-</i>     |                       | _  5.3                                     |     |
|                      | Endosulfan II         | 5.3  |     |
| /2-54-8              | 4,4'-DDD              | 5.3  |     |
|                      | Endosulfan sulfate    | 5.3  | U   |
|                      | 4,4'-DDT              | 5.3  | ļ U |
|                      | Methoxychlor          |  |     |
|                      | Endrin ketone         | 5.3  |     |
| 7421-93-4            | Endrin aldehyde       | 5.3  |     |
| 5103-71-9            | alpha-Chlordane       | 2.7  |     |
|                      | gamma-Chlordane       | 2.7  |     |
|                      | Toxaphene             | 270  |     |
|                      | Aroclor-1016          | 53   | 4 - |
|                      | Aroclor-1221          | 110  |     |
|                      | Aroclor-1232          | 53   |     |
|                      | Aroclor-1242          | 53   |     |
|                      | Aroclor-1248          | 53   |     |
|                      | Aroclor-1254          | 53   |     |
| 11096-82-5           | Aroclor-1260          | 53   | U   |

FORM I PEST

EPA SAMPLE NO.

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829017

Sample wt/vol: 30.3 (g/mL) G Lab File ID:

% Moisture: 58 decanted: (Y/N) N Date Received: 10/23/96

Extraction: (SepF/Cont/Sonc) SONC Date Extracted:10/24/96

Concentrated Extract Volume: 5000(uL) Date Analyzed: 11/01/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.9 Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG Q 319-84-6-----alpha-BHC 4.0 U 319-85-7-----beta-BHC 4.0 U 319-86-8-----delta-BHC 0.43 JPB 4.0 U 4.0 U 58-89-9-----gamma-BHC (Lindane) 76-44-8------Heptachlor 309-00-2-----Aldrin 4.0 U 1024-57-3-----Heptachlor epoxide 4.0 U 959-98-8-----Endosulfan I 4.0 U 60-57-1-----Dieldrin 7.8 U 72-55-9-----4,4'-DDE 0.81 JP 72-20-8-----Endrin 7.8 U 33213-65-9-----Endosulfan II\_ 7.8 U 72-54-8-----4,4'-DDD 3.6 JP 1031-07-8-----Endosulfan sulfate 1.5 JP 50-29-3-----4,4'-DDT 7.8 U 72-43-5-----Methoxychlor 2.1 JP 53494-70-5----Endrin ketone 7.8 U 7421-93-4-----Endrin aldehyde 1.6 JP 5103-71-9-----alpha-Chlordane 4.0 U 5103-74-2----gamma-Chlordane 0.26 JP 8001-35-2-----Toxaphene 400 U 12674-11-2----Aroclor-1016 78 U 11104-28-2----Aroclor-1221 160 U 11141-16-5-----Aroclor-1232 78 U 53469-21-9-----Aroclor-1242 78 U 12672-29-6-----Aroclor-1248 78 U 11097-69-1-----Aroclor-1254 78 U 11096-82-5-----Aroclor-1260 78 U

FORM I PEST

EPA SAMPLE NO.

FEY93

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829018

Sample wt/vol:

30.2 (q/mL) G

Lab File ID:

% Moisture: 43 decanted: (Y/N) N

Date Received: 10/23/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted: 10/24/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/01/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.7

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

0

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG 319-84-6-----alpha-BHC\_ 3.0 0 319-85-7-----beta-BHC 3.0 U 319-86-8-----delta-EHC 3.0 0 58-89-9-----gamma-BHC (Lindane) 0.26 JP 3.0 U 3.0 U 3.0 U 3.0 U 0.38 JP 0.93 JP 0.23 JP 5.8 U 3.7 J 5.8 U 0.98 J 76-44-8-----Heptachlor 309-00-2-----Aldrin 1024-57-3-----Heptachlor epoxide\_ 959-98-8-----Endosulfan I 60-57-1-----Dieldrin 72-55-9-----4,4'-DDE 72-20-8-----Endrin 33213-65-9-----Endosulfan II 72-54-8-----4,4'-DDD 1031-07-8-----Endosulfan sulfate 50-29-3-----4,4'-DDT\_ 72-43-5----Methoxychlor 30 0 53494-70-5----Endrin ketone 5.8 U 7421-93-4-----Endrin aldehyde 1.1 JP 5103-71-9----alpha-Chlordane 0.31 JP 5103-74-2----gamma-Chlordane 0.45 JP 8001-35-2-----Toxaphene 300 U 12674-11-2----Aroclor-1016 58 U 11104-28-2----Aroclor-1221 120 U 11141-16-5-----Aroclor-1232 58 U 53469-21-9-----Aroclor-1242 58 U 12672-29-6-----Aroclor-1248 58 U 11097-69-1-----Aroclor-1254 58 U 11096-82-5-----Aroclor-1260

FORM I PEST

OLM03.0

58 U

EPA SAMPLE NO.

FEZ01

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY80

Matrix: (soil/water) SOIL

Lab Sample ID: 829317

Sample wt/vol:

30.0 (g/mL) G

Lab File ID:

% Moisture: 55

decanted: (Y/N) N

Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted: 11/05/96

Concentrated Extract Volume: 5000(uL)

Date Analyzed: 11/12/96

Injection Volume: 2.0(uL)

CAS NO.

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8

Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG

| 319-84-6alpha-BHC           | 1 3.81 | U  |
|-----------------------------|--------|----|
| 319-85-7beta-BHC            | 3.8    |    |
| 319-86-8delta-BHC           | 3.8    |    |
| 58-89-9gamma-BHC (Lindane)  | 3.8    | _  |
| 76-44-8Heptachlor           | 3.8    |    |
| 309-00-2Aldrin              | 3.8    |    |
| 1024-57-3Heptachlor epoxide | 3.8    |    |
| 959-98-8Endosulfan I        | 0.98   |    |
| 60-57-1Dieldrin             | 7.3    |    |
| 72-55-94,4'-DDB             |        | Ŭ  |
| 72-20-8Endrin               | - I    | Ū  |
| 33213-65-9Endosulfan II     | 1.8    |    |
| 72-54-84.4'-DDD             |        | U  |
| 1031-07-8Endosulfan sulfate |        | _  |
| 50-29-34,4'-DDT             |        | Ŭ  |
| 72-43-5Methoxychlor         |        | Ŭ  |
| 53494-70-5Endrin ketone     |        | Ŭ  |
| 7421-93-4Endrin aldehyde    |        | JΡ |
| 5103-71-9alpha-Chlordane    | 2.0    |    |
| 5103-74-2gamma-Chlordane    |        |    |
| 8001-35-2Toxaphene          |        | บั |
| 12674-11-2Aroclor-1016      |        | Ŭ  |
| 11104-28-2Aroclor-1221      | 1      | -  |
| 11141-16-5Aroclor-1232      |        | Ŭ  |
| 53469-21-9Aroclor-1242      | 1      | บั |
| 12672-29-6Aroclor-1248      |        | บั |
| 11097-69-1Aroclor-1254      | . 1    | JР |
| 11096-82-5Aroclor-1260      |        | U  |
|                             |        |    |

FORM I PEST

EPA SAMPLE NO.

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004 FEZ02

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829318

Sample wt/vol: 30.0 (g/mL) G Lab File ID:

% Moisture: 40 decanted: (Y/N) N Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL) Date Analyzed: 11/11/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 6.8 Sulfur Cleanup: (Y/N) N

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG Q

| CAS NO.    | COMPOUND (ug/L Of   | . ug/kg)      | OG/ NG | Q   |
|------------|---------------------|---------------|--------|-----|
| 319-84-6   | alpha-BHC           |               | 2.8    | 11  |
| 319-85-7   | beta-BHC            |               | 2.8    |     |
| 319-86-8   | delta-BHC           |               | 2.8    |     |
| 58-89-9    | gamma-BHC (Lindane) | <u> </u>      | 2.8    |     |
| 76-44-8    | Heptachlor          |               | 2.8    |     |
| 309-00-2   | Aldrin              | <del></del>   | 2.8    |     |
| 1024-57-3  | Heptachlor epoxide  | <del></del> } | 2.8    |     |
| 959-98-8   | Endosulfan I        | <del></del>   | 2.8    |     |
|            | Dieldrin            | \             | 5.5    |     |
|            | 4,4'-DDE            |               | 0.51   |     |
| 72-20-8    |                     | <u> </u>      | 5.5    |     |
|            | Endosulfan II       | <u> </u>      | 5.5    |     |
|            | 4,4'-DDD            | <u> </u>      | 5.5    |     |
|            | Endosulfan sulfate  | <del></del>   | 5.5    |     |
|            | 4,4'-DDT            | <del></del>   | 5.5    | lΰ  |
| 72-43-5    | Methoxychlor        | <u> </u>      | 28     | lΰ  |
| 53494-70-5 | Endrin ketone       | <del></del>   | 5.5    |     |
|            | Endrin aldehyde     | <del></del> ( | 5.5    | υ   |
|            | alpha-Chlordane     |               | 2.8    |     |
|            | gamma-Chlordane     | <del></del>   | 2.8    |     |
| 8001-35-2  | Toxaphene           |               | 280    |     |
| 12674-11-2 | Aroclor-1016        | <del></del>   | 55     |     |
| 11104-28-2 | Aroclor-1221        |               | 110    |     |
|            | Aroclor-1232        |               | 55     |     |
|            | Aroclor-1242        |               | 55     |     |
| 12672-29-6 | Aroclor-1248        |               | 55     |     |
|            | Aroclor-1254        |               | 55     |     |
|            | Aroclor-1260        |               | 55     | • ' |

FORM I PEST

EPA SAMPLE NO.

FEZ03

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY80

Matrix: (soil/water) SOIL Lab Sample ID: 829319

Sample wt/vol: 30.0 (g/mL) G Lab File ID:

% Moisture: 42 decanted: (Y/N) N Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SONC Date Extracted:11/05/96

Concentrated Extract Volume: 5000(uL) Date Analyzed: 11/11/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) Y pH: 7.9 Sulfur Cleanup: (Y/N) N

CAS NO. COMPOUND CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG

| 319-84-6   | alpha-BHC           | 2.9        | U   |
|------------|---------------------|------------|-----|
| 319-85-7   |                     | 2.9        |     |
| 319-86-8   | delta-BHC           | 2.9        | Ü   |
| 58-89-9    | gamma-BHC (Lindane) | 2.9        | U   |
| 76-44-8    | Heptachlor          | 2.9<br>2.9 | Ū   |
| 309-00-2   | Aldrin              | 2.9        | Ü   |
|            | Heptachlor epoxide  | 2.9        |     |
| 959-98-8   | Endosulfan I        | 2.9        | U   |
| 60-57-1    | Dieldrin            | 5.7        |     |
| 72-55-9    | 4,4'-DDE            | 5.7        |     |
| 72-20-8    | Endrin              | 0.25       | JPB |
| 33213-65-9 | Endosulfan II       | 5.7        | Ţ   |
| 72-54-8    | 4,4'-DDD            | 5.7        | U   |
| 1031-07-8  | Endosulfan sulfate  | 5.7        | U   |
| 50-29-3    | 4,4'-DDT            | 5.7        | U   |
| 72-43-5    | Methoxychlor        | 29         | U   |
| 53494-70-5 | Endrin ketone       | 5.7        | U   |
| 7421-93-4  | Endrin aldehyde     | 5.7        | U   |
| 5103-71-9  | alpha-Chlordane     | 2.9        | U   |
| 5103-74-2  | gamma-Chlordane     | 2.9        | บ   |
| 8001-35-2  | Toxaphene           | 290        | U   |
|            | Aroclor-1016        | 57         | U   |
|            | Aroclor-1221        | 120        |     |
|            | Aroclor-1232        | 57         | ש   |
|            | Aroclor-1242        | 57         | ט   |
|            | Aroclor-1248        | 57         |     |
|            | Aroclor-1254        | 57         |     |
| 11096-82-5 | Aroclor-1260        | 57         | שו  |

FORM I PEST



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6 HOUSTON BRANCH 10625 FALLSTONE RD. HOUSTON, TEXAS 77099

#### MEMORANDUM

Date:

11-19-1996

Subject:

Contract Laboratory Program Data Review

From:

Melvin L. Ritter, ESAT RPO, 6MD-HC

To:

B. Canellas , 6SF-RA

Site: STAR LAKE CANAL

Case#: 25093

> -

SDG#: <u>FE-Y95</u>

The EPA Region 6 Houston Branch ESAT data validation team has completed a review of the submitted Contract Laboratory Program (CLP) data package for the referenced site. The samples analyzed and reviewed are detailed in the attached Regional data review and assessment report for this case.

The data package was found to be:

- (X) Acceptable: No major problems with data package.
- () Provisional: Use of data requires caution.

  Data is acceptable for Regional use. Problems are noted in the review report.
- ( ) Unacceptable: Some or all of data should not be used. Problems are noted in the review report.

Questions regarding the data review report can be addressed to me

Attachments

cc: R. Flores, Region 6 CLP/TPO

M. El-feky, Region 6 Data Coordinator

Files (2)



#### LOCKHEED MARTIN SERVICES GROUP 10101 Southwest Freeway, Suite 500 HOUSTON, TX 77074

#### MEMORANDUM

DATE: November 14, 1996

TO: Dr. Melvin Ritter, ESAT RPO, Region VI

FROM: Dr. Tom C. H. Chiang, ESAT ETM, Region VI

SUBJECT: CLP Data Review

REF: TDF # 6-7041A

ESAT # 0-1763

Attached is the data review summary for Case # 25093

SDG # FEY95

Site Star Lake Canal

#### COMMENTS:

I. CONTRACTUAL ASSESSMENT OF DATA PACKAGE

The hardcopy review detected the following contractual non-compliance which was not reported by CCS.

No Custody seal was present on the CSF data package (OLM03.0, F-9, 2.7.14 and 2.7.15).

II. TECHNICAL/USABILITY ASSESSMENT OF THE DATA PACKAGE

A total of 441 results were reviewed for this data package. The data package is technically acceptable.

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 6 HOUSTON BRANCH 10625 FALLSTONE ROAD HOUSTON, TEXAS 77099

#### ORGANIC REGIONAL DATA ASSESSMENT

| CASE NO. 25093  LABORATORY COMPU  CONTRACT# 68-D5-0004  SDG# FEY95  SOW# RAS SOW OLM03.2  ACCT# 7FAXJN10 SF# FAXUZZ   | SITE Star Lake Canal  NO. OF SAMPLES 5  MATRIX Water  REVIEWER (IF NOT ESD) ESAT  REVIEWER'S NAME Maria Missler  COMPLETION DATE November 14, 1996 |
|---|--|
| SAMPLE NO. FE-Y95 FE-Y96 FE-Y97 FE-Y98 DATA ASSE  | SSMENT SUMMARY   |
| 1. HOLDING TIMES 2. GC/MS TUNE/INSTR. PERFORM. 3. CALIBRATIONS 4. BLANKS 5. SMC/SURROGATES 6. MATRIX SPIKE/DUPLICATE 7. OTHER QC 8. INTERNAL STANDARDS 9. COMPOUND ID/QUANTITATION 10. PERFORMANCE/COMPLETENESS 11. OVERALL ASSESSMENT  O = Data had no problems. M = Data gualified becaus | VOA BNA PEST  O O O O  O O O  M O O O  O O O  O O O  N/A N/A N/A  N/A N/A N/A  N/A N/A N/A  O M N/A  O O O  O O  O O  O O  O O  O O  O O           |

- Z = Data unacceptable.
- NA = Not applicable.

#### ACTION ITEMS:

AREA OF CONCERN: No custody seal was present on the CSF data package. One VOA compound failed technical calibration criteria. BNA sample FE-Y97 and its reanalysis had low response for one internal standard.

NOTABLE PERFORMANCE: The data package arrived 24 days early.

#### COMMENTS/CLARIFICATIONS REGION 6 CLP QA REVIEW

CASE 25093 SDG FEY95 SITE Star Lake Canal LAB COMPU

The following is a summary of sample qualifiers used by Region 6 in reporting this CLP data:

| No.                | <u>Acceptable</u> | <u>Provisional</u> | <u>Unacceptable</u> |
|--------------------|-------------------|--------------------|---------------------|
| VOA<br>BNA<br>PEST | <u>4</u>          | 1                  |                     |

COMMENTS: The case consisted of five water samples. The OTR/COC Record designated samples FE-Y95, FE-Y96, and FE-Y97 as rinse blanks for complete RAS organics analysis and samples FE-Y98 and FE-Y99 as field blanks for VOA analysis only. No MS/MSD analyses were required. The data package arrived at the Region 24 days early for the contractual 35-day turnaround time. Sample FE-Y99 was incorrectly listed as FE-Y92 on the OTR/COC, but the bottle tag listed the correct ID.

The laboratory failed to secure the CSF data package with a custody seal.

BNA sample FE-Y97 was reanalyzed because of a low internal standard response. The reanalysis also had a low response but should be used because of improved performance. Bis(2-ethylhexyl)phthalate was detected above the CRQL's in all BNA samples.

Some results are provisional for one VOA and one BNA samples because of problems with calibration and internal standard performance.

The technical usability of all reported sample results is appropriately indicated by ESAT's final data qualifiers in the attached Data Summary Tables. An Evidence Audit was conducted for the Complete Sample Delivery Group File (CSF), and the Evidence Inventory Checklist is attached to this report.

NOTE: THE FOLLOWING REVIEW NARRATIVE ADDRESSES BOTH CONTRACTUAL AND TECHNICAL ISSUES. THE ASSESSMENT MADE FOR EACH QC PARAMETER IS SOLELY BASED ON THE TECHNICAL DATA USABILITY, WHICH MAY NOT NECESSARILY BE AFFECTED BY CONTRACTUAL PROBLEMS.

- 1. Holding Times: Acceptable. All samples met the contractual and technical holding time criteria.
- 2. Tuning/Performance: Acceptable. The BFB and DFTPP analyses met GC/MS tuning criteria. The VOA and BNA sample analyses were within 12 hours of the respective BFB/DFTPP analyses. The Pest/PCB analyses met performance guidelines.

## ORGANIC QA REVIEW CONTINUATION PAGE

#### CASE 25093 SDG FEY95 SITE Star Lake Canal LAB COMPU

3. Calibrations: Provisional. Target compounds generally met contractual and technical criteria for all fractions with the following exception.

The acetone result is estimated for VOA sample FE-Y95 because of a technical %RSD calibration deficiency.

4. Blanks: Acceptable. The method, storage, and instrument blanks met contractual requirements for all fractions. One VOA method blank and the storage blank contained methylene chloride or acetone below the CRQL's. In the reviewer's opinion, the following results should be used as raised quantitation limits because of possible laboratory contamination:

methylene chloride in VOA samples FE-Y95, FE-Y96, FE-Y97, and FE-Y98; and

acetone in VOA samples FE-Y95 and FE-Y96.

Bis(2-ethylhexyl)phthalate was detected above the CRQL's (up to 6X the CRQL) in all BNA rinsate samples FE-Y95, FE-Y96, and FE-Y97. The following contaminants were detected in the equipment rinsates below the CRQL's:

acetone in VOA rinsate FE-Y97;

di-n-butulphthalate in BNA rinsates FE-Y95, FE-Y96, and FE-Y97; and

DDE in Pest/PCB rinsate FE-Y95.

Field Blanks VOA samples FE-Y98 and FE-Y99 were free of contamination.

The user should assess the effect of these contaminants on the associated field samples.

5. System Monitoring Compounds (SMC)/Surrogates: Acceptable. The SMC and surrogate recoveries met QC criteria except as follows.

Pest/PCB Some DCB recoveries were below the contractual advisory limit for samples FE-Y96 and FE-Y97. The reviewer did not qualify results since the DCB recoveries were within the expanded Region 6 limits.

## ORGANIC QA REVIEW CONTINUATION PAGE

CASE 25093 SDG FEY95 SITE Star Lake Canal LAB COMPU

- 6. Matrix Spike/Matrix Spike Duplicate: Not Applicable. MS/MSD analyses were not required for field QC samples.
- Other QC: Not applicable.
- 8. Internal Standards: Provisional. The internal standard areas and retention times were within the QC limits with the following exception.

BNA The laboratory reanalyzed sample FE-Y97 for a low internal standard area, and the reanalysis had the same problem but improved response. The reviewer recommends using the reanalysis data but qualified analyte results associated with IS6 as estimated with the quantitation limits biased low.

9. Compound Identity/Quantitation: Acceptable. Phthalates and common laboratory contaminants were detected in the samples above CRQL's. Compound identification and quantitation met contractual guidelines for all samples.

The laboratory reported concentrations less then one tenth of CRQL for y-chlordane in sample FE-Y95. The reviewer raised this unrealistic concentration to the CRQL and flagged the analyte as undetected per Region 6 guidelines.

- 10. Performance/Completeness: Acceptable. The data package was complete with minor deficiencies. The laboratory was contacted for correction and resubmission (see attached Telephone and FAX Record Logs). The laboratory response to the Telephone conversation is included and should be used as miscellaneous data.
- 11. Overall Assessment: Data are acceptable for four VOA, two BNA, and all Pest/PCB samples.

VOA The acetone result is estimated in sample FE-Y95 because of a technical calibration deficiency.

BNA Some results are estimated for sample FE-Y97RE because of a low IS response.

#### ORGANIC DATA QUALIFIER DEFINITIONS

The following definitions provide brief explanations of the ESAT-Region 6 qualifiers assigned to results in the Data Summary Table.

- U Not detected at reported quantitation limit.
- N Identification is tentative.
- J Estimated value.
- R Unusable.
- <sup>^</sup> High biased. Actual concentration may be lower than the concentration reported.
- Low biased. Actual concentration may be higher than the concentration reported.
- F+ A false positive exists.
- F- A false negative exists.
- B This result may be high biased because of laboratory/field contamination. The reported concentration is above 5X or 10X the concentration reported in the method/field blank.
- **UJ** Estimated quantitation limit.
- T Identification is questionable because of absence of other commonly coexisting pesticides.
- \* Result not recommended for use because of associated QA/QC performance inferior to that from other analysis.

Case No.: 25093

SDG:

FEY95

Reviewer: M.Missler

Laboratory: COMPU

Matrix:

WATER

Units:

ug/L

| VOLATILES                  |       | FLAG |       | _FLAG_ |       | FLAG | -      | FLAG_ |       | flag | FLAG | FLAG |
|----------------------------|-------|------|-------|--------|-------|------|--------|-------|-------|------|------|------|
| EPA SAMPLE NUMBER:         | FEY95 |      | FEY96 |        | FEY97 |      | FEY98  |       | FEY99 |      |      |      |
| Chloromethane              | 10    | ប    | 10    | σ      | 10    | บ    | 10     | υ     | 10    | U    |      |      |
| Bromomethane               | 10    | U    | 10    | U      | 10    | Ų    | 10     | υ     | 10    | U    |      |      |
| Vinyl chloride             | 10    | U    | 10    | ŭ      | 10    | Ü    | 10     | ט     | 10    | Ü    |      |      |
| Chloroethane               | 10    | -    | 10    | _      | 10    | -    | 10     | _     | 10    |      |      |      |
| Methylene chloride         | 10    |      | 10    | -      | 10    | -    | 10     | _     | 10    |      |      |      |
| Acetone                    | 11    | IJ   | 10    | υ      | 2     | J    | 10     | U     | 10    | Ū    |      |      |
| Carbon disulfide           | 10    |      | 10    |        | 10    | •    | 10     |       | 10    | -    |      |      |
| 1,1-Dichloroethene         | 10    |      | 10    |        | 10    |      | 10     | _     | 10    |      |      |      |
| 1.1-Dichloroethane         | 10    | σ    | 10    | υ      | 10    | ū    | 10     | U     | 10    | U    |      |      |
| 1,2-Dichloroethene (total) | 10    |      | 10    |        | 10    | _    | 10     |       | 10    | _    |      |      |
| Chloroform                 | 10    |      | 10    |        | 10    |      | 10     |       | 10    |      |      |      |
| 1.2-Dichloroethane         | 10    | U    | 10    | IJ     | 10    | υ    | 10     | υ     | 10    | ט י  |      |      |
| 2-Butanone                 | 10    | U    | 10    |        | 10    |      | 10     |       | 10    |      |      |      |
| 1,1,1-Trichloroethane      | 10    | ū    | 10    | U      | 10    | U    |        | £}` - | 10    | Ü    |      |      |
| Carbon tetrachloride       | 10    | U    | 10    | ŭ      | 10    | a    | 20, 10 | ט     | 10    | Ü    |      |      |
| Bromodichloromethane !     | 10    | บ    | 10    | U      | 10    | U    | 10     |       | 10    | U    |      |      |
| 1,2-Dichloropropane        | 10    | U    | 10    | Ū      | 10    |      | 10     |       | 10    | -    |      |      |
| cis-1,3-Dichloropropene    | 10    | U    | 10    | ū      | 10    | U    | 10     | U     | 10    | ט    |      |      |
| Trichloroethene            | 10    | υ    | 10    | _      | 10    | -    | 10     | -     | 10    | -    |      |      |
| Dibromochloromethane [     | 10    | ט    | 10    |        | 10    | -    | 10     |       | 10    | -    |      |      |
| 1,1,2-Trichloroethane      | 10    | ט    | 10    | ប      | 10    | U    | 10     | υ     | 10    | U    |      |      |
| Benzene                    | 10    | Ţ    | 10    |        | 10    |      | 10     |       | 10    | -    |      |      |
| trans-1,3-Dichloropropene  | 10    |      | 10    |        | 10    |      | 10     |       | 10    |      |      |      |
| Bromoform                  | 10    | U    | 10    | IJ     | 10    | U    | 10     | ប     | 10    | ט    |      |      |
| 4-Methyl-2-pentanone       | 10    | ט    | 10    | U      | 10    | ט    | 10     | -     | 10    | Ū    |      |      |
| 2-Hexanone                 | 10    | -    | 10    |        | 10    |      | 10     |       | 10    |      |      |      |
| Tetrachloroethene          | 10    | U    | 10    | Ü      | 10    | Ū    | 10     | ū     | 10    | U    |      |      |
| 1.1.2,2-Tetrachloroethane  | 10    | σ.   | 10    | U      | 10    | σ.   | 10     | ŭ     | 10    | U    |      |      |
| Toluene                    | 10    | U    | 10    |        | 10    | -    | 10     | _     | 10    | •    |      |      |
| Chlorobenzene              | 10    | U    | 10    | U      | 10    | σ    | 10     | Ü     | 10    | U    |      |      |
| Ethylbenzene               | 10    | υ    | 10    | ŭ      | 10    | U    | 10     | บ     | 10    | ט    |      |      |
| Styrene                    | 10    |      | 10    |        | 10    |      | 10     |       | 10    |      |      |      |
| Xylenes (total)            | 10    | U    | 10    | U      | 10    | υ    | 10     | U     | 10    | Ü    |      |      |
| Sample Volume (mL): ]      | 5     |      | 5     |        | 5     |      | 5      |       | 5     |      |      |      |
| Dilution Factor:           | 1     |      | 1     |        | 1     |      | 1      |       | 1     |      |      |      |
| Number of TIC's:           | 2     |      | 0     |        | 0     |      | 0      |       | 0     |      |      |      |
|                            | •     |      | ·     |        | ·     |      | Ū      |       | ·     |      |      |      |
| •                          |       |      |       |        |       |      |        |       |       |      |      | 1    |

Note: For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ESAT Organic Data Qualifiers. The ESAT flags indicate the technical usability of the reported results.

Case No.: 25093

SDG:

FEY95

Reviewer: M.Missler

Laboratory: COMPU

Matrix:

WATER

Units:

ug/L

| semivolatiles                 | FLAG_ | FLAG_ | FLAG       | FLAG    | FLAG | FLAG | FLAG |
|-------------------------------|-------|-------|------------|---------|------|------|------|
| EPA SAMPLE NUMBER:            | FEY95 | řey96 | FEY97 FEY9 | 7RE     |      |      |      |
| Phenol                        | 10 U  | 2 J   | 10 U •     | 2 J     |      |      | -    |
| bis(2-Chloroethyl)ether       | 10 U  | 10 U  | 10 U *     | 10 U    |      |      |      |
| 2-Chiorophenol                | 10 0  | 10 U  | 10 0 *     | 10 U    |      |      |      |
| 1,3-Dichlorobenzene           | 10 U  | 10 U  | 10 U *     | 10 U    |      |      | -    |
| 1,4-Dichlorobenzene           | 10 U  | 10 U  | 10 0       | 10 T    |      |      |      |
| 1,2-Dichlorobenzene           | 10 U  | 10 U  | 10 U •     | 10 U    |      |      |      |
| 2-Methylphenol                | 10 0  | 10 U  | 10 U =     | 10 U    |      |      | -    |
| 2,2'-Oxybis (1-chloropropane) | 10 U  | 10 U  | 10 U •     | 10 0    |      |      |      |
| 4-Methylphenol                | 10 U  | 10 0  | 10 0 •     | 10 0    |      |      |      |
| N-Nitroso-di-n-propylamine    | 10 U  | 10 U  | 10 0 •     | 10 U    |      |      |      |
| Rexachloroethane              | 10 0  | 10 U  | 10 0 •     | 10 0    |      |      |      |
| Nitrobenzene                  | 10 0  | 10 U  | 10 0 +     | 10 U    |      |      |      |
| Isophorone                    | 10 U  | 10 U  | 10 U *     | 10 0    |      |      |      |
| 2-Nitrophenol                 | 10 U  | 10 U  | 10 0 *     | 10 10 - |      |      | -    |
| 2,4-Dimethylphenol            | 10 U  | 10 U  | 10 U * 2+- | 10 U    |      |      |      |
| bis (2-Chloroethoxy) methane  | 10 U  | 10 U  | 10 ប *     | 16 U    |      |      |      |
| 2,4-Dichlorophenol            | 10 0  | 10 U  | 10 U *     | 10 U    |      |      | -    |
| 1,2,4-Trichlorobenzene        | 10 U  | 70. Q | 10 U +     | 10 U    |      |      |      |
| Naphthalene                   | 10 U  | 10 U  | 10 Ü *     | 10 U    |      |      |      |
| 4-Chloroaniline               | 10 0  | 10 U  | 10 ប 💌     | 10 U    |      |      |      |
| Hexachlorobutadiene           | 10 U  | 10 U  | 10 U *     | 10 U    | •    |      | •    |
| 4-Chloro-3-methylphenol       | 10 0  | 10 U  | 10 U *     | 10 U    |      |      |      |
| 2-Methylnaphthalene           | 10 U  | 10 U  | 10 U *     | 10 U    |      |      |      |
| Hexachlorocyclopentadiene     | 10 ປ  | 10 U  | 10 U *     | 10 U    |      |      | •    |
| 2,4,6-Trichlorophenol         | 10 π  | 10 U  | 10 U *     | 10 U    |      |      |      |
| 2,4,5-Trichlorophenol         | 25 U  | 25 U  | 25 U *     | 25 Ü    |      |      |      |
| 2-Chloronaphthalene           | 10 T  | 10 U  | 10 U +     | 10 U    |      |      |      |
| 2-Nitroaniline                | 25 U  | 25 U  | 25 U *     | 25 U    |      |      |      |
| Dimethylphthalate             | 10 U  | 10 U  | 10 U *     | 10 U    |      | •    |      |
| Acenaphthylene                | 10 U  | 10 U  | 10 0 •     | 10 U    |      |      |      |
| 2.6-Dinitrotoluene            | 10 5  | 10 U  | 10 ሆ *     | 10 U    |      |      |      |
| 3-Nitroaniline                | 25 U  | 25 U  | 25 U *     | 25 U    |      |      |      |
| Acenaphthene                  | 10 0  | 10 U  | 10 U *     | 10 U    |      |      |      |
| 2,4-Dinitrophenol             | 25 U  | 25 U  | 25 U *     | 25 U    |      |      |      |
| 4-Nitrophenol                 | 25 U  | 25 Ü  | 25 U *     | 25 U    |      |      |      |
| Dibenzofuran                  | 10 U  | 10 U  | 10 U *     | 10 U    |      |      |      |
| 2.4-Dinitrotoluene            | 10 0  | 10 U  | 10 U *     | 10 U    |      |      |      |
| Diethylphthalate              | 10 U  | 10 U  | 10 0 *     | 19 U    |      |      | :    |
| 4-Chlorophenyl-phenylether    | 10 U  | 10 U  | 10 U •     | 10 U    |      |      | \    |
| Fluorene                      | ט 10  | 10 U  | 10 D •     | 10 U    |      |      |      |
| 4-Nitroaniline                | 25 U  | 25 U  | 25 U •     | 25 U    |      |      |      |
| 4.6-Dinitro-2-methylphenol    | ט 25  | 25 U  | 25 U •     | 25 U    |      |      |      |
| N-Nitrosodiphenylamine        | 10 ປ  | 10 U  | 10 U •     | 10 U    |      |      |      |
| 4-Bromophenyl-phenylether     | 10 U  | 10 U  | 10 U *     | 10 U    |      |      |      |
| Hexachlorobenzene             | 10 0  | 10 U  | 10 U *     | 10 ປ    |      |      |      |
| Pentachlorophenol             | 25 U  | 25 U  | 25 ℧ ❖     | 25 U    |      |      |      |
| Phenanthrene                  | 10 U  | 10 U  | 10 U *     | 10 U    |      |      |      |
| Anthracene                    | 10 U  | 10 U  | 10 U •     | 10 U    |      |      |      |
|                               | ļ     |       |            |         |      |      |      |

Case No.: 25093

SDG:

FEY95

Reviewer: M.Missler

Laboratory: COMPU

Matrix:

WATER

Units:

ug/L

| SEMIVOLATILES              | FLAG  | FLAG_ | FI    | AG          | flag  | FLAC | FLAG | TLAG |
|----------------------------|-------|-------|-------|-------------|-------|------|------|------|
| EPA SAMPLE NUMBER:         | FEY95 | FEY96 | FEY97 | FEY97R      | ε     |      |      |      |
| Carbazole                  | 10 Ü  | 10 U  | 10 U  | * 10        | ט ט   |      |      |      |
| Di-n-butylphthalate        | 3 J   | 2 J   | 2     | <b>+</b> 10 | ט פ   |      |      |      |
| Fluoranthene               | 10 U  | 10 U  | 10 U  | • 1         | טכ    |      |      |      |
| Pyrene                     | 10 U  | 10 U  | 10 U  | • 10        | טט    |      |      |      |
| Butylbenzylphthalate .     | 10 U  | 10 U  | 10 U  | * 1         | ט ט   |      |      |      |
| 3,3'-Dichlorobenzidine     | 10 U  | 10 U  | 10 U  | • 10        | ס כ   |      |      |      |
| Benzo (a) anthracene       | 10 U  | 10 U  | 10 U  | • . 1       | ט פ   |      |      |      |
| Chrysene                   | ט 10  | 10 U  | 10 U  | * 10        | סכ    |      |      |      |
| bis(2-Ethylhexyl)phthalate | 23    | 60    | 18    | • 1         | •     |      |      |      |
| Di-n-octylphthalate        | 10 U  | 10 U  | 10 U  | • 10        | ່ວເປ∨ |      |      |      |
| Benzo (b) fluoranthene     | 10 U  | 10 U  | 10 U  | • 10        | บบง   |      |      |      |
| Benzo(k)fluoranthene       | 10 U  | 10 U  | 10 U  | * 1         | UJV   |      |      |      |
| Benzo(a) pyrene i          | 10 U  | 10 U  | 10 U  |             | บนัง  |      |      |      |
| Indeno(1,2,3-cd)pyrene     | 10 U  | 10 U  | 10 U  | * 1         | บอ๋ง~ |      |      |      |
| Dibenz(a,h)anthracene      | 10 U  | 10 U  | 10 0  | * ye, 1     | VUV   |      |      |      |
| Benzo(g,h,i)perylene       | 10 U  | 10 ΰ  | 10 U  | • 1         | vtu-o |      |      |      |
| Sample Volume {mL}:        | 1000  | 1000  | 1000  | 100         | 0     |      |      |      |
| Dilution Factor:           | 1     | 1     | 1     | :           | ı     |      |      |      |
| <br>  Number of TIC's:     | 9     | 10    | 12    |             | 9     |      |      |      |

Note: For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ESAT Organic Data Qualifiers. The ESAT flags indicate the technical usability of the reported results.

### INORGANIC/ORGANIC COMPLETE SDG FILE (CSF) INVENTORY CHECKLIST

| Case No. 25093 SDG No. FEY95 SDG Nos. To Follow   | SAS No.   | Date R         | ec 11/       | 5/96        |
|---|---|----------------|--------------|-------------|
| EPA Lab ID: COMPU   | ORIGINALS   | YES            | NO           | N/A         |
| Lab Location: RTP. NC 27709   | CUSTODY SEALS   |                |              |             |
| Region: 6 Audit No.: 25093/FEY95  | 1. Present on package?  |                | X            |             |
| Re_Submitted CSF? Yes No X  | 2. Intact upon receipt?   |                |              | Х           |
| Box No(s): 1  | FORM DC-2   |                |              |             |
| COMMENTS:   | 3. Numbering scheme accurate?   | x              |              |             |
| I   | 4. Are enclosed documents listed?   |                | Х            |             |
| Pages 1 and 186-198 were separation or blank pages, but they  | 5. Are listed documents enclosed?   | Х              |              |             |
| were not reported on Form DC-2.   | FORM DC-1   |                |              |             |
| The pages between 123/124 and 417/418 were not numbered. The reviewer numbered them as 123A and 417A, respectively. | 6. Present?   | x              |              |             |
| The reviewer numbered them as 123A and 417A, respectively.  | 7. Complete?  | х              |              |             |
|   | 8. Accurate?  | х              |              |             |
| •   | CHAIN-OF-CUSTODY<br>RECORD(s)   |                | ·            |             |
|   | 9. Signed?  | $ \mathbf{x} $ |              |             |
| •   | 10. Dated?  | х              |              |             |
|   | TRAFFIC REPORT(s) PACKING LIST(s)   |                |              |             |
| •   | 11. Signed?   | $ \mathbf{x} $ |              | ĺ           |
| 1   | 12. Dated?  | x              |              | ;           |
|   | AIRBILLS/AIRBILL STICKER  |                |              |             |
|   | 13. Present?  | x              |              |             |
|   | 14. Signed?   | x              |              |             |
|   | 15. Dated?  | х              |              |             |
| 1   | SAMPLE TAGS   |                |              |             |
| •   | 16. Does DC-1 list tags as being included?                                | x              |              |             |
|   | 17. Present?  | Х              |              |             |
| 1   | OTHER DOCUMENTS   | <del> </del>   |              |             |
|   | 18. Complete?   | x              |              |             |
|   | 19. Legible?  | х              |              |             |
| 1   | 20. Original?   | 1              | х            |             |
| Over for additional comments.   | 20a.If "NO", does the copy indicate where original documents are located? | х              |              |             |
| Audited by: Main Missler  | Maria Missler / Data Reviewer   | Date           | 11/6/        | 96          |
| Audited by:   |   | Date           |              |             |
| · · · · · · · · · · · · · · · · · · ·   |   |                | <del></del>  |             |
| Audited by:   |   | Date           | •            |             |
| Signature   | Printed Name/Title  |                |              |             |
| <u>-</u>  | PLETED BY CEAT  |                |              |             |
| Date Recvd by CEAT: D Entered by:   | ate Entered: Date Reviewed:   |                |              |             |
| Reviewed by:  |   |                |              | <del></del> |
| Signature   | Printed Name/Title  |                |              |             |
|   | 2.3   |                | <del> </del> |             |

Case No.: 25093

SDG:

FEY95

Reviewer: M.Missler

Laboratory: COMPU

Matrix:

WATER

Units: ug/L

| PESTICIDES/PCBs     | FLAG_   | FLAG   | FLAG     | FLAG | FLAG | FLAG | FLAG |
|---------------------|---------|--------|----------|------|------|------|------|
| epa sample number:  | FEY95   | FEY96  | FEY97    |      |      |      |      |
| alpha-BHC           | 0.05 T  | 0.05 U | 0.05 U   |      |      |      |      |
| beta-BHC            | 0.05 U  | 0.05 U | 0.05 U   |      |      |      |      |
| delta-BHC           | 0.05 U  | 0.05 U | 0.05 U   |      |      |      |      |
| gamma-BHC (Lindane) | 0.05 T  | 0.05 T | 0.05 U   |      |      |      |      |
| Heptachlor          | 0.05 0  | 0.05 U | 0.05 U   |      |      |      |      |
| Aldrin              | 0.05 U  | 0.05 U | 0.05 U   |      |      |      |      |
| Heptachlor epoxide  | 0.05 U  | 0.05 U | 0.05 U   |      |      |      |      |
| Endosulfan I        | 0.05 U  | 0.05 U | 0.05 U   |      |      |      |      |
| Dieldrin            | 0.1 U   | 0.1 U  | 0.1 U    |      |      |      |      |
| 4,4'-DDE            | 0.018 J | 0.1 U  | 0.1 U    |      |      |      |      |
| Endrin              | 0.1 U   | 0.1 U  | 0.1 U    |      |      |      |      |
| Endosulfan II       | 0.1 U   | 0.1 U  | 0.1 U    |      |      |      |      |
| 4,4'-DDD            | 0.1 U   | 0.1 U  | 0.1 U    | _    |      |      |      |
| Endosulfan sulfate  | ס.1 ט   | 0.1 U  | 0.1 U    | 3. ÷ |      | -    |      |
| 4,4'-DDT            | ט 1.1   | 0.1 U  | 0.1 U 23 |      |      |      |      |
| Methoxychlor        | 0.5 🖰   | 0.5 U  | 0.5 U    | 37   |      |      |      |
| Endrin ketone       | 0.1 U   | 0.1 U  | 0.1 5    | •    |      |      |      |
| Endrin aldehyde     | 0.1 U   | 0.T U  | 0.1 U    |      |      |      |      |
| alpha-Chlordane     | 0.05 T  | 0.05 U | 0.05 U   |      |      |      |      |
| gamma-Chlordane [   | 0.05 U  | 0.05 U | 0.05 U   |      |      |      |      |
| Toxaphene           | \$.0 U  | 5.0 U  | 5.0 U    |      |      |      |      |
| Aroclor-1016        | 1.0 0   | 1.0 U  | 1.0 U    |      |      |      |      |
| Aroclor-1221        | 2.0 ប   | 2.0 U  | 2.0 U    |      |      |      |      |
| Aroclor-1232        | 1.0 0   | 1.0 U  | 1.0 U    | -    |      |      |      |
| Aroclor-1242 ·      | 1.0 0   | 1.0 U  |          |      |      |      |      |
| Aroclor-1248        | 1.0 0   | 1.0 U  | 1.0 0    |      |      |      |      |
| Aroclor-1254        | 1.0 0   | 1.0 U  | 1.0 U    |      |      |      |      |
| Aroclor-1260        | 1.0 U   | 1.0 U  | 1.0 U    |      |      | •    |      |
| Sample Volume (mL): | 1000    | 1000   | 1000     |      |      |      |      |
| Dilution Factor:    | 1       | 1      | 1        |      |      |      |      |

Note: For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ESAT Organic Data Qualifiers. The ESAT flags indicate the technical usability of the reported results.

000817

## Lockheed Martin Services Group ESAT Region 6

10101 Southwest Freeway, Suite 500, Houston, TX 77074 Tel: (713) 988-2995

#### FACSIMILE COVER SHEET

| Name             | Richard Bloom   | -                     |
|------------------|---|-----------------------|
| Firm             | COMPU   | <u>-</u>              |
| Address          | 4600 Silicon Dr.  | -                     |
| City             | RTP   | State <u>NC 27709</u> |
| Telephone        | (919) 474-7000  | Ext.                  |
| Fax Teleph       | one (919) 474-7030  |                       |
| Name <u>Mari</u> | a Missler   |                       |
| Date <u>Nove</u> |   | <b>.</b>              |
| Total Numb       | er of pages including t   | this Cover Sheet3     |
| Total Numb       | er of pages including t   | this Cover Sheet3     |
| Total Numb       | er of pages including t<br>not receive all the pag<br>1: (713) 988-2995 | •                     |

#### Page 1 of 1

In Reference to Case No(s):
 25093 SDG: FEY95 (0-1763)

## Contract Laboratory Program REGIONAL/LABORATORY COMMUNICATION SYSTEM FAX Record Log

| Date of FAX:<br>Laboratory Name:   | November 14. 1<br>COMPU   |   |
|--|---|---|
| Lab Contact:   | Richard Blo   | <u>om</u>   |
| Region:<br>Regional Contact:   | 6<br>Maria Missler -  | ESAT  |
| FAX initiated by:  | Laboratory  | XRegion   |
| In reference to data for   | the following fract   | ions:   |
| CSF Deliverable  | Pest/PCB  | ·   |
| Summary of Questions/Issu  | ies:  |   |
| A. CSF Deliverable  The contract-require data package (OLM03. correct this oversig   | ed custody seal was<br>0, F-9, 2.7.14 and<br>tht for future CSF p                   | omitted from the CSF<br>2.7.15). Please<br>ackage delivery. |
| B. PEST/PCB INDAL48 and INDBL48, quantitation reports Please complete and  | ; (pages 619 and 621  | arian30: The  |
| NOTE: Any laboratory res<br>an addendum to the origin<br>submitted as a new CSF wi<br>except those containing of<br>are required for all CSF | al CSF with a revis<br>th a new Form DC-2<br>only replacement pag                   | ed Form DC-2 or<br>(OLM03.0, p. B-29),<br>es. Custody seals |
| Please respond to the abouncluded with CCS respons   | ove items. Region 6<br>se or sent separatel   | resubmissions may be<br>y <u>within 7 days</u> to:          |
| U.S. E   | r. Mahmoud El-Feky<br>PA Region 6 Laborat<br>625 Fallstone Road<br>ouston, TX 77099 | ory   |
|  | lliss/er  | November 14, 1996   |
| Signature  | 1   | Date  |

Distribution: (1) Lab Copy (2) Region Copy

## Page 1 of 1

In Reference to Case No(s):
 25093 SDG: FEY95 (0-1763)

## Contract Laboratory Program REGIONAL/LABORATORY COMMUNICATION SYSTEM Telephone Record Log

|           | 1   |  |   |
|-----------|---|--|---|
|           | Date of Call:   | November 13. 1   | 996   |
|           | Laboratory Name:  | COMPU  |   |
|           | Lab Contact:  | Michael Schapi   | ra  |
|           | Region:   | 6  |   |
|           | Regional Contact:   | Maria Missler -  | ESAT  |
|           |   |  | <del></del> _   |
|           | Call initiated by:  | Laboratory   | XRegion   |
| In r      | eference to data for  | the following fract  | ions:   |
|           | BNA   | £50  |   |
|           |   | *  |   |
| Summ      | ary of Questions/Iss  | ues:   |   |
| :<br>Poge | immediately after the   | he original analysis   | E-Y97 was reanalyzed which failed IS area acceptable instrument |
| reso      | 7477011:  |  |   |
|           | performance was che<br>the reanalysis of s<br>information for the | ample FE-Y97. Inter<br>test blank confirme<br>nce and was faxed to | nk immediately after nal standard                               |
|           | llaia e   | Mîssler  | November 14, 1996   |

Distribution: (1) Lab Copy (2) Region Copy

EPA SAMPLE NO.

| FEY95 |
|-------|
|-------|

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.:

SDG No.: FEY95

Matrix: (soil/water) WATER

Lab Sample ID: 828988

Sample wt/vol:

.5.0 (g/ml) ml

Lab File ID: CN028988A57

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: not dec. \_\_\_\_\_

Date Analyzed: 10/24/96

GC Column: DB624

ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Aliquot Volume: \_\_\_\_(uL)

Soil Extract Volume: \_\_\_\_(uL)

CAS NO. COMPOUND

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

| 74-83-9  | U U U U J B U         |      |
|--|-----------------------|------|
| 74-83-9  | U<br>U<br>U<br>J<br>B |      |
| 75-01-4  | U<br>U<br>J<br>B      |      |
| 75-00-3Chloroethane 1 75-09-2Methylene Chloride 67-64-1Acetone 75-15-0Carbon Disulfide 1 | U<br>J<br>B           |      |
| 75-09-2Methylene Chloride  | J                     |      |
| 67-64-1  | В                     |      |
| 75-15-0Carbon Disulfide  |                       | - 1  |
|  |                       |      |
| 75-35-41,1-Dichloroethene  | Ü                     |      |
|  | บี้                   | - 1  |
|  | ijΰ                   | - 1  |
|  | ั้งใช้                |      |
|  | ίΰ                    | -    |
|  | υ                     |      |
|  | ήü                    | - 1  |
|  |                       |      |
|  | ū                     | - }  |
|  | U                     | - 1  |
|  | טוְט                  | - 1  |
|  | ט כ                   | 1    |
|  | )   U                 | - 1  |
|  | ) บ                   | - Ji |
|  | ט כ                   | - 1  |
|  | ס∤נ                   | - }  |
| 10061-02-6trans-1,3-Dichloropropene 1  | ט (נ                  |      |
|  | טוס                   |      |
| 108-10-14-Methyl-2-Pentanone   | טוכ                   |      |
|  | טוט                   | - [  |
| _ <del>'</del>   | שומ                   |      |
|  | บี                    | - L  |
|  | Ü                     | _ [\ |
| 108-90-7Chlorobenzene  | .   -                 |      |
|  | οlσ                   | }    |
|  | ชื่อใ                 |      |
| 1330-20-7Xylene (Total)  |                       | - 1  |
| T220-50-1  | ′   ′                 | - 1  |

FORM I VOA

#### 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

| FEY95 |  |
|-------|--|
|       |  |

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER

Lab Sample ID: 828988

Sample wt/vol: 5.0 (g/mL) mL Lab File ID: CN028988A57

Level: (low/med) LOW

18.\_ 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30.

Date Received: 10/23/96

% Moisture: not dec. \_\_\_\_\_

Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL)

Soil Aliquot Volume: \_\_\_\_(uL)

CONCENTRATION UNITS:

Number TICs found: 2

(ug/L or ug/Kg) ug/L COMPOUND NAME - RT CAS NUMBER EST. CONC. ------1. 67-63-0 ISOPROPYL ALCOHOL 8.18 8 NJ 2. NOISE SPIKE 15.74 5 J 3. 10. 11.\_ 12. 13.\_ 14.\_ 15.\_ 16.\_ 17.\_

FORM I VOA-TIC

EPA SAMPLE NO.

|     |       |                |       |           |          | FEY96 |
|-----|-------|----------------|-------|-----------|----------|-------|
| Lab | Name: | COMPUCHEM ENV. | CORP. | Contract: | 68D50004 |       |

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829000

Sample wt/vol: 5.0 (g/mL) mL Lab File ID: CN029000A57

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: not dec. Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume: \_\_\_\_(uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/L 0 10 U 74-87-3-----Chloromethane 74-83-9-----Bromomethane 10 U 75-01-4-----Vinyl Chloride 10 0 75-00-3-----Chloroethane\_ 10 U √ı|ğ 75-09-2-----Methylene Chloride 5 JJB 67-64-1-----Acetone 75-15-0-----Carbon Disulfide 10 U 75-35-4-----1,1-Dichloroethene 10 U 75-34-3-----1,1-Dichloroethane 10 U 540-59-0-----1,2-Dichloroethene (total) 10 U 67-66-3-----Chloroform 10 U 107-06-2----1,2-Dichloroethane 10 U 78-93-3----2-Butanone 10 U 71-55-6-----1,1,1-Trichloroethane 10 U 56-23-5-----Carbon Tetrachloride 10 U 75-27-4-----Bromodichloromethane 10 U 78-87-5-----1,2-Dichloropropane 10 U 10061-01-5----cis-1,3-Dichloropropene 10 U 79-01-6-----Trichloroethene 10 U 124-48-1-----Dibromochloromethane 10 0 79-00-5-----1,1,2-Trichloroethane 10 U 71-43-2----Benzene 10 U 10061-02-6----trans-1,3-Dichloropropene 10 U 75-25-2-----Bromoform 10 U 108-10-1-----4-Methyl-2-Pentanone 10 U 591-78-6----2-Hexanone 10 U 10 0 127-18-4-----Tetrachloroethene 79-34-5-----1,1,2,2-Tetrachloroethane 10 U 108-88-3-----Toluene 10 U 108-90-7-----Chlorobenzene 10 U 100-41-4-----Ethylbenzene 10 U 100-42-5-----Styrene 10 U 1330-20-7-----Xylene (Total) 10 U

FORM I VOA

EPA SAMPLE NO.

CN029305C52

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Sample wt/vol: 5.0 (g/mL) mL

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829305

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: not dec. Date Analyzed: 10/26/96

GC Column: DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume: \_\_\_\_(uL)

CONCENTRATION UNITS:

Lab File ID:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/L Q 74-87-3-----Chloromethane 10 U 74-83-9-----Bromomethane 10 U 75-01-4-----Vinyl Chloride 10 U 75-00-3-----Chloroethane 10 U 75-09-2-----Methylene Chloride 1 3 67-64-1-----Acetone 2 J 75-15-0-----Carbon Disulfide 10 U 75-35-4-----1,1-Dichloroethene\_\_\_\_ 10 U 75-34-3-----1,1-Dichloroethane\_ 10 U 540-59-0-----1,2-Dichloroethene (total) 10 U 67-66-3-----Chloroform 10 U 107-06-2----1,2-Dichloroethane 10 U 10 U 10 U 10 U 10 U 78-93-3-----2-Butanone 71-55-6-----1,1,1-Trichloroethane\_\_ 56-23-5-----Carbon Tetrachloride 75-27-4-----Bromodichloromethane 78-87-5-----1,2-Dichloropropane 10 U 10 U 10061-01-5----cis-1,3-Dichloropropene 79-01-6-----Trichloroethene 10 U 124-48-1-----Dibromochloromethane 10 U 79-00-5-----1,1,2-Trichloroethane\_ 10 U 71-43-2----Benzene 10 0 10061-02-6----trans-1,3-Dichloropropene 10 U 10 U 75-25-2-----Bromoform 10 U 108-10-1-----4-Methyl-2-Pentanone 591-78-6----2-Hexanone 10 U 127-18-4-----Tetrachloroethene 10 0 79-34-5-----1,1,2,2-Tetrachloroethane 10 U 108-88-3-----Toluene 10 U 108-90-7-----Chlorobenzene 10 U 100-41-4-----Ethylbenzene 10 U 100-42-5-----Styrene 10 U 1330-20-7-----Xylene (Total) 10 U

FORM I VOA

| EPA | SAMPLE | NO: |
|-----|--------|-----|
|-----|--------|-----|

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829003

Sample wt/vol: 5.0 (g/mL) mL Lab File ID: CN029003B57

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: not dec. \_\_\_\_ Date Analyzed: 10/24/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: \_\_\_\_(uL) Soil Aliquot Volume: \_\_\_\_(uL)

CONCENTRATION UNITS:

| CAS NO.    | COMPOUND        | (ug/L or ug/l                         |            | Q<br>    |     |
|------------|-----------------|---------------------------------------|------------|----------|-----|
|            | Chloromethane   |                                       | 10         | Ū        |     |
| 74-83-9    | Bromomethane    |                                       | 10         |          | Į   |
| 75-01-4    | Vinyl Chloride  |                                       | 10         | U        |     |
|            | Chloroethane    |                                       | 10         | Ŭ        | ·   |
| 75-09-2    | Methylene Chlo  | ride                                  | <b>∠</b> 1 | J        | -   |
| 67-64-1    |                 |                                       | 10         |          |     |
| ) 75-15-0  | Carbon Disulfic | ie                                    | 10         | Ü        | 1   |
| 75-35-4    | 1,1-Dichloroetl | nene                                  | 10         | ט        |     |
| 75-34-3    | 1,1-Dichloroeth | nane                                  | 10         | ן ש      |     |
|            | 1,2-Dichloroeth | nene (total)                          | 10         | U        |     |
|            | Chloroform      |                                       | 10         | U        | Į   |
| 107-06-2   | 1,2-Dichloroetl | nane                                  | 10         | ט        |     |
| 78-93-3    | 2-Butanone      |                                       | 10         | ט        |     |
| 71-55-6    | 1,1,1-Trichloro | ethane                                | 10         | υ        |     |
| 56-23-5    | Carbon Tetrach  | loride                                | 10         | ט        |     |
| 75-27-4    | Bromodichlorome | ethane                                | 10         | ប        |     |
| 78-87-5    | 1,2-Dichloropro | opane                                 | 10         |          |     |
| 10061-01-5 | cis-1,3-Dichlo  | copropene                             | 10         | ט        |     |
| 79-01-6    | Trichloroethene | · · · · · · · · · · · · · · · · · · · | 10         |          |     |
|            | Dibromochlorome |                                       | 10         |          |     |
|            | 1,1,2-Trichlore |                                       | 10         |          |     |
| 71-43-2    |                 |                                       | 10         |          |     |
|            | trans-1,3-Dich  | oropropene                            | 10         |          |     |
| 75-25-2    | Bromoform       |                                       | 10         |          | , , |
|            | 4-Methyl-2-Pent | anone                                 | 10         |          | ŀ   |
|            | 2-Hexanone      |                                       | 10         |          |     |
|            | Tetrachloroethe | ene                                   | 10         |          |     |
|            | 1,1,2,2-Tetracl |                                       | 10         |          | L   |
| 108-88-3   |                 |                                       | 10         | : - I    | \   |
|            | Chlorobenzene   |                                       | 10         |          |     |
|            | Ethylbenzene    |                                       | 10         |          |     |
| 100-42-5   |                 |                                       | 10         |          |     |
| 1330-20-7  | Xylene (Total)  |                                       | 10         | 1 - 1    | İ   |
|            |                 |                                       |            | <u> </u> |     |

FORM I VOA

Lab Name: COMPUCHEM ENV. CORP.

CAS NO.

| EPA | SAMPLE | NO. |  |
|-----|--------|-----|--|
|     |        |     |  |

|                    | FEY99 |
|--------------------|-------|
| Contract: 68D50004 |       |

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829306

Sample wt/vol: 5.0 (g/mL) mL Lab File ID: CN029306C52

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: not dec. \_\_\_\_ Date Analyzed: 10/26/96

GC Column:DB624 ID: 0.53 (mm) Dilution Factor: 1.0

COMPOUND

Soil Extract Volume: \_\_\_\_\_(uL) Soil Aliquot Volume: \_\_\_\_\_(uL)

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

74-87-3-----Chloromethane 10 U 74-83-9-----Bromomethane 10 | U 75-01-4-----Vinyl Chloride\_ 10 U 10 U 10 U 10 U 10 U 10 U 10 U 75-00-3-----Chloroethane 75-09-2-----Methylene Chloride 67-64-1-----Acetone 75-15-0------Carbon Disulfide 75-35-4-----1,1-Dichloroethene 75-34-3-----1,1-Dichloroethane 10 U 540-59-0-----1,2-Dichloroethene (total) 10 U 67-66-3-----Chloroform 107-06-2-----1,2-Dichloroethane 10 0 78-93-3----2-Butanone 10 U 71-55-6-----1,1,1-Trichloroethane 10 U 10 U 56-23-5-----Carbon Tetrachloride 10 U 75-27-4-----Bromodichloromethane 78-87-5-----1,2-Dichloropropane\_ 10 U 10061-01-5----cis-1,3-Dichloropropene\_ 10 U 79-01-6-----Trichloroethene 10 U 124-48-1-----Dibromochloromethane 10 U 79-00-5----1,1,2-Trichloroethane 10 U 71-43-2----Benzene 10 U 10061-02-6----trans-1,3-Dichloropropene 10 U 75-25-2-----Bromoform 10 U 108-10-1----4-Methyl-2-Pentanone 10 U 591-78-6----2-Hexanone 10 U 127-18-4-----Tetrachloroethene 10 U 79-34-5-----1,1,2,2-Tetrachloroethane\_ 10 U 108-88-3-----Toluene 10 U 108-90-7-----Chlorobenzene 10 U 100-41-4-----Ethylbenzene 10 0 100-42-5-----Styrene 10 U 1330-20-7-----Xylene (Total) 10 U

FORM I VOA

EPA SAMPLE NO.

|     |       |           |      |       |           |          | FE | Y95 |
|-----|-------|-----------|------|-------|-----------|----------|----|-----|
| Lab | Name: | COMPUCHEM | ENV. | CORP. | Contract: | 68D50004 |    |     |
|     |       |           |      |       |           |          |    |     |

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 828988

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GH028988A64

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: \_\_\_\_ decanted: (Y/N)\_\_\_ Date Extracted:10/24/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH:

CONCENTRATION UNITS:
(ug/L or ug/Kg) ug/L Q

|  |          | <del></del> |   |
|--|----------|-------------|---|
| 108-95-2Phenol   | 10       | U           |   |
| 111-44-4bis(2-Chloroethyl)ether                        | 10       | _           |   |
| 95-57-82-Chlorophenol                                  | 10       | Ū           |   |
| 541-73-11,3-Dichlorobenzene                            | 10       |             |   |
| 106-46-71,4-Dichlorobenzene                            | 10       | -           | ı |
| 95-50-11,2-Dichlorobenzene                             | 10       | · -         | 1 |
| 95-48-72-Methylphenol                                  | 10       |             |   |
| 108-60-12,2'-oxybis(1-Chloropropane)                   | 10       |             | ĺ |
| 106-44-54-Methylphenol                                 | 10       |             | ı |
| 621-64-7N-Nitroso-di-n-propylamine                     | 10       | -           |   |
| 67-72-1Hexachloroethane                                | 10       | -           | l |
| 98-95-3Nitrobenzene                                    | 10       | _           |   |
| 78-59-1Isophorone                                      | 10       |             | 1 |
| 88-75-52-Nitrophenol                                   | 10       | _           |   |
| 105-67-92,4-Dimethylphenol                             | 10       |             | 1 |
| 111-91-1bis (2-Chloroethoxy) methane                   | 10       |             | l |
| 120-83-22,4-Dichlorophenol                             | 10       |             |   |
| 120-82-11,2,4-Trichlorobenzene                         | 10       | -           | ĺ |
| 91-20-3Naphthalene                                     | 10       |             |   |
| 106-47-84-Chloroaniline                                | 10       |             | ĺ |
| 87-68-3Hexachlorobutadiene                             | 10       | -           | ļ |
| 59-50-74-Chloro-3-methylphenol                         | 10       | _           | l |
| 91-57-62-Methylnaphthalene                             | 10       |             | l |
| 77-47-4Hexachlorocyclopentadiene                       | 10       | ) -         | l |
| 88-06-22,4,6-Trichlorophenol                           | 10       | -           | l |
|  | 25       |             | Ĺ |
| 95-95-42,4,5-Trichlorophenol91-58-72-Chloronaphthalene | 25<br>10 | _           | ` |
| 88-74-42-Nitroaniline                                  | 10<br>25 | _           | l |
|  |          | _           | ľ |
| 131-11-3Dimethylphthalate                              | 10       |             |   |
| 208-96-8Acenaphthylene                                 | 10       |             | ĺ |
| 606-20-22,6-Dinitrotoluene                             | 10       |             |   |
| 99-09-23-Nitroaniline                                  | 25       |             | ļ |
| 83-32-9Acenaphthene                                    | 10       | Ü           | l |
|  |          |             | ĺ |

FORM I SV-1

#### 1C SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FEY95

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 828988

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GH028988A64

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: \_\_\_\_\_ decanted: (Y/N)\_\_\_ Date Extracted:10/24/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

injection volume: 2.0(ub) Director Factor: 1.0

GPC Cleanup: (Y/N) N pH: \_\_\_\_ CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) ug/L Q

| 51-28-52,4-Dinitrophenol                                   | 25   | <br>  T T |   |
|--|------|-----------|---|
| 100-02-74-Nitrophenol                                      | 25   |           | ı |
| 132-64-9Dibenzofuran                                       | 10   |           | 1 |
| 121-14-22,4-Dinitrotoluene                                 | 10   | 1 '       |   |
| 84-66-2Diethylphthalate                                    | 10   | -         | l |
| 7005-72-34-Chlorophenyl-phenylether_                       | 10   |           | ı |
| 86-73-7Fluorene  |      | 1 '       | ı |
| 100-01-64-Nitroaniline                                     | 10   |           | ı |
|  | 25   |           | ļ |
| 534-52-14,6-Dinitro-2-methylphenol                         | 25   |           | ı |
| 86-30-6N-nitrosodiphenylamine_(1)                          | 10   | 1         | 1 |
| 101-55-34-Bromophenyl-phenylether                          | 10   | 1 *       | ı |
| 118-74-1Hexachlorobenzene                                  | 10   | 1         | ļ |
| 87-86-5Pentachlorophenol                                   | 25   | U         | ı |
| 85-01-8Phenanthrene  | 10   | U         | ı |
| 120-12-7Anthracene   | .10  | U         | ı |
| 86-74-8Carbazole   | 10   | lυ        |   |
| 84-74-2Di-n-butylphthalate                                 | 3    | J         | l |
| 206-44-0Fluoranthene                                       | 10   | Ü         | 1 |
| 129-00-0Pyrene   | 10   | Ŭ         | ı |
| 85-68-7Butylbenzylphthalate                                | 10   | -         | ı |
| 91-94-13,3'-Dichlorobenzidine                              | 10   |           | ı |
| 56-55-3Benzo (a) anthracene                                | 10   |           | ı |
| 218-01-9Chrysene   | 10   |           | ı |
| 117-81-7bis(2-Ethylhexyl)phthalate                         | ✓ 23 |           | ı |
| 117-84-0Di-n-octylphthalate                                | 10   |           | ı |
| 205-99-2Benzo (b) fluoranthene                             | 10   | 1 -       | ľ |
| 207-08-9Benzo (k) fluoranthene                             |      |           | ľ |
|  | 10   | -         | ı |
| 50-32-8Benzo (a) pyrene                                    | 10   | -         | Ĺ |
| 193-39-5Indeno(1,2,3-cd)pyrene                             | 10   | 1 *       |   |
| 53-70-3Dibenzo(a,h)anthracene 191-24-2Benzo(g,h,i)perylene | 10   | U<br>U    | 1 |
|  | 10   |           | 1 |

(1) - Cannot be separated from Diphenylamine

FORM I SV-2

## SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

| TENTATIVELY IDENTIFIED COMPOUNDS |                |       | FEY95     |          |  |   |
|----------------------------------|----------------|-------|-----------|----------|--|---|
| Lab Name:                        | COMPUCHEM ENV. | CORP. | Contract: | 68D50004 |  | _ |

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 828988

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GH028988A64

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: \_\_\_\_\_ decanted: (Y/N)\_\_\_ Date Extracted:10/24/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: \_\_\_\_

CONCENTRATION UNITS:
Number TICs found: 9 (ug/L or ug/Kg) ug/L

| CAS NUMBER | COMPOUND NAME       | RT             | EST. CONC.    | Q           |
|------------|---------------------|----------------|---------------|-------------|
|            |                     |                |               |             |
| ] 1.       | UNKNOWN ALCOHOL     | 5.93           | 49            |             |
| 2.         | UNKNOWN ALCOHOL     | 6.09           | 3<br>7        | J           |
| 3.         | CYCLOHEXENOL        | 8.12           | 7             | J           |
| 4.         | UNKNOWN             | 8.35           | 2             | J           |
| 5. 65-85-0 | BENZOIC ACID        | 9.04           | 4             | NJ          |
| 6.         | UNKNOWN             | 9.78           | 5             | J           |
| 7.         | LABORATORY ARTIFACT | 11.07          | <u> </u>      | J           |
| ś.         | CYCLOHEXENOL        | 13.30          | 4 3           | Ĵ           |
|            |                     |                | 3             | J           |
| 9.         | UNKNOWN             | 15.48          | 3.            | U           |
| 10         |                     |                |               |             |
|            |                     |                |               |             |
| 1 1Z.      | i                   | l              |               |             |
| 13.        |                     |                |               |             |
| 13.        |                     |                |               |             |
| 15         |                     |                |               |             |
| 16         |                     |                |               |             |
| 17         | <u> </u>            |                | j <del></del> |             |
| 17         |                     | <del></del>    | <del></del>   |             |
| 10.        |                     |                | ·             |             |
| 13.        |                     | <del></del>    |               |             |
| 20.        |                     |                | <del></del>   |             |
| 44.        |                     |                |               |             |
| 44.        |                     |                |               |             |
| 1 221      |                     |                |               |             |
| 1 44.      |                     |                |               |             |
| 23.        |                     |                |               |             |
| 20.        |                     |                |               |             |
| 27         |                     |                |               |             |
| 28.        |                     |                |               |             |
| 28.        |                     | [ <del></del>  |               |             |
| 29         |                     |                |               |             |
| 30         |                     | <del>/</del> - |               | <del></del> |
| 1          | l                   | I <del>/</del> |               | l           |
|            |                     | V.             |               |             |

FORM I SV-TIC

#### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

FEY96

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829000

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GH029000A64

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: \_\_\_\_\_ decanted: (Y/N)\_\_\_ Date Extracted:10/24/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

injection volume: 2.0 (db) Director ractor. I

GPC Cleanup: (Y/N) N pH: \_\_\_\_

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/L

| 108-95-2 | Phenol                       | 2  | J              |     |
|----------|------------------------------|----|----------------|-----|
|          | bis(2-Chloroethyl)ether      | 10 | ı <del>-</del> |     |
| 95-57-8  | 2-Chlorophenol               | 10 |                |     |
| 5/1-73-1 | 1,3-Dichlorobenzene          | 10 | -              |     |
| 106-46-7 | 1,4-Dichlorobenzene          | 10 | 1 -            |     |
|          | 1,2-Dichlorobenzene          | 10 |                |     |
| 95-30-1  | 2-Methylphenol               | 10 | -              | ļ   |
| 109-60-1 | 2,2'-oxybis(1-Chloropropane) |    | -              |     |
| 106-00-1 | 2,2 -oxybis(I-chioropropane) | 10 |                |     |
| 601-64-7 | Nitroso-di-n-propylamine     | 10 |                |     |
| 6ZI-64-/ | Hexachloroethane             | 1  |                |     |
| 01-14-1  | Nitrobenzene                 | 10 | -              |     |
|          | Isophorone                   | 10 |                |     |
|          |                              | 10 |                |     |
| 305 67 0 | 2-Nitrophenol                | 10 |                |     |
| 105-6/-9 | 2,4-Dimethylphenol           | 10 |                |     |
| 111-21-1 | bis(2-Chloroethoxy)methane   | 10 | 3              |     |
| 120-83-2 | 2,4-Dichlorophenol           | 10 |                |     |
| 120-82-1 | 1,2,4-Trichlorobenzene       | 10 | 1 -            |     |
| 91-20-3  | Naphthalene                  | 10 |                | 1   |
|          | 4-Chloroaniline              | 10 |                |     |
|          | Hexachlorobutadiene          | 10 |                |     |
| 59-50-7  | 4-Chloro-3-methylphenol      | 10 | 4 -            | 1   |
| 91-57-6  | 2-Methylnaphthalene          | 10 | _              | l   |
| 77-47-4  | Hexachlorocyclopentadiene    | 10 | <b>ט</b>       |     |
| 88-06-2  | 2,4,6-Trichlorophenol        |    | U              | ŀ   |
| 95-95-4  | 2,4,5-Trichlorophenol        | 25 | U              | N   |
| 91-58-7  | 2-Chloronaphthalene          | 10 | U              | ·   |
|          | 2-Nitroaniline               | 25 | Ţ              |     |
| 131-11-3 | Dimethylphthalate            | 10 | U              | l . |
| 208-96-8 | Acenaphthylene               | 10 | U              |     |
| 606-20-2 | 2,6-Dinitrotoluene           | 10 | U              |     |
| 99-09-2  | 3-Nitroaniline               | 25 | U              |     |
| 83-32-9  | Acenaphthene                 | 10 | l TT           | 1   |

FORM I SV-1

OLMO3.0

## SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829000

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GH029000A64

Level: (low/med) LOW Date Received: 10/23/96

% Moisture: \_\_\_\_ decanted: (Y/N)\_\_\_ Date Extracted:10/24/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH:

CAS NO. COMPOUND COMPOUND COMPOUND CUG/L or ug/Kg) ug/L Q

|           | 2,4-Dinitrophenol           | 25          |   |
|-----------|-----------------------------|-------------|---|
|           | 4-Nitrophenol               | 25          | U |
|           | Dibenzofuran                | 10          | U |
| 121-14-2  | 2,4-Dinitrotoluene          | 10          | Ū |
| 84-66-2   | Diethylphthalate            | 10          | U |
| 7005-72-3 | 4-Chlorophenyl-phenylether_ | 10          | U |
| 86-73-7   | Fluorene                    | 10          | Ū |
| 100-01-6  | 4-Nitroaniline              | 25          | U |
| 534-52-1  | 4,6-Dinitro-2-methylphenol  | 25          | U |
|           | N-nitrosodiphenylamine (1)  | 10          | U |
|           | 4-Bromophenyl-phenylether   | 10          | U |
| 118-74-1  | Hexachlorobenzene           | 10          | ט |
| 87-86-5   | Pentachlorophenol           | 25          | U |
| 85-01-8   | Phenanthrene                | 10          | U |
|           | Anthracene                  | 10          | ט |
| 86-74-8   | Carbazole                   | 10          | U |
| 84-74-2   | Di-n-butylphthalate         | 2           |   |
| 206-44-0  | Fluoranthene                | 10          | U |
| 129-00-0  | Pyrene                      | 10          | U |
| 85-68-7   | Butylbenzylphthalate        | 10          | U |
| 91-94-1   | 3,3'-Dichlorobenzidine      | 10          | U |
| 56-55-3   | Benzo(a) anthracene         | 10          | U |
| 218-01-9  | Chrysene                    | 10          | U |
| 117-81-7  | bis(2-Ethylhexyl)phthalate  | <b>√</b> 60 |   |
| 117-84-0  | Di-n-octylphthalate         | 10          | Ū |
| 205-99-2  | Benzo(b) fluoranthene       | 10          |   |
| 207-08-9  | Benzo(k) fluoranthene       | 10          | U |
| 50-32-8   | Benzo(a) pyrene             | 10          | U |
| 193-39-5  | Indeno (1, 2, 3-cd) pyrene  | 10          | U |
| 53-70-3   | Dibenzo (a, h) anthracene   | 10          | U |
| 191-24-2  | Benzo(g,h,i)perylene        | 10          | U |

FORM I SV-2

OLMO3.0

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY96

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER

Lab Sample ID: 829000

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GH029000A64

Level: (low/med) LOW

Date Received: 10/23/96

% Moisture: \_\_\_\_ decanted: (Y/N) \_\_\_ Date Extracted:10/24/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/26/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: \_\_\_\_

CONCENTRATION UNITS:

Number TICs found: 10

(ug/L or ug/Kg) ug/L RT EST. CONC. CAS NUMBER COMPOUND NAME 84 | J UNKNOWN ALCOHOL 5.93 UNKNOWN ALCOHOL 6.09 3|J 3. 65-85-0 BENZOIC ACID 9.10 18 NJ 11.07 5 J LABORATORY ARTIFACT 5. 121-33-5 VANILLIN 3 NJ 11.49 UNKNOWN 12.58 4 J 7. UNKNOWN CARBOXYLIC ACID 12.74 2 J 8. UNKNOWN SUBSTITUTED PROPANOI 13.07 4 J 9. UNKNOWN 13.86 2 J 10. UNKNOWN 15.48 11.\_ 12.\_ 13.\_\_ 14.\_ 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 28.\_ 29.\_

FORM I SV-TIC

OLM03.0

30.

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

|           |                |       |           |          | FEY97 |
|-----------|----------------|-------|-----------|----------|-------|
| Lab Name: | COMPUCHEM ENV. | CORP. | Contract: | 68D50004 |       |
|           |                |       |           |          | -     |

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829305

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GH029305C62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: \_\_\_\_ decanted: (Y/N) \_\_\_ Date Extracted:10/26/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/28/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

injection volume.

GPC Cleanup: (Y/N) N pH: \_\_\_\_

CONCENTRATION UNITS:
CAS NO. COMPOUND (ug/L or ug/Kg) ug/L Q

| 108-95-2Phenol<br>111-44-4bis(2-Chloroethyl)ether<br>95-57-82-Chlorophenol | _ 10               | ן ט   |
|--|--------------------|-------|
| 95-57-82-Chlorophenol  | _} <sub>10</sub> , |       |
| 95-57-82-Chlorophenol  | 1 10               | [U    |
|  | _<br>10            | ט     |
| 541-73-11,3-Dichlorobenzene  | 10                 | U     |
| 106-46-71,4-Dichlorobenzene  | _ 10               | ן ט   |
| 95-50-11,2-Dichlorobenzene   | _ 10               | ן ט   |
| 95-48-72-Methylphenol  | 10                 |       |
| 108-60-12,2'-oxybis(1-Chloropropane  |                    |       |
| 106-44-54-Methylphenol   | 10                 | lū l  |
| 621-64-7N-Nitroso-di-n-propylamine   | -  <u>10</u>       | -     |
| 67-72-1Hexachloroethane  | - l 10 l           |       |
| 98-95-3Nitrobenzene  | -  10              | , -   |
| 78-59-1Isophorone  | - 10               |       |
| 88-75-52-Nitrophenol   | - 10               | 1 - 1 |
| 105-67-92,4-Dimethylphenol   | 10                 |       |
| 111-91-1bis(2-Chloroethoxy)methane   | - 10               | 1 - 1 |
| 120-83-22,4-Dichlorophenol   | - 10               | 1 - 1 |
| 120-63-2   |                    | 1 - 1 |
| 120-82-11,2,4-Trichlorobenzene   | 10                 | 1 - 1 |
| 91-20-3Naphthalene   | 10                 |       |
| 106-47-84-Chloroaniline  | 10                 |       |
| 87-68-3Hexachlorobutadiene   | 10                 | -     |
| 59-50-74-Chloro-3-methylphenol   | 10                 | - 1   |
| 91-57-62-Methylnaphthalene   | 10                 | 1 1   |
| 77-47-4Hexachlorocyclopentadiene   | 10                 | ,     |
| 88-06-22,4,6-Trichlorophenol   | _  10              | 1 7   |
| 95-95-42,4,5-Trichlorophenol   | _  25              | Ŭ     |
| 91-58-72-Chloronaphthalene   | _  10              | U     |
| 38-74-42-Nitroaniline  | _  25              | U     |
| 131-11-3Dimethylphthalate  | _  10              | U     |
| 208-96-8Acenaphthylene   | 10                 | ן ט   |
| 606-20-22,6-Dinitrotoluene   | 10                 |       |
| _ · · · <del>- · · · · · · · · · · · · · · · </del>                        | -   25<br>25       |       |
| 99-09-23-Nitroaniline  |                    | 1     |
| 99-09-2Acenaphthene  | -  <u>10</u>       | lu l  |

FORM I SV-1

OLMO3.0

#### 1C SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

| EPA S | AMPLE | NO |
|-------|-------|----|
|-------|-------|----|

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU

Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER

Lab Sample ID: 829305

Sample wt/vol:

1000 (g/mL) mL

Lab File ID: GH029305C62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: \_\_\_\_ decanted: (Y/N)\_\_\_

Date Extracted:10/26/96

Concentrated Extract Volume:

1000 (uL)

Date Analyzed: 10/28/96

Injection Volume:

CAS NO.

2.0 (uL)

COMPOUND

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

pH:

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

|                                      | ·  |     |
|--------------------------------------|----|-----|
| 51-28-52,4-Dinitrophenol             | 25 | U   |
| 100-02-74-Nitrophenol                | 25 | U   |
| 132-64-9Dibenzofuran                 | 10 |     |
| 121-14-22,4-Dinitrotoluene           | 10 | Ū   |
| 84-66-2Diethylphthalate              | 10 | Ū   |
| 7005-72-34-Chlorophenyl-phenylether  | 10 | Ū   |
| 86-73-7Fluorene                      | 10 | _   |
| 100-01-64-Nitroaniline               | 25 | Ū   |
| 534-52-14,6-Dinitro-2-methylphenol   | 25 | -   |
| 86-30-6N-nitrosodiphenylamine (1)    | 10 | ΙŪ  |
| 101-55-34-Bromophenyl-phenylether    | 10 |     |
| 118-74-1Hexachlorobenzene            | 10 | ΙŪ  |
| 87-86-5Pentachlorophenol             | 25 |     |
| 85-01-8Phenanthrene                  | 10 |     |
| 120-12-7Anthracene                   | 10 | Ū   |
| 86-74-8Carbazole                     | 10 | lΰ  |
| 84-74-2Di-n-butylphthalate           | 2  |     |
| 206-44-0Fluoranthene                 | 10 |     |
| 129-00-0Pyrene                       | 10 |     |
| 85-68-7Butylbenzylphthalate          | 10 | i - |
| 91-94-13,3'-Dichlorobenzidine        | 10 | 4 - |
| 56-55-3Benzo (a) anthracene          | 10 | 1 * |
| 218-01-9Chrysene                     | 10 | 1 - |
| 117-81-7bis(2-Ethylhexyl)phthalate - | 18 |     |
| 117-84-0Di-n-octylphthalate          | 10 | ·   |
| 205-99-2Benzo (b) fluoranthene       | 10 |     |
| 207-08-9Benzo (k) fluoranthene       | 10 | _   |
| 50-32-8Benzo (a) pyrene              | 10 |     |
| 193-39-5Indeno (1, 2, 3-cd) pyrene   | 10 |     |
| 53-70-3Dibenzo(a,h)anthracene        | 10 |     |
| 191-24-2Benzo(g,h,i)perylene         | 10 | _   |

FORM I SV-2

(1) - Cannot be separated from Diphenylamine

#### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY97

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.:

SDG No.: FEY95

Matrix: (soil/water) WATER

Lab Sample ID: 829305

Sample wt/vol: 1000 (g/mL) mL Lab File ID:

GH029305C62

Level: (low/med) LOW

Date Received: 10/25/96

% Moisture: \_\_\_\_ decanted: (Y/N) \_\_\_ Date Extracted:10/26/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/28/96

Injection Volume: 2.0(uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: \_\_\_\_

Number TICs found: 12

CONCENTRATION UNITS: (ug/L or ug/Kg) ug/L

FORM I SV-TIC

## SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

|    | FEY97RE |  |
|----|---------|--|
| 04 |         |  |

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

GPC Cleanup: (Y/N) N

Case No.: 25093 SAS No.: SDG No.: FEY95 Lab Code: COMPU

Lab Sample ID: 829305 Matrix: (soil/water) WATER

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GJ029305C62

Level: (low/med) LOW Date Received: 10/25/96

% Moisture: \_\_\_\_ decanted: (Y/N)\_\_\_ Date Extracted:10/26/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/28/96

Dilution Factor: 1.0 Injection Volume: 2.0(uL)

pH: \_\_\_\_

CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/L

| 108-95-2Phenol                       | 2   | J   |    |
|--------------------------------------|-----|-----|----|
| 11-44-4bis(2-Chloroethyl)ether       | 10  | 1 ' |    |
| 95-57-82-Chlorophenol                | 10  | lυ  |    |
| 341-73-11,3-Dichlorobenzene          | 10  | Ū   |    |
| 06-46-71,4-Dichlorobenzene           | 10  | Ū   | ı  |
| 95-50-11,2-Dichlorobenzene           | 10  | υ   |    |
| 95-48-72-Methylphenol                | 10  | U   |    |
| .08-60-12,2'-oxybis(1-Chloropropane) | 10  | U   |    |
| .06-44-54-Methylphenol               | 10  | U   |    |
| 21-64-7N-Nitroso-di-n-propylamine    | 10  | ប   |    |
| 77-72-1Hexachloroethane              | 10  | U   |    |
| 8-95-3Nitrobenzene                   | 10  | ប   | l  |
| 78-59-1Isophorone                    | 10  | U   |    |
| 88-75-52-Nitrophenol                 | 10  | U   | ı  |
| 05-67-92.4-Dimethylphenol            | -10 | U   |    |
| .11-91-1bis(2-Chloroethoxy)methane   | 10  | U   |    |
| .20-83-22,4-Dichlorophenol           | 10  | U   | L  |
| .20-82-11,2,4-Trichlorobenzene       | 10  | U   | L  |
| 01-20-3Naphthalene                   | 10  | บ   |    |
| .06-47-84-Chloroaniline              | 10  | U   |    |
| 37-68-3Hexachlorobutadiene           | 10  | ט   |    |
| 9-50-74-Chloro-3-methylphenol        | 10  | U   |    |
| 1-57-62-Methylnaphthalene            | 10  | U   |    |
| 77-47-4Hexachlorocyclopentadiene     | 10  | U   |    |
| 88-06-22,4,6-Trichlorophenol         | 10  | ប   | ŀ  |
| 95-95-42,4,5-Trichlorophenol         | 25  | U   | K  |
| 01-58-72-Chloronaphthalene           | 10  | U   | Ι, |
| 8-74-42-Nitroaniline                 | 25  | บ   |    |
| .31-11-3Dimethylphthalate            | 10  | U   | l  |
| 208-96-8Acenaphthylene               | 10  | U   |    |
| 06-20-22,6-Dinitrotoluene            | 10  | ט   |    |
| 9-09-23-Nitroaniline                 | 25  | ប   |    |
| 3-32-9Acenaphthene                   | 10  | ប   | 1  |

FORM I SV-1

OLMO3.0

EPA SAMPLE NO. 1C SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FEY97RE Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004 Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95 Matrix: (soil/water) WATER Lab Sample ID: 829305 Sample wt/vol: 1000 (g/mL) mL Lab File ID: GJ029305C62 Level: (low/med) Date Received: 10/25/96 LOW % Moisture: decanted: (Y/N) Date Extracted:10/26/96 Concentrated Extract Volume: 1000 (ນL) Date Analyzed: 10/28/96 Dilution Factor: 1.0 Injection Volume: 2.0(uL) GPC Cleanup: (Y/N) N pH: CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) ug/L Q 25 U 51-28-5-----2,4-Dinitrophenol 100-02-7----4-Nitrophenol 25 U 132-64-9-----Dibenzofuran 10 U 121-14-2----2,4-Dinitrotoluene 10 U 84-66-2-----Diethylphthalate\_\_\_ 10 U 10 U 7005-72-3----4-Chlorophenyl-phenylether 86-73-7-----Fluorene 10 U 100-01-6-----4-Nitroaniline 25 U 534-52-1-----4,6-Dinitro-2-methylphenol 25 U 86-30-6----N-nitrosodiphenylamine\_(1) 10 U 101-55-3----4-Bromophenyl-phenylether 10 U 118-74-1-----Hexachlorobenzene\_ 10 U

87-86-5-----Pentachlorophenol 25 U 85-01-8-----Phenanthrene 10 U 120-12-7-----Anthracene 10 U 86-74-8-----Carbazole 10 U 84-74-2-----Di-n-butylphthalate 10 U 206-44-0-----Fluoranthene 10 U 129-00-0-----Pyrene 10 U 85-68-7-----Butylbenzylphthalate 10 U 91-94-1----3,3'-Dichlorobenzidine 10 U 56-55-3-----Benzo (a) anthracene 10 U 218-01-9-----Chrysene 10 U 117-81-7-----bis(2-Ethylhexyl)phthalate 14 10 U 117-84-0-----Di-n-octylphthalate\_ 10 U 205-99-2----Benzo (b) fluoranthene 10 U 207-08-9-----Benzo(k) fluoranthene 50-32-8-----Benzo (a) pyrene\_ 10 U

(1) - Cannot be separated from Diphenylamine

191-24-2----Benzo(g,h,i)perylene

193-39-5-----Indeno (1,2,3-cd) pyrene

53-70-3-----Dibenzo(a,h)anthracene\_

FORM I SV-2

OLM03.0

10 U

10 U

10 U

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

FEY97RE

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER

Lab Sample ID: 829305

Sample wt/vol: 1000 (g/mL) mL Lab File ID: GJ029305C62

Level: (low/med) LOW

Injection Volume: 2.0(uL)

Date Received: 10/25/96

% Moisture: \_\_\_\_\_ decanted: (Y/N)\_\_\_ Date Extracted:10/26/96

Concentrated Extract Volume: 1000(uL) Date Analyzed: 10/28/96

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: \_\_\_\_

CONCENTRATION UNITS:

Number TICs found: 9

(ug/L or ug/Kg) ug/L

| 1. UNKNOWN 4.98 4 J 2. UNKNOWN ALCOHOL 5.58 15 J 3. UNKNOWN KETONE 5.69 3 J 4. UNKNOWN 6.65 15 J 5. METHYLMETHYLETHYLBENZENE 7.33 2 J 6. UNKNOWN 9.47 5 J 7. UNKNOWN 10.88 3 J 8. UNKNOWN 11.74 3 J 9. UNKNOWN 11.74 3 J 9. UNKNOWN 11.80 3 J 10. | CAS NUMBER   | COMPOUND NAME   | RT   | EST. CONC.         | Q                                    |
|---|--|---|--|--------------------|--------------------------------------|
| 24.<br>25.<br>26.<br>27.  | 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. | UNKNOWN UNKNOWN ALCOHOL UNKNOWN KETONE UNKNOWN METHYLMETHYLETHYLBENZENE UNKNOWN UNKNOWN UNKNOWN UNKNOWN | 4.98<br>5.58<br>5.69<br>6.65<br>7.33<br>9.47<br>10.88<br>11.74 | 4<br>15<br>3<br>15 | J<br>J<br>J<br>J<br>J<br>J<br>J<br>J |

FORM I SV-TIC

## 1D

EPA SAMPLE NO.

| PESTICIDE ORGANICS ANALYSI          | S DATA SHEET                                |
|-------------------------------------|---|
| Lab Name: COMPUCHEM ENV. CORP.      | FEY95<br>Contract: 68D50004                 |
| Lab Code: COMPU Case No.: 25093     | SAS No.: SDG No.: FEY95                     |
| Matrix: (soil/water) WATER          | Lab Sample ID: 828988                       |
| Sample wt/vol: 1000 (g/mL) ML       | Lab File ID:                                |
| % Moisture: decanted: (Y/N)_        | Date Received: 10/23/96                     |
| Extraction: (SepF/Cont/Sonc) SEPF   | Date Extracted:10/25/96                     |
| Concentrated Extract Volume: 10000( | uL) Date Analyzed: 10/28/96                 |
| Injection Volume: 2.0(uL)           | Dilution Factor: 1.0                        |
| GPC Cleanup: (Y/N) N pH:            | Sulfur Cleanup: (Y/N) N                     |
| CAS NO. COMPOUND                    | CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L Q |

| 319-84-6alpha-BHC                  | 0.050                 | Ū  |
|------------------------------------|-----------------------|----|
| 319-85-7beta-BHC                   | 0.050                 | บ  |
| 319-86-8delta-BHC                  | 0.050                 | U  |
| 58-89-9gamma-BHC (Lindane)         | 0.050                 | ט  |
| 76-44-8Heptachlor                  | 0.050                 | U  |
| 309-00-2Aldrin                     | 0.050                 | U  |
| 1024-57-3Heptachlor epoxide        | 0.050                 | U  |
| 959-98-8Endosulfan I               | T 0.050               | U  |
| 60-57-1Dieldrin                    | 0.10                  | U  |
| 72-55-94,4'-DDE                    | <sup>-</sup>   √0.018 | JP |
| 72-20-8Endrin                      | 0.10                  | U  |
| 33213-65-9Endosulfan II            | 0.10                  | U  |
| 72-54-84,4'-DDD                    | 0.10                  | υ  |
| 1031-07-8Endosulfan sulfate        | 0.10                  | U  |
| 50-29-34,4'-DDT                    | 0.10                  | U  |
| 72-43-5Methoxychlor                | <sup>-</sup>   0.50   | ប  |
| 53494-70-5Endrin ketone            | 0.10                  | U  |
| 7421-93-4Endrin aldehyde           | 0.10                  | U  |
| 5103-71-9alpha-Chlordane           | 0.050                 | ט  |
| 5103-74-2gamma-Chlordane           | 0,0032                | JP |
| 8001-35-2Toxaphene                 | 5.0                   | שו |
| 12674-11-2Aroclor-1 <del>016</del> | 1.0                   | U  |
| 11104-28-2Aroclor-1221             | 2.0                   |    |
| 11141-16-5Aroclor-1232             | 1.0                   |    |
| 53469-21-9Aroclor-1242             | 1.0                   |    |
| 12672-29-6Aroclor-1248             | 1.0                   | ប  |
| 11097-69-1Aroclor-1254             | 1.0                   |    |
| 11096-82-5Aroclor-1260             | 1.0                   |    |

FORM I PEST

## 1D

EPA SAMPLE NO.

| PESTICIDE ORGANICS ANALYSIS DATA SE   | REET                                     |
|---|--|
| Lab Name: COMPUCHEM ENV. CORP. Contract   | FEY96                                    |
| Lab Code: COMPU Case No.: 25093 SAS No.:  | SDG No.: FEY95                           |
| Matrix: (soil/water) WATER  | Lab Sample ID: 829000                    |
| Sample wt/vol: 1000 (g/mL) ML   | Lab File ID:                             |
| % Moisture: decanted: (Y/N)   | Date Received: 10/23/96                  |
| Extraction: (SepF/Cont/Sonc) SEPF   | Date Extracted:10/25/96                  |
| Concentrated Extract Volume: 10000(uL)  | -  |
| Injection Volume: 2.0(uL)   | Dilution Factor: 1.0                     |
| GPC Cleanup: (Y/N) N pH:  | Sulfur Cleanup: (Y/N) N                  |
| CAS NO. COMPOUND (ug/L  | <del>-</del>                             |
| 319-84-6alpha-BHC 319-85-7beta-BHC 319-86-8delta-BHC 58-89-9gamma-BHC (Lindane) 76-44-8Heptachlor 309-00-2Aldrin 1024-57-3Heptachlor epoxide 959-98-8Endosulfan I 60-57-1Dieldrin 72-55-94,4'-DDE | 0.050 U<br>0.050 U<br>0.050 U<br>0.050 U |
| 76-44-8Heptachlor<br>309-00-2Aldrin<br>1024-57-3Heptachlor epoxide  | 0.050 U<br>0.050 U<br>0.050 U            |
| 959-98-8Endosulfan I<br>60-57-1Dieldrin<br>72-55-9  | 0.050 U<br>0.10 U<br>0.10 U              |
| 72-20-8Endrin 33213-65-9Endosulfan II 72-54-84,4'-DDD 1031-07-8Endosulfan sulfate   | 0.10 U<br>0.10 U<br>0.10 U               |
| 1031-07-8Endosulfan sulfate<br>50-29-34,4'-DDT<br>72-43-5Methoxychlor   | 0.10 U<br>0.10 U<br>0.10 U<br>0.50 U     |
| 53494-70-5Endrin ketone<br>7421-93-4Endrin aldehyde   | 0.10 U<br>0.10 U                         |
| 5103-71-9alpha-Chlordane<br>5103-74-2gamma-Chlordane<br>8001-35-2Toxaphene  | 0.050 U<br>0.050 U<br>5.0 U              |
| 50-29-34,4'-DDT 72-43-5Methoxychlor 53494-70-5Endrin ketone 7421-93-4Endrin aldehyde 5103-71-9alpha-Chlordane 5103-74-2Toxaphene 12674-11-2Aroclor-1221 11141-16-5Aroclor-1232                    | 1.0 U<br>2.0 U                           |
| 11141-16-3MIOCIOI-1232  |  |

FORM I PEST

53469-21-9-----Aroclor-1242 12672-29-6-----Aroclor-1248

11097-69-1-----Aroclor-1254 11096-82-5-----Aroclor-1260

OLM03.0

475

1.0 U

1.0 0

1.0 U 1.0 0

#### 1D PESTICIDE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: COMPUCHEM ENV. CORP. Contract: 68D50004 \_\_\_\_\_\_

Lab Code: COMPU Case No.: 25093 SAS No.: SDG No.: FEY95

Matrix: (soil/water) WATER Lab Sample ID: 829305

Sample wt/vol: 1000 (g/mL) ML Lab File ID:

% Moisture: \_\_\_\_ decanted: (Y/N)\_\_ Date Received: 10/25/96

Extraction: (SepF/Cont/Sonc) SEPF Date Extracted:10/28/96

Concentrated Extract Volume: 10000(uL) Date Analyzed: 10/29/96

Injection Volume: 2.0(uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: \_\_\_\_ Sulfur Cleanup: (Y/N) N

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L Q

|                             | 1             |               |
|-----------------------------|---------------|---------------|
| 319-84-6alpha-BHC           | 0.050         | <sub>11</sub> |
| 319-85-7beta-BHC            | - 0.050       |               |
| 319-86-8delta-BHC           | 0.050         |               |
| 58-89-9gamma-BHC (Lindane)  | 0.050         |               |
| 76-44-8Heptachlor           | 0.050         | 1 - 1         |
| 309-00-2Aldrin              | 0.050         |               |
| 1024-57-3Heptachlor epoxide | 0.050         |               |
| 959-98-8Endosulfan I        | 0.050         |               |
| 60-57-1Dieldrin             | - 0.10        | _             |
| 72-55-94,4'-DDE             | -  0.10       |               |
| 72-20-8Endrin               | 0.10          |               |
| 33213-65-9Endosulfan II     | - 0.10        | -             |
| 72-54-84,4'-DDD             | 0.10          | 1 - 1         |
| 1031-07-8Endosulfan sulfate | 0.10          | ; - I         |
| 50-29-34,4'-DDT             | - 0.10        | , - ,         |
| 72-43-5Methoxychlor         | 0.50          |               |
| 53494-70-5Endrin ketone     | 0.10          |               |
| 7421-93-4Endrin aldehyde    | 0.10          |               |
| 5103-71-9alpha-Chlordane    | 0.050         | 1 . 1         |
| 5103-74-2gamma-Chlordane    | 0.050         | 1 7 1         |
| 8001-35-2Toxaphene          | 5.0           |               |
| 12674-11-2Aroclor-1016      | -  1.0        |               |
| 11104-28-2Aroclor-1221      | 2.0           |               |
| 11141-16-5Aroclor-1232      | - 1.0         |               |
| 53469-21-9Aroclor-1242      | 1.0           |               |
| 12672-29-6Aroclor-1248      | -  1.ŏ        |               |
| 11097-69-1Aroclor-1254      | -  <u>1.0</u> |               |
| 11096-82-5Aroclor-1260      | 1.0           |               |

FORM I PEST



### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

**REGION 6 HOUSTON BRANCH** 10625 FALLSTONE RD. HOUSTON, TEXAS 77099

To:

DeAnna Epperson, TNRCC

Thru:

From:

Melvin Ritter, Region 6 RPO

Marvelyn Humphrey, Alt. RPO M. Humphrey

Subject:

Correction of Data Summary Table for BNA sample FEZ01, Case / SDG- 25093

FEY80

Date:

January 7, 1997

Attached is the correction of the data summary table for the analytical results of BNA sample FEZ01, Case 25093, SDG FEY80. If you have any additional questions, I may be reached at (281) 983 - 2140.



#### **MEMORANDUM**

Dr. Melvin Ritter, ESAT RPO To:

Dr. Tom C. H. Chiang, ESAT TM From:

Correction of Data Summary Table for Case/SDG Subject:

25093/FEY80

Date: January 6, 1997

Ref: MEM1489

File Copies:

M. Humphrey

The original data summary table for Case/SDG 25093/FEY80 contained several data qualifier errors for BNA sample FE-Z01. Several positive results were inadvertently flagged with the "U" qualifier, and bias flags were omitted for two results. Attached are replacement pages with the proper corrections. Please forward these pages to the project user B. Canellas (6SF-RA) and TNRCC. These pages should replace the corresponding ones in the original data review report. ESAT has initiated corrective actions to prevent the recurrence of such oversight.

Case No.: 25093

SDG:

FEY80

Reviewer: W. DOCNG

Laboracory: CCMPU

Macrix:

SQIL

Units:

ug/Kg

|             | SEMIVOLATILES                                  | FL             | AG                                      | FLX       | 3           | FLAG |            | _FLAG_ |              | FLAG_ | ;            | LAG_       |             | _FLAG |
|-------------|--|----------------|---|-----------|-------------|------|------------|--------|--------------|-------|--------------|------------|-------------|-------|
| _           | EPA SAMPLE NUMBER:                             | FE-Y92         | FE-Y93                                  |           | FE-Y93RE    |      | FE-Y94     |        | FE-201       |       | FE-Z02       |            | FE-Z03      |       |
|             |  | 780 U          | 580                                     | Π•        | 580         | Ţ    | 480        | IJ     | 2900         | IJ    | 550 (        | ţ          | 570         | Ü     |
|             | Phenol   | 780 U          | 580                                     |           | 580         | UT . | 480        | Ü      | 2900         | ij    | 550 (        | J          | 570         | U     |
|             | bis (2-Chloroethyl) ether                      | 780 0          | 580                                     |           | 580         | U    | 480        | U      | 2900         | U     | 550 9        | J          | 570         | Ü     |
|             | 2-Chlorophenol                                 | 700 0          |   |           |             |      |            |        |              |       |              |            |             |       |
|             | 1,3-Dichlorobenzene                            | 780 U          | 580                                     | U٠        | 580         |      | 480        |        | 2900         |       | 550 1        |            | \$70        |       |
|             | 1,4-Dichlorobenzene                            | 780 U          | 580                                     | Ŭ=        | 580         | U    | 480        |        | 2900         |       | 550 1        |            | 570         |       |
| _           | 1,2-Dichlorobenzene                            | 780 U          | 580                                     | ٥.        | 580         | U    | 480        | U      | 2900         | Ü     | 550          |            | 570         | u     |
|             | i  |                |   |           |             |      |            |        | 2900         |       | 550 5        | •          | 570         | F7    |
|             | 2-Methylphenol                                 | 780 U          | 580                                     |           | 580         |      | 480<br>480 |        | 2900         |       | 550          |            | 570         |       |
|             | 2,2'-Oxybis(1-chloropropane)                   | 780 U          | 580                                     |           | 580         |      | 480        |        | 2900         |       | 550          |            | 570         |       |
|             | 4-Methylphenol                                 | 780 U          | 580                                     | 0=        | 580         | v    | 100        | •      |              | •     | •••          | •          | • • •       | _     |
|             |  |                | 580                                     | п-        | 580         | TT T | 480        | ŭ      | 2900         | IJ    | 550          | J          | 570         | ŭ     |
|             | N-Nitroso-di-n-propylamine                     | 780 U          | 580                                     |           | 580         |      | 480        |        | 2900         | Ū.    | 150          | ij         | 570         | ಚ     |
|             | Hexachloroethane [                             | 780 U          | 580                                     |           | 580         |      | 480        |        | 2900         | Ū     | £50          | J          | 570         | J     |
|             | Nitrobenzene                                   | 780 Ū          | 200                                     | •         | •           |      |            |        |              |       |              |            |             |       |
|             | Teenhovere !                                   | 780 U          | 590                                     | Q+        | 580         | ŭ    | 480        | Ü      | 2900         | Ü     | 550          |            | 570         |       |
|             | Isophorone   2-Nitrophenol                     | 780 U          | 540                                     |           | 580         | ប    | 480        |        | 2900         |       | 550          |            | 570         |       |
|             | 2.4-Dimechylphenol                             | 780 U          | 580                                     |           | 580         | ឋ    | 480        | Ũ      | 2900         | n n   | 550          | IJ         | 570         | Ü     |
|             |  |                |   |           |             |      | _          |        |              |       |              |            |             |       |
|             | bis (2-Chlorosthoxy) methans                   | 780 U          | 580                                     |           | 580         |      | 480        |        | 2900         |       | 550          |            | \$70<br>570 |       |
|             | 2,4-Dichlorophenol                             | 780 U          | 580                                     |           | 580         |      | 480        |        | 2900         |       | \$50<br>\$50 |            | 570<br>570  |       |
|             | 1,2,4-Trichlorobenzene                         | 780 U          | 580                                     | U+        | 560         | U    | 480        | Ų      | 2900         | J     | 550          | u          | = / 4       | -     |
|             | Į  |                |   | <b></b> . | 530         | T#   | 480        | **     | 6700         |       | 550          | n          | 570         | σ     |
| _           | Naphthalene                                    | 760 U          | 540                                     |           | 580<br>580  |      | 480        |        | 2900         | :1    | 550          |            | \$70        |       |
|             | 4-Chloroaniline                                | 780 U          | 580                                     |           | 580         |      | 480        |        | 2900         |       | 550          |            | 570         |       |
|             | Hexachlorobutadiene                            | 780 ೮          | 280                                     | ٠.        | 200         | •    |            | -      | **           | •     |              | _          |             |       |
|             |  |                | <b>580</b>                              | ft#       | 540         | ŭ    | 480        | U      | 2900         | Ţ     | \$50         | ŭ          | 570         | T T   |
| _           | 4-Chloro-3-methylphenol                        | 780 U<br>760 U | 580                                     |           | 580         |      | 480        | Ų      | 8000         |       | 530          | U          | 50          | ı J   |
|             | 2-Mechylnaphthalane                            | 780 J          | 580                                     |           | 580         |      | 480        | Ü      | 2900         | ı     | 550          | ゴ          | 570         | ט ו   |
|             | Hexachlorocyclopentadiene                      | , , , ,        | • | -         |             |      |            |        |              |       |              |            |             |       |
|             | 2,4,6-Trichlorophenol                          | 780 0          | 580                                     | ប•        | 580         | U    | 480        |        | 2900         |       | #50          |            | 570         |       |
| _           | 2,4.5-Trichlorophenol                          | 2000 U         | 1400                                    | Q.        | 1400        | U    | 1200       |        | 7300         |       | 1400         |            | 1400        |       |
|             | 2-Chloronaphthalene                            | 780 U          | \$80                                    | U.        | 580         | a    | 460        | U      | 2900         | J     | 550          | Ų          | 570         | , u   |
|             | •  | İ              |   |           |             | _    |            |        |              |       |              | ••         | 1400        | * 7T  |
|             | 2-Nitroaniline                                 | 2000 U         | 1400                                    |           | 1400        |      | 1203       |        | 7300<br>2900 |       | 1400<br>550  |            |             | ט נ   |
|             | Dimethylphthalate                              | 780 U          |   | U-        | 540         |      | 480        |        | 7300         | Ų     |              | J          |             | J     |
|             | Acenaphthylene                                 | 780 🖰          | . 580                                   | ű.        | 580         | u    | 480        | Ÿ      | ,,,,,        |       | 32           | •          |             |       |
|             |  | !              |   |           | 560         | 11   | 460        | :7     | 2900         | #     | 550          | U          | 570         | J T   |
|             | 2.6-Dinitrotoluene                             | 780 0          |   | U*        | 1400        |      | 1200       |        | 7300         |       | 7400         |            | 1400        |       |
| <del></del> | 3-Witroaniline                                 | 2000 0         | 1400                                    | Π.        | 580         |      | 480        |        | 8800         | -     | 530          |            | 570         | ប្រ   |
|             | Acenaphchene                                   | 1 780 U        | 300                                     | •         | ***         | •    |            |        |              |       |              |            |             |       |
|             | *:-:1  | <br>  2008 U   | 1400                                    | U+        | 1409        | ŭ    | 1200       | IJ     | 7300         | IJ    | 1400         | ŭ          | 1400        | ı Ţ   |
|             | 2.4-Dinitrophenol<br>4-Nitrophenol             | 2000 U         |   |           | 1400        | O    | 1200       | Ü      | 7300         | ı     | 1400         | Ū          | 1400        |       |
|             | Dibenzofuran                                   | 780 0          |   | U*        | 580         | a    | 480        | ū      | 2900         | IJ    | 550          | Ü          | 57          | 0 0   |
|             | 7.2e2000                                       | i              |   |           |             |      |            |        |              |       |              |            |             |       |
|             | 2,4-Dinitrotoluene                             | 1 780 U        |   | •₽        | 580         |      | 480        |        | 2900         |       | 550          |            |             | 0 J   |
|             | Diechylphthalace                               | j 780 U        |   | U=        | \$80        |      | 480        |        | 2900         |       | 550          |            | -           | 0 0   |
|             | 4-Chlorophenyi-phenylether                     | 780 0          | 580                                     | 0*        | 580         | U    | 480        | U      | 2900         | J     | 550          | ų          | 37          | 0 0   |
|             |  | l              | _                                       |           |             | "    | 100        | ט      | 9200         |       | 550          | t <b>t</b> | 47          | υς    |
|             | Fluorene                                       | 780 0          |   | η.        | 580<br>1400 |      | 1200       |        | 7300         |       | 1400         |            |             | 0 0   |
|             | 4-Nitroaniline                                 | 2000 U         |   |           | 1400        |      | 1200       |        | 7300         |       | 1400         |            |             | 0 ប   |
| _           | 4,6-Dinitro-2-methylphenol                     | 3000 0         | 1400                                    | , 4       | 1400        | •    | 2400       | -      |              | -     | 20           | -          |             |       |
|             |  | 1 750 0        | . 62/                                   | <b>U•</b> | 580         | Ü    | 480        | U C    | 2900         | IJ    | 550          | ប          | 57          | Q U   |
|             | N-Nitrosodiphenylamine                         | 780 U          |   | บ•        | 580         |      |            | Ü      | 2900         |       | 550          |            | 57          | 0 0   |
|             | 4-Bromophenyl-phenylether<br>Hexachlorobenzene | 780 U          |   | U•        | 580         | -    |            | Ţ      | 2900         |       | \$50         | Ų          | 57          | O U   |
| _           | uexecutoroneuteue                              | 1 1944         |   |           |             |      |            |        |              |       |              |            |             |       |
|             | Pentachlorophenol                              | 2000           | 140                                     | u•        | 1400        | U    | 1200       |        | 7300         |       | 1400         |            |             | 0 3   |
|             | Phenanthrene                                   | 780 0          |   | ) U•      | 580         |      |            | טנ     | 21000        |       | 550          |            |             | ננ    |
|             | Anchracene                                     | 780 0          |   | u•        | 580         | ŭ    | 480        | טנ     | 5000         | )     | 550          | IJ         | \$7         | o u   |
|             |  | Ì              |   |           |             |      |            |        |              |       |              |            |             |       |
| -           |  | -              |   |           |             |      |            |        |              |       |              |            |             |       |

#### ORGANIC DATA SUMMARY

Case No.: 25093

SCG:

FEY80

Reviewer: W. DCCNG

Laboratory: COMPU

Matrix:

SOIL

Unics:

ug/Kg

| SEMITOLATILES               |        | _FLAG  | _FLAG_   |        | בואם_ | <del></del> | FLAG |        | _FLAG_ |        | FLAG |        | FLAG |  |
|-----------------------------|--------|--------|----------|--------|-------|-------------|------|--------|--------|--------|------|--------|------|--|
| EPA SAMPLE NUMBER:          | FE-785 | FE-786 | ;        | FE-Y87 |       | FE-Y88      |      | FE-Y89 |        | FE-Y90 |      | FE-Y91 |      |  |
| arbazole                    | 780    | υ 63C  | t t      | 910    | บ     | 1100        |      | \$10   |        | 482    |      | 530    | U    |  |
| i-n-bucylphthalace          | 780    | U 630  | ប        | 910    |       | 140         |      | 510    |        | 480    | -    | 130    | -    |  |
| luoranthene                 | 780    | U 630  | ניו      | 910    | σ     | 1100        | IJ   | 510    | IJ     | 480    | U    | 530    | บ    |  |
| yrene                       | 780    |        |          | 910    |       | 1100        |      | 510    |        | 480    | _    | 530    | •    |  |
| utylbensylphthalate !       | 780    | -      |          | 910    |       | 1100        |      | 510    |        | 480    | _    | 530    | -    |  |
| , 3' -Dichlorobenzidine     | 780    | U 630  | ı Ş      | 910    | Ø.    | 1100        | ū    | 510    | ນ      | 480    | a    | \$30   | ŋ    |  |
| enzo (a) anchracene         | 780    |        | -        | 910    |       | 1100        |      | 510    |        | 480    | -    | \$30   |      |  |
| hrysene [                   | 780    |        |          | 910    |       | 1100        |      | \$10   |        | 480    | _    | 530    | _    |  |
| is (2-Ethylhexyl) phthalace | 780    | U 630  | ีซ       | 120    | J     | 1100        | Ü    | 510    | IJ     | 72     | J    | 60     | J    |  |
| i-n-octylphthalace          | 780    |        |          | 910    |       | 1100        | -    | 510    | -      | 480    | -    | 530    |      |  |
| enzo(b) fluoranthene        | 780    |        |          | 910    |       | 1100        |      | 519    |        | 480    | _    | \$30   |      |  |
| enzo(k) fluoranthene        | 780    | U 630  | Ü        | 910    | ű.    | 1100        | Ü    | 510    | Ü      | 480    | Ü    | 530    | g.   |  |
| endo (a) pyrene             | 780    |        |          | 910 (  |       | 1100        | _    | 510    |        | 480    | -    | 530    | -    |  |
| ndeno(1.0.3-cd)pyrene       | 780    |        |          | 910 '  |       | 1100        | -    | 510    |        | 480    | _    | 530    | -    |  |
| ibens (a.h) anthracene      | 780    | ŋ 630  | <b>;</b> | 910 (  | ij    | 1190        | IJ   | 510    | 7      | 450    | ū    | 530    | ប    |  |
| enco(g,h,i)perylene         | 750    | ਧ 530  | 7        | 910 (  | ŭ     | 1130        | u ·  | 510    | IJ     | 480    | ű    | 530    | u    |  |
| Sample wt (g):              | 10.3   | 30.2   |          | 30.2   |       | 30.4        |      | 20.4   |        | 30.2   |      | 30.3   |      |  |
| #Moiszure:                  | sa     | 48     |          | 64     |       | 71          |      | 36     |        | 32     |      | 38     |      |  |
| Dilution Factor:            | 1      | :      |          | :      |       | 1           |      | 1.1    |        | 1      |      | :      |      |  |
| Level:                      | LCM    | 10%    |          | LCW    |       | TCM         |      | LOW    |        | LCW    |      | FOM    |      |  |
| Number of TIC's:            | 2      | 4      |          | 5      |       | 14          |      | 15     |        | á      |      | 13     |      |  |

Mode: For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ISAT Organic Data Qualifiers. The ISAT flags indicate the technical usability of the reported results.

Case No.: 25093

PEYBO

Reviewer: W. DOCNG

Laboratory: COMPU

Matrix:

SOIL

Units:

ug/Kg

|             | SEMIVOLATILES               |        | _FLAG_ |        | _77.3     | د        | FLAG  |        | _FLAG |        | _FLAG_ |        | _FLAG_ |        | _FLAG |
|-------------|-----------------------------|--------|--------|--------|-----------|----------|-------|--------|-------|--------|--------|--------|--------|--------|-------|
| _           | EPA SAMPLE NUMBER:          | FE-Y92 |        | FE-Y93 |           | FE-Y93RE |       | FE-Y94 |       | FE-201 |        | FE-202 |        | FE-203 |       |
|             | Carbazole i                 | 780    | ט      | 540    |           | 580      |       | 480    | -     | 2900   | -      | 550    | -      | 570    | -     |
|             | Di-n-bucylphthalate         | 780    | Ü      | sao    | T*        | 580      |       | 480    |       | 2900   | -      | 120    |        |        | J     |
| _           | Fluoranchene                | 37     | J      | .61    | •         | 580      | J     | 480    | IJ    | 9500   |        | 550    | IJ     | 570    | U     |
|             | i<br>Pyrana                 | 60     | j      | 170    |           |          | J     | 480    |       | 11000  |        | 550    |        | 570    | -     |
|             | Butylbenzylphthalace        | 780    | Ü      | 580    | Ç*        | 590      |       | 480    |       | 2900   | -      | 550    | _      | 570    | -     |
| _           | 3,3'-Dichlorobenzidize      | 780    | Ü      | sao    | C.        | 580      | a     | 480    | a     | 2900   | IJ     | 550    | IJ     | \$70   | û     |
|             | :<br>  Benzo (a) anchracene | 790    | U      | 580    | U+        | 580      | •     | 480    | -     | 4200   |        | 550    | -      | \$70   | -     |
|             | Chrysene                    | 780    | r      | 590    | U*        |          | J     | 480    |       | 4900   |        | 550    | -      | 570    | _     |
|             | bis(2-Sthylhexyl)pochalace  | 780    | U      | 580    | ű*        | 80       | J     | 60     | J     | 400    | J      | 220    | 1      | 100    | J     |
|             | Di-n-octylphthalate         | 780    | Ç      | 580    | <b>U+</b> |          | αĵν   | 480    | -     | 2900   | _      | 550    | -      | \$70   | •     |
|             | Senzo (b) fluoranthene      | 780    | Ü      | 130    | •         |          | j     | 480    |       | 4200   |        | 550    | -      | 570    | -     |
| _           | Benzo (k) fluoranthene      | 780    | IJ     | 140    | •         | 65       | J     | 480    | Ü     | 4700   | J-     | \$50   | IJ     | 570    | a     |
|             |                             | 780    | σ      | 580    | u•        | 590      | ŰJv   | 480    |       | 3300   |        | 550    | -      | 570    |       |
|             | Indeno(1.1.3-cd)pyrene      | 780    | Ū      | 580    | U*        | 580      | UJv   | 480    |       | 720    | _      | 550    |        | 570    | -     |
|             | Dibens(a,h)anthracene       | 780    | IJ     | -580   | J.        | 580      | UJv   | 480    | J     | 2900   | U      | 550    | IJ     | 570    | 1     |
| _           | Benzo (g, h, i) perylene i  | 750    | ប      | 982    | Ţ.        | 580      | ಚಿತ್ರ | 480    | IJ    | 580    | j      | 550    | ű      | \$70   | ũ     |
|             | Sample wt (g):              | 30.2   |        | 30.1   |           | 30.1     |       | 30.0   |       | 30.3   |        | 30.1   |        | 30.1   |       |
|             | %Moisture:                  | 58     |        | 43     |           | 43       |       | 31     |       | \$5    |        | 40     |        | 42     |       |
|             | Dilution Factor:            | 1      |        | :      |           | 1        |       | 1      |       | 4      |        | -      |        | 1      |       |
| <del></del> | Level:                      | TOM    |        | KOJ    |           | LCM      |       | FCM    |       | LOW    |        | tox    |        | TCM    |       |
|             | Number of TIC's:            | 31     |        | 20     |           | 30       |       | 8      |       | 30     |        | 14     |        | 11     |       |
| -           | i                           |        |        |        |           |          |       |        |       |        |        |        |        |        |       |

For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ESAT Organic Data Qualifiers. The ESAT flags indicate the technical usability of the reported results.

#### ORGANIC DATA SUMMARY

Case No.: 25093

SDG:

FEYBO

Reviewer: W. DOCNG

Laboratory: COMPU

Macrix:

SOIL

Units:

ug/Kg

| PESTICIDES/PCBs       | FLAG   | FLAG   |        | FLAG   | FLAG   | FIAG_   | FLXG   |
|-----------------------|--------|--------|--------|--------|--------|---------|--------|
| EPA SAMPLE NUMBER:    | FE-Y77 | FE-Y80 | FE-Y81 | FE-Y82 | FE-Y83 | FE-Y84  | FE-YB5 |
| EFA SAFFLE NUMBER:    | 25-111 |        |        |        |        |         |        |
| alpha-BHC [           | 4.7 0  | 3.4 U  | 3.2 U  | 3.4 0  | 4.6 0  | 2.9 J   | 4.0 U  |
| beca-BHC              | 4.7 U  | 3.4 U  | 3.2 U  | 3.4 U  | 4.6 U  | \$.2 U  | 4.0 U  |
| deita-BRC !           | 4.7 U  | 3.4 U  | 3.2 U  | 3.4 U  | 4.6 U  | 2.6 J   | 4.0 U  |
| gamma-BHC (lindane) [ | 4.7 0  | 3.4 U  | 3.2 U  | 3.4 U  | 4.5 U  | 0.67 J  | 4.0 0  |
| Hepcachlor            | 4.7 U  | 3.4 U  | 3.2 U  | 3.4 U  | 4.6 0  | 5.2 U   | 4.0 0  |
| Aldrin                | 4.7 U  | 3.4 U  | 3.2 U  | 3.4 U  | 4.6 U  | 2.4 J   | 4.0 U  |
| Heptachlor epoxide    | 4.7 U  | 3.4 Ū  | 3.2 0  | 3.4 U  | 0.91 J | 5.2 U   | 4.0 T  |
| Endosulfan I          | 4.7 U  | 3.4 U  | 3.2 U  | 3.4 🖰  | 4.6 U  | 5.2 U   | 4.0 U  |
| Dieldrin              | 9.2 T  | 6.6 U  | 6.3 0  | €.6 ℧  | 8.9 T  | 10 U    | 7.8 0  |
| 4,4'-DDE              | 9.2 T  | 6.6 ℧  | 6.3 U  | 6.6 U  | 8.9 🖰  | 10 U    | 7.8 T  |
| Endrin                | 9.2 U  | 6.6 T  | 6.3 U  | 5.6 T  | 8.9 T  | 10 0    | 7.3 U  |
| Endosulfan II         | 9.2 U  | 6.6 U  | 6.3 0  | 6.6 U  | 1.1 J  | 10 0    | 7.8 0  |
| <br>4.4'-DDD          | 9.2 0  | 6.6 U  | 6.3 U  | 6.6 0  | 8.9 T  | 10 σ    | 7.9 T  |
| Endosulfan sulface    | 9.2 0  | 6.5 U  | 6.3 U  | 6.5 U  | 8.9 T  | 10 U    | 7.8 T  |
| 4.4'-DDT              | 9.2 U  | €.5 U  | 6.3 U  | 6.6 U  | a.9 U  | 20 J    | 7.\$ T |
| Mechoxychlor          | 47 U   | 34 U   | 32 U   | 34 U . | 46 U   | \$2 U   | 40 U   |
| Endrin ketone         | 9.2 🛭  | 6.5 U  | 6.3 U  | 6.5 U  | 8.9 U  | 18 NJ   | 7.8 U  |
| Endrin aldehyde       | 4.0 J  | 6.6 U  | 6.3 U  | 6.6 U  | 8.9 U  | 10 0    | 7.3 0  |
| alpha-Chlordane       | 2.5 J  | 3.4 U  | 3.2 U  | 3.4 U  | 4.5 U  | 5.2 U   | 4,0 U  |
| gamma-Chlordane       | 4.3 J  | 3.4 0  | 3.2 U  | 3.4 U  | 1.4 J  | 5.2 U   | 4.0 U  |
| Toxaphene             | 470 전  | 340 U  | 320 U  | 340 U  | 460 U  | 520 T   | 400 Ū  |
| <br>Aroclor-1016      | 92 Ū   | éé Ū   | 63 U   | 66 U   | 89 0   | 100 0   | 78 U   |
| Aroclor-1221          | 190 U  | 130 U  | 130 U  | 130 U  | 180 T  | 200 T   | 160 U  |
| Aroclor-1232          | 92 U   | 66 U   | 63 U   | 66 U   | 89 U   | 100 U ~ | 78 U   |
| <br>Aroclor-1242      | 92 U   | 66 U   | 63 U   | €6 U   | D ea   | 100 U   | 78 Ū   |
| Arcclor-1248          | 92 U   | 66 U   | 63 U   | 66 U   | 89 T   | 100 U   | 78 Ü   |
| Aroclor-1254          | 130 J  | 66 U   | 63 U   | 66 U   | U 68   | 100 U   | 78 8   |
| Aroclor-1260 [        | 92 0   | 66 U   | 53 U   | 66 U   | 89 🛭   | 100 J   | 78 U   |
| Sample wc (g):        | 30.0   | 30.1   | 30.2   | 20.0   | 30.0   | 30.0    | 30.0   |
| ₹Moiscure:            | 64     | so     | 48     | so     | 63     | 67      | \$8    |
| Dilution Factor:      | 1      | 1      | 1      | 1      | 1      | 1       | 1      |

For the results listed in the Data Summary Table, ESAT has replaced the laboratory assigned flags with ESAT Organic Data Qualifiers. The ESAT flags indicate the technical usability of the reported results. Noce:

**APPENDIX D** 

## TEXAS WATER QUALITY BOARD P.O. Box 13246, Capitol Station Austin, Texas 78711

#### ENFORCEMENT ORDER NO. 76-26

₹

AN ENFORCEMENT ORDER of the Texas Water Quality Board setting out findings of fact and conclusions of law with regard to violations of Permit No. 01857 by Riverside Chemical Company and specifying corrective measures to be taken by the company.

WHEREAS, a public Enforcement Hearing was held before a Hearing Commission of the Texas Water Quality Board on February 11, 1976 at Beaumont, Texas for the purpose of exploring the status of compliance by Riverside Chemical Company with the terms and provisions of Permit No. 01857; and

WHEREAS, Riverside Chemical Company was duly represented at the Enforcement Hearing of which notice had been given through letter and publication;

THE TEXAS WATER QUALITY BOARD MAKES THE FOLLOWING FINDINGS OF FACT BASED ON INFORMATION AND TESTIMONY PRESENTED AT THE ENFORCE-MENT HEARING:

- Riverside Chemical Company owns and operates a toxaphene and chlorinated paraffin manufacturing plant located at the intersection of FM Road 366 and Hogaboom Road in Port Neches, Jefferson County, Texas. The company is authorized by Permit No. 01857 to discharge industrial wastes into the Jefferson County Canal and thence into the Neches River.
- 2. The company has not provided a flow measuring device at Outfall OOl. The self reporting instructions adopted pursuant to Board Order No. 69-1219-1 require that measurements of flow be taken at certain intervals. Accurate reporting of flow is not possible without a flow measuring device.
- 3. The company has failed to collect samples of the final effluent at the monitoring point specified in the permit. Permit No. 01857, Part A. states that samples taken in compliance with specified monitoring requirements shall be taken at Outfall 001, the point of discharge of plant effluent into the Jefferson County Canal.
- 4. The company has failed to collect the required number of

ATTACHMENT I

7

NO. 76-26

weekly composite samples for toxaphene and chlorinated hydrocarbon concentrations in its final effluent. Permit No. 01857, Part A. requires that two (2) 24-hour composite samples of toxaphene and chlorinated hydrocarbons be taken each week.

- 5. On many occasions since May 22, 1974, the company has discharged effluent in excess of 0.5 milligrams per liter (mg/l) toxaphene, 70 mg/l suspended solids, 3500 mg/l total dissolved solids, 20 mg/l oil and grease, 70 mg/l biochemical oxygen demand (BOD), and 6.0-9.0 standard units pH. The Other Requirements section of Permit No. 01857 specifies grab sample limits for the following quality parameters: 0.5 mg/l toxaphene, 70 mg/l suspended solids, 3500 mg/l total dissolved solids, 20 mg/l oil and grease, and 70 mg/l BOD. Part A of Permit No. 01857 specifies a pH of 6.0-9.0 standard units.
- 6. The company has not provided the treatment facilities necessary to meet the effluent requirements of Permit No. 01857.
- 7. Partially treated domestic sewage is periodically discharged from a septic tank system on the company's property into a public drainage ditch. This discharge is not authorized by a permit or other order of the Texas Water Quality Board.
- 8. The company has not taken adequate measures to prevent the occurrence of spills of hazardous materials on the plant property. The spill areas, if not segregated from the uncontaminated areas and controlled, pose a threat of pollution to the waters of the state.
- 9. Notice of the Enforcement Hearing at which alleged violations of Permit No. 01857 by Riverside Chemical Company were considered was mailed on January 13, 1976 and published in a newspaper of local circulation on January 22, 1976. The Enforcement Hearing was held on February 11, 1976.

THE TEXAS WATER QUALITY BOARD MAKES THE FOLLOWING CONCLUSIONS OF LAW BASED ON THE FOREGOING FINDINGS OF FACT AND IN ACCORDANCE WITH THE REQUIREMENTS AND POLICIES OF CHAPTER 21 OF THE TEXAS WATER CODE:

NO. 76-26

- 1. Failure by the company to provide a flow measuring device at Outfall 001 is a violation of Board Order No. 69-1219-1 and the instructions adopted thereto. Violation of a Board order contravenes Section 21.251(c) of the <u>Texas Water Code</u> which prohibits the discharge of any waste or the performance of any activity in violation of any permit or order of the Texas Water Quality Board.
- 2. Failure by the company to collect samples of the final effluent at the monitoring point specified in Part A. of Permit No. 01857 violates that permit provision and also violates Section 21.251(c) of the <u>Texas Water Code</u>.
- 3. Failure by the compnay to collect the required number of composite samples for toxaphene and chlorinated hydrocarbons as specified in Part A. of Permit No. 01857 contravenes that permit provision and also contravenes Section 21.251(c) of the Texas Water Code.
- 4. The discharge by the company of effluent containing concentrations of toxaphene, suspended solids, total dissolved solids, oil and grease and BOD in excess of grab sample limits specified by Permit No. 01857 violates those permit specifications and also violates Section 21.251(c) of the Texas Water Code.
- 5. The unauthorized discharge of partially treated sewage from a septic tank system on the company's premises contravenes Section 21.251(a) of the <u>Texas Water Code</u> which states that except as authorized by a permit or other order of the <u>Texas Water Quality Board</u>, no person may discharge sewage into or adjacent to any water in the state.
- 6. Violations of Permit No. 01857 by Riverside Chemical Company and related matters were considered at an Enforcement Hearing held in accordance with the Texas Water Quality Board's Rules of Practice and Procedure and the Texas Water Code. Now, therefore,

BE IT ORDERED BY THE TEXAS WATER QUALITY BOARD THAT:

c:á

- Effective immediately, Riverside Chemical Company shall comply with the reporting, monitoring and sampling requirements of Permit No. 01857 and Board Order No. 69-1219-1.
- 2. By not later than July 1, 1976, Riverside Chemical Company shall install on Outfall 001 a permanent flow measureing device.
- 3. By not later than July 1, 1976, Riverside Chemical Company shall submit to the Executive Director of the Texas Water Quality Board a spill prevention control and countermeasure plan prepared by a registered professional engineer experienced in industrial wastewater control technology.
- A. By not later than July 1, 1976, Riverside Chemical Company shall submit to the Executive Director of the Texas Water Quality Board for approval a plan prepared by a registered professional engineer to eliminate any storm water discharges from its property contaminated with detectable amounts of toxaphene, pentachlorophenol or any chlorinated hydrocarbon. All such storm water discharges shall be eliminated within 90 days of approval of the plan. In addition, the company shall by not later than July 1, 1977, reduce concentrations of oil and grease and total organic carbon in contaminated storm water to not more than 15 mg/l and 35 mg/l, respectively.
- 5. By not later than July 1, 1976, Riverside Chemical Company shall eliminate the discharge of inadequately treated domestic sewage from a septic tank system located on the company's property.
- Company shall submit to the Executive Director of the Texas Water Quality Board for approval plans and specifications prepared by a registered professional engineer to limit discharges of toxaphene to 0.01 mg/l for any single grab sample; upon submission of the plans and specifications, Riverside Chemical Company shall also submit an application to amend Permit No. 01857 to reflect the modifications that are necessary to limit the discharge of toxaphene.

#### ENFORCEMENT ORDER

NO. 76-26

7. By not later than July 1, 1977, Riverside Chemical Company shall complete all construction necessary to meet the conditions of the permit and/or an appropriately amended permit.

APPROVED AND ISSUED THIS, THE 27TH DAY OF MAY, 1976.

TEXAS WATER QUALITY BOARD

(Seal)

ATTEST:

Rugh C. antis, Jr., Execu

## TOXAPHENE SAMPLES

|          | SAMPLE        | Grab<br>Sample |
|----------|---------------|----------------|
| DATE     | CONCENTRATION | REQUIREMENT    |
| 10/29/75 | .76 mg/l      | .5 mg/l        |
| 5/07/75  | .54 mg/l      | .5 mg/l        |
| 4/17/75  | 1.4 mg/l      | .5 mg/l        |
| 4/11/75  | 1.7 mg/1      | .5 mg/l        |
| 4/03/75  | 2.8 mg/l      | .5 mg/l        |
| 3/27/75" | 1.4 mg/1      | .5 mg/l        |
| 3/20/75  | 1.9 mg/l      | .5 mg/l        |
| 3/14/75  | 1.1 mg/1      | .5 mg/l        |
| 2/19/75  | .86 mg/l      | .5 mg/l        |
| 2/12/75  | .95 mg/l      | .5 mg/l        |
| 2/07/75  | 2.05 mg/l     | .5 mg/l        |
| 1/30/75  | 2.14 mg/l     | .5 mg/l        |
| 1/22/75  | 5.9 mg/l      | .5 mg/l        |
| 1/10/75  | 1.25 mg/l     | .5 mg/l        |
| 1/17/75  | 1.27 mg/l     | .5 mg/l        |
| 12/31/74 | 1.6 mg/l      | .5 mg/l        |
| 12/26/74 | 16.2 mg/1     | .5 mg/l        |
| 12/11/74 | 9,2 mg/l      | .5 mg/l        |

## TABLE II RIVERSIDE CHEMICAL COMPANY SUSPENDED SOLIDS SAMPLES

|          | Sample        | GRAB                  |
|----------|---------------|-----------------------|
| DATE     | CONCENTRATION | Sample<br>Requirement |
| 4/23/75  | 186 mg/1      | 70 mg/l               |
| 3/27/75  | 75 mg/1       | 70 mg/l               |
| 3/17/75  | 156 mg/l      | 70 mg/l               |
| 2/28/75  | 259 mg/l      | 70 mg/l               |
| 2/12/75  | 234 mg/l'     | 70 mg/l               |
| 1/22/75  | 314 mg/1      | 70 mg/l               |
| 1/14/75  | 262 mg/l      | 70 mg/1               |
| 12/26/74 | 900 mg/1      | 70 mg/1               |
| 11/27/74 | 108 mg/l      | 70 mg/1               |
| 10/23/74 | 268 mg/l      | 70 mg/l               |
| 9/25/74  | 206 mg/l      | 70 mg/1               |
| 9/11/74  | 529 mg/l      | 70 mg/1               |
| 3/27/75  | 75 mg/l       | 70 mg/l               |
| 2/12/75  | 234 mg/l      | 70 mg/l               |
| 1/22/75  | 260 mg/l      | 70 mg/l               |
| 9/25/74  | 206 mg/l      | 70 mg/l               |
| 8/08/74  | 81 mg/1       | 70 mg/l               |
| 7/26/74  | 82 mg/l       | 70 mg/1               |
| 5/01/74  | 152 mg/1      | 70 mg/l               |

## TOTAL DISSOLVED SOLIDS SATTES

| DATE    | SAMPLE<br>CONCENTRATION | GRAB<br>SAMPLE<br>REQUIREMENT |
|---------|-------------------------|-------------------------------|
|         |                         | 3500 mg/l                     |
| 7/25/75 | 15,927 mg/l             |                               |
| 7/23/75 | 4,163  mg/l             | 3500 mg/l                     |
|         | 26,310 mg/l             | 3500 mg/l                     |
| 7/21/75 |                         | 3500 mg/l                     |
| 9/12/74 | 6,720 mg/l              |                               |
| 9/11/74 | 16,800 mg/l             | 3500 mg/l                     |
|         | 18,400 mg/l             | · 3500 mg/l ·                 |
| 9/06/74 |                         | 3500 mg/l                     |
| 9/05/74 | 25,800 mg/l             | 3300                          |

# TABLE IV RIVERSIDE CHEMICAL COMPANY OIL AND GREASE SAMPLES

| DATE                                  | SAMPLE<br>CONCENTRATION | GRAB<br>SAMPLE<br>REQUIREMENTS |
|---------------------------------------|-------------------------|--------------------------------|
|                                       | 72.725                  | 20 mg/l                        |
| 12/03/75                              | 21 mg/1                 | , ·                            |
| 11/07/75                              | 108 mg/1                | 20 mg/1                        |
| 11/06/75                              | 25 mg/l                 | 20 mg/l                        |
| 10/01/75                              | "86 mg/l                | 20 mg/l                        |
| · · · · · · · · · · · · · · · · · · · | 260 mg/l                | 20 mg/l                        |
| 9/24/75                               | 114 mg/1                | 20 mg/l                        |
| 9/12/75                               | <u>-</u> .              | 20 mg/l                        |
| 8/20/75                               | 27 mg/1                 |                                |
| 2/12/75                               | 106 mg/l                | 20 mg/l                        |
| 1/22/75                               | · 230 mg/l              | 20 mg/l                        |
| •                                     | 40 mg/l                 | 20 mg/l                        |
| 1/14/75<br>12/26/74                   | 75_mg/1                 | 20 mg/l                        |

## RIVERSIDE CHEMICAL COMPANY BIOCHEMICAL OXYGEN DEMAND SAMPLES

| DATE   | Sample<br>Concentration   | SAMPLE<br>REQUIREMENT                                   |
|--|---|---|
| 10/29/75<br>10/22/75<br>10/03/75<br>10/01/75<br>7/15/75<br>1/22/75 | 2,052 mg/l<br>2,000 mg/l<br>1,150 mg/l<br>83 mg/l<br>185 mg/l<br>260 mg/l | 70 mg/l 70 mg/l 70 mg/l 70 mg/l 70 mg/l 70 mg/l 70 mg/l |

- 1

# TABLE VI RIVERSIDE CHEMICAL COMPANY PH SAMPLES

|   | DATE     | SAMPLE<br>CONCENTRATION                              | EFFLUENT<br>LIMITATION |
|---|----------|--|------------------------|
|   | 12/05/75 | 10.0   | 6.0-9.0                |
|   | 12/03/75 | 10.96  | 6.0-9.0                |
|   | 11/14/75 | 10.8   | 6.0-9.0                |
| •   | 11/12/75 | 11.6   | 6.0-9.0                |
|   | 11/11/75 | 10.9   | 6.0-9.0                |
| •   | 10/31/75 | 11.5   | 6.0-9.0                |
|   | 10/29/75 | 12.73  | 6.0-9.0                |
|   | 9/24/75  | 9.99   | 6.0-9.0                |
|   | 9/12/75  | 10.43  | 6.0-9.0                |
|   | 8/27/75  | 4.94   | 6.0-9.0                |
|   | 8/20/75  | 9.55   | 6.0-9.0                |
| the state of the state of the state of      | 5/7/75   | 10.64  | 6.0-9.0                |
| A contract of                               | 4/23/75  | 13.2   | 6.0-9.0                |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1       | 3/27/75  | 10.0 House and a long to the party of the company of | 6.0-9.0                |
| The state of the second residual section is | 11/27/74 |  | 6.0-9.0                |
| See and the second of the second            | 11/13/74 | **************************************               | 6.0-9.0                |
|   | 10/23/74 | 10.5   | 6.0-9.0                |
|   | 9/25/74  | 9.8  | 6.0-9.0                |
|   | 9/11/74  | 13.6   | 6.0-9.0                |
|   | 4/26/74  | 1.4  | 6.0-9.0                |

## · Texas Department of Water Resources

INTEROFFICE MEMORANDUM

TO : Steve Cook, Investigation Unit,

DATE: August 13, 1979

Enforcement Support Section

THRU

FROM : Clarence W. Moritz, District 6 Supervisor

SUBJECT: Enforcement Action: Sonford Chemical Company, Permit
Application Control No. 342; H & R Chemical, No Permit;
Bison Chemical Company, Permit Application Control No. 2564;
Riverside Chemical Company, Permit No. 01857 and Solid
Waste Registration No. 30446; and/or Chemall, Inc., Permit
No. 01857

Attached is an Enforcement Report concerning Sonford Chemical Company, H & R Chemical, Bison Chemical Company, Riverside Chemical Company, and/or Chemall, Inc. with the subject permit status. In preparing and/or reviewing this report, I find that it is accurate and that the proposed recommendations will bring about the correction of those problems which are causing or have caused the violations. Please review this matter for appropriate enforcement action.

Clarence w. moritz

See Attachment

#### INVESTIGATION REPORT

Sonford Chemical Company; H & R Chemical; Bison Chemical Company; Riverside Chemical Company and Chemall, Inc.

Sonford Chemical Company, Permit Application Control No. 342; H & R Chemical, no permit, operating for Sonford Chemical Co.; Bison Chemical Company, Permit Application Control No. 2564; Riverside Chemical Company, Permit No. 01857 and Solid Waste Registration No. 30446 and Chemall, Inc., Permit No. 01857.

Chemical Plant of the subject companies is located at the intersection of FM 366 (Pure Atlantic Highway) and Hogaboom Road in Port Neches, Jefferson County, Texas. Area of concern in this investigation is the Jefferson Chemical Outfall Canal and land owned by Jefferson Chemical - leased to Union Carbide, both of which have been found to be contaminated with high concentrations of toxaphene discharged or improperly disposed of in the area. The adjacent Union Carbide land is in Groves, Jefferson County, Texas with the outfall ditch apparently forming the boundary line between Groves and Port Neches.

### Introduction (by sequential ownership)

#### A. Identification

 Sonford Chemical (in operation prior to October 31, 1967 to October 3, 1972):

No treatment system - drains, ditch, sump, and tile pipe to Jefferson Chemical Outfall Ditch

Permit applications pending, Control No. 342 submitted on October 23, 1968, June 30, 1969 and November 20, 1970. Permit application was extended to amend and meet "excellent treatment" requirements by September 30, 1973. Owner filed bankruptcy petition on June 2, 1972. Permit was never issued.

Sonford Chemical Co., etc. Page 2 August 13, 1979

> 2. H & R Chemical (packaged inventory, only with no discharge, for Sonford Chemical Company from July 5, 1972 to last week in August 1972):

No treatment system

No permit (apparently operated under provisions of Chapter 11 of Bankruptcy Act or under orders of the court)

3. Bison Chemical Company (owned plant from October 3, 1972 to February 5, 1974):

No treatment system

Permit Application Control No. 2564, submitted application on November 18, 1973

2.1

4. Riverside Chemical Company (owned plant from February 5, 1974 to February 17, 1978):

No treatment system initially. Neutralization of discharge by caustic scrubbers apparently took place after April 26, 1974. On November 8, 1975 all wastewater except boiler blowdown and cooling water were routed to a 600,000 gallon holding pond. On March 2, 1976 the boiler blowdown was routed to the pond. Discharges from the pond were routed to a pit where they joined the cooling water prior to discharge through a clay tile pipe to the outfall ditch. On March 19, 1976 a pit system used for monitoring was sealed, the cooling water recycled and the pond used for holding and evaporation.

Sonford Chemical Co., etc. Page 3 August 13, 1979

The pond was formerly used as a waste slop pit for toxaphene, pentachlorophenol, chlorinated hydrocarbons and calcium chloride wastes.

Permit pending February 5, 1974 to May 22, 1974. Permit No. 01857, May 22, 1974. Permit No. 01857 amended August 31, 1977 and transferred to Chemall, Inc., pending transfer of title, which was finally closed on February 17, 1978. Solid Waste Registration No. 30466, April 12, 1976.

5. Chemall, Inc. (owned plant from February 17, 1978 to date):

No treatment - same as Riverside (recent inspection report to follow).

Permit No. 1857, amended August 31, 1977 and transferred from Riverside Chemical Company to Chemall, Inc., pending transfer of title, which was finally closed February 17, 1978. Note: Letter DW/HCY, Jr./Robert C. Harnden, Riverside Chemical Company on August 2, 1977 relative to holding and evaporation pond (still contaminated) holding both Riverside Chemical and Chemall, Inc. jointly liable for any discharge from pond (pit). Chemall has had no apparent discharge.

- B. Current Discharge Parameters (average):
  - Sonford Chemical Company proposed monthly average. Excellent treatment requirements of October 8, 1970 (equivalent to Permit Application Control No. 342):

Sonford Chemical Co., etc. Page 4 August 13, 1979

| pН   | 5.5 - 8.5                  |
|--|----------------------------|
| Total Residue, mg/l  | 10,000                     |
| Chloride, mg/l   | 5,000                      |
| Sulphate, mg/l   | 1,000                      |
| Total Suspended Solids, mg/l   | 30                         |
| Volatile Suspended Solids, mg/   | /1 10                      |
| Settleable Matter, mg/l  | 5                          |
| Immediate Oxygen Demand, mg/l  | 0.5                        |
| Biochemical Oxygen Demand  | 25                         |
| Chemical Oxygen Demand   | 250                        |
| Oil and Grease, mg/l   | 1888 - B. 1882 - 1889      |
| Free and Floating Oil  | None                       |
| Color APHA Units   | <u>. 20 - 24 - 2</u>       |
|  | 90                         |
| Debris Carlo de Carlo | None                       |
| Phenol, mg/l   | anthum au <b>.5</b> a in m |
| Flow, mgd 4  | <b>0.580</b>               |

Toxic Compounds - None in such amounts that will cause the receiving waters to be toxic to human, animal, or aquatic life.

Foaming or Frothing Material - None in such amounts that will cause foaming or frothing of a persistent nature in the receiving waters.

- 2. H & R Chemical packaging of inventory only
- Bison Chemical Company submitted application November 18, 1973. Processed under Riverside Chemical Company ownership on May 22, 1974.
- 4. Riverside Chemical Company, Permit No. 01857 dated May 22, 1974

| Flow, mgd, not to exceed                   | .045        |
|--|-------------|
| Biochemical Oxygen Demand (5 day), lbs/day | 10.0        |
| Chemical Oxygen Demand, lbs/day            | 60.0        |
| Total Suspended Solids, lbs/day            | 10.0        |
| Oil & Grease, lbs/day                      | 5.0         |
| Toxaphene, lbs/day                         | 0.04        |
| Chlorinated Hydrocarbons as C Cl4, mg/l    | 3.0 max/day |
| Hq   | 6 - 9       |

1.1

ž.

Sonford Chemical Co., etc. Page 5 August 13, 1979

> Solid Waste Registration No. 30406 dated April 12, 1976 - General plant trash & rubble (Class II) off-site - Camphene and waxes (Class I) off-site - Toxaphene (Class I) off-site

> Riverside Chemical Company, Permit No. 01857 dated August 31, 1977, as amended (to transfer of title, effective February 17, 1978):

Flow (see Special Provisions below)
Biochemical Oxygen Demand (5 day), 1bs/day 10.0
Chemical Oxygen Demand, 1bs/day 60.0
Total Suspended Solids, 1bs/day 10.0
Oil & Grease, 1bs/day 5.0
Toxaphene, 1bs/day 0.0007
Chlorinated Hydrocarbons (as C Cl4) max/day 3.0 mg/l
pH 6.0 - 9.

5. Chemall, Inc., Permit No. 01857 dated August 31, 1977, as amended (transferred title effective February 17, 1978). Parameters same as Riverside as of August 31, 1977.

#### C. Special Provisions of Permit:

- Sonford Chemical Company No permit
- 2. H & R Chemical ~ No permit (operating under Bankruptcy Act)
- 3. Riverside Chemical Company, Permit No. 01857 dated May 22, 1974 (permit pending February 5, 1974 to May 22, 1974):

Standard provisions for effluent limitations and monitoring requirements including point of discharge; monitoring and reporting pursuant to Board Order No. 69-1219-1; management requirements including change in discharge, non-compliance notification, facilities operation, adverse impact, bypassing, power failures and removed substances.

Sonford Chemical Co., etc. Page 6 August 13, 1979

Removed substances specified that solids, sludges, filter backwash, or other pollutants removed from or resulting from treatment or control of wastewaters shall be disposed of in a manner such as to prevent any pollutant from such materials from entering the waters of the State of Texas.

Standard provisions also included responsibilities including right of entry, transfer of ownership or control, availability of reports, permit modifications, toxic pollutants, civil and criminal liability, oil and hazardous substance liability, state and federal laws, property rights, and severability of conditions.

No special provisions were included in Part III, Other Requirements of the May 22, 1974 permit.

Solid Waste Registration No. 30446 dated April 12, 1976 included standard provisions for shipping-control tickets and monthly reporting for off-site disposal of Class I wastes.

Riverside Chemical Co., Permit No. 01857, amended August 31, 1977. Part III, Other Requirements.

All storm water which falls within the boundaries of the plant site shall be considered to be contaminated and will be given full treatment in the treatment plant prior to discharge should samples indicate that the quality of water exceeds these limits:

| Parameter (mq/1)               | Grab Sample (not to exce |
|--------------------------------|--------------------------|
| Total Organic Carbon           | 70                       |
| Oil & Grease                   | 15                       |
| Toxaphene                      | 0.01                     |
| Total Chlorinated Hydrocarbons | 0.5                      |

. .

3

-

3

Sonford Chemical Co., etc. Page 7 August 13, 1979

The treatment technology considered to be the minimum necessary to properly treat the waste-waters which are authorized to be discharged by this permit during any period of plant production is considered to be neutralization, API separation, equalization, filtration, carbon adsorption, or ion exchange, or reductive degradation, and only additional treatment or pre-treatment necessary to stabilize biodegradable organic material to within the limits specified by this permit.

An alternative treatment system may be used with prior approval from the Executive Director. No discharge of pollutants to the waters in the State is authorized by this permit unless the pollutant has received treatment in a facility which includes the processes specified above or an approved alternate. This provision applies only to process water and contaminated storm water.

The permittee shall, within 180 days following the approval of this permit, install a permanent flow measuring device equipped to totalize and record measured volume for all discharges from the outfall.

All samples which are taken to characterize the chemical quality of the effluent to be discharged shall be analyzed according to the Environmental Protection Agency method specified in 40 CFR, Part 136. An alternate method of analyses may be used with prior approval of the Executive Director.

والمراجع فيتناف والمراجع والمناكرة فالمناجع

and the second of the second of the second of

The Court of the Court

I have been a second

Line and the same of the control of

Sonford Chemical Co., etc. Page 8
August 13, 1979

#### II. Waste Load

#### A. Source:

- Sonford Chemical Company: Chemical plant producing pentachlorophenol, toxaphene, chlorinated waxes, and calcium chloride, with once through (well) cooling water, steam condensate, caustic scrubbing (sodium hydroxide), boiler blowdown, brine, glycol solvent and with muratic (hydrochloric) acid ... as a by-product. Discharge was subject to spills, wash down, pipe and valve leaks, and rainfall runoff. Pilot plant operations at ..... plant was unknown; however, as outlined in a later SPCCP (Riverside Chemical Company) warehouse storage included 2, 4, 5-T; 2, 4D, malathion, dinitrophenol, captan, carbaryl, chlorodane, dalapon, diazinon, dimethylamine, diquat, diuron, ethion, guthion, methylparathion, and parathion in addition to toxaphene.
- H & R Chemical Packaging inventory for Sonford Chemical Company
- Bison Chemical Company Same as Sonford Chemical Company except pentachlorophenol was not being produced, but was in inventory.
- 4. Riverside Chemical Company: Produced toxaphene, chlorinated waxes, and hydrochloric acid until February 25, 1976 when toxaphene production was discontinued. Inventory of pentachlorophenol was removed following purchase of plant on February 5, 1974. Removal date of toxaphene inventory is unknown; although, in an engineering report (TCB, August 1977) a small inventory was still on hand along with drums containing acetone, spon resin, and diesel oil. Warehouse storage of insecticides status was the same as listed in the SPCCP of June 1976 and in

Sonford Chemical Co., etc. Page 9 August 13, 1979

August 1977 methylparathion, 2, 4D, and 2, 4, 5T were on hand. Status of others was unknown. Have had no process discharges since March 1973; however, storm water runoff contaminated with high concentrations of toxaphene was observed on July 21, 1977 and August 5, 1977.

Samples taken in the facultative holding pond on September 30, 1976 and November 2, 1976, recorded on Chain of Custody Tags IN3753 and IN3789, indicated brown sludge concentrations of 7,400 and 20,000 mg/kg of toxaphene, respectively and in the water of 17.5 and 2.0 mg/l of toxaphene, respectively. Samples of sediment from wet well on January 29, 1976 (IN2620) revealed a toxaphene concentration of 3,916 mg/kg and a pentachlorophenol concentration of 87.7 mg/kg. On July 21, 1977 the pond waters contained 78 mg/l toxaphene and 69.0 mg/l pentachlorophenol.

- 5. Chemall, Inc.: Produced parafins and chlorinated waxes and oils for the linoleum industry with muratic (hydrochloric) acid as a by-product. Holding and evaporation pond still contained toxaphene sludges on August 5, 1977; however, the company has made no discharges of wastewaters and have no toxaphene in inventory. A recent inspection report is in progress.
- B. Quantity and Quality of Waste from each Source:
  - 1. Sonford Chemical Co.: Boiler blowdown (1%), domestic sewage (septic tank to inadequate drain field), cooling water (94%), process water (0.0%), intermittant wash up water (5.0%) unit clean-up, small product spills, ruptured pipeline and flanges, and rainfall runoff.

Sonford Chemical Co., etc. Page 10 August 13, 1979

> Flow 0.06 - 0.55 mgdHq 0.9 - 11.0 (neutralizing with brine) Phenols  $0.4 - 68 \, \text{mg/l}$ Cond. 1808 - 81,144 umhos/cm TSS <10 - 652 mg/1 $6 - 90 \, mg/l$ VSS BOD 24 - 230 mg/lDO  $0.8 - 7.5 \, \text{mg/l}$ COD 113 - 4330 mg/l (interference) Chlorides 13,300 7.8 mg/1 Thursia (the 127 cas \$200/100) Tribmett myOil & Grease

> > Production rates: Pentachlorophenol - 10,000
> > pounds/yr (2/18/70)
> > Planned expansion to 18,000,000 pounds/yr (5/70)
> > Leading producer of toxaphene

- 2. H & R Chemical: Packaging inventory for Sonford Chemical while under bankruptcy investigation.
- Bison Chemical Co.: Same as Sonford Chemical Co. except pentachlorophenol was discontinued.

Flow 0.37 mgd рH 2.0 Cond. 34,944 unhos/cm TSS 2,800 mg/l BOD 25 mg/l COD <0.2 mg/1Phenols <0.05 mg/1Oil & Grease 1.6 mg/l

On January 23, 1973 a contractor from Denver, Colorado was in process of removing approximately 100,000 pounds of off-grade toxaphene and pentachlorophenol left by Sonford and shipping it to Colorado. Planned to tear down pentachlorophenol unit, old toxaphene unit, and build a new toxaphene unit.

Sonford Chemical Co., etc. Page 11 August 13, 1979

On October 2, 1973 attempting tear down and to rebuild old corroding plants with considerable progress. Still had 158 drums and some partially filled tanks on hand, utilizing Class I sites.

On October 24, 1973 indicated they had gotten rid of 40 drums of PCP but still had 400 more belonging to Dr. Hatcher of Sonford.

4. Riverside Chemical Company: Producing 5-6,000,000 pounds per year of toxaphene, 2,000,000 pounds per year of chlorinated paraffins, and 12,000,000 pounds per year of muratics (hydrochloric) acid. Estimated 1 ppm or less of toxaphene, 1 ppm or less chlorinated paraffins and 5-10 ppm or less hydrochloric acid in waste. Survey of August 6, 1974 (BM, 11/6/74) gives breakdown of boiler blowdown, storm water runoff, cooling water, acid tank wash, caustic scrubber and final plant effluent. Chlorides 5100 mg/1, TSS 256 mg/1, and pH 10.0 were in violation of Permit No. 01857. Toxaphene was 5.25 mg/1 in storm water runoff.

From April 26, 1974 to December 5, 1975 pollutants in excess of Column II effluent limitations specified on page 11 of Permit No. 01857 were allowed on 85 separate occassions to discharge. Eighteen (18) violations of toxaphene (0.52 - 16.2 mg/1) occurred between the period of October 29, 1975 to December 11, 1974. Seven TDS violations ranged from 4,163 to 26,310 mg/l. Eleven oil and grease violations ranged from 21 to 260 mg/l. Seven BOD violations ranged from 83 mg/1 to 2,052 mg/1. Twenty pH violations ranged from a pH of 1.4 to 13.3. Two COD violations of 414 and 1,120 mg/l also occurred. District 6 inspection of September 29, 1975 revealed non-compliance discharge violations of pH (9.4), oil and grease (188 mg/l), TSS (92 mg/l) and Toxaphene (2.08 mg/1).

Sonford Chemical Co., etc. Page 12 August 13, 1979

# III. Treatment System

# A. Description of System:

- 1. Sonford Chemical Company: No treatment system gravity flow to drains to sump to ditch to pit to 10" clay tile pipe to Jefferson Chemical Outfall Canal. No control of storm water runoff. Slop pit (600,000 gal.) utilized for waste disposal of toxaphene, pentachlorophenol, chlorinated hydrocarbons and calcium chloride.
- H & R Chemical: No treatment system same as
   Sonford Chemical Company said to be packaging inventory only.
- 3. Bison Chemical Company: No treatment same as Sonford Chemical Company.
- Riverside Chemical Company: No treatment system initially same as Sonford Chemical Company. Neutralization of discharge by caustic occurred after April 26, 1974. On November 8, 1975 all wastewaters except boiler blowdown and cooling water were routed to 600,000 gallon waste pond, thence to a monitoring pit where the discharge was joined by cooling water and boiler blowdown prior to discharge through 10" clay tile pipe through a leves to the Jefferson Chemical Outfall Ditch. On March 2, 1976 the boiler blowdown was routed to the holding and evaporation pond. On March 19, 1976 the pit system used for monitoring was sealed and the cooling water recycled. Outfall 001 was filled and no apparent discharges other than in storm water runoff occurred after March 1977. Only the contaminated holding and evaporation pond was utilized for wastewaters were routed to a caustic scrubber thence to a common pump utilized also for wash down wastewaters and runoff from the railroad tank car loading area prior to discharging to holding and evaporation pond and/or a back-up surge tank.

3

Sonford Chemical Co., etc. Page 13 August 13, 1979

1410 F

. .

- Chemall, Inc.: Inspection report in progress apparently no change from Riverside Chemical Co.
- V. Construction Grants Not Applicable
- VI. Previous Citations and Other Enforcement Orders
  - Sonford Chemical Co.: Shut down for two months in the summer of 1971 in the face of a Texas Air Control Board order for immediate compliance with the Clean Air Act.
     Suit filed in February 1972 by Jefferson County for alledged air pollution problems.
  - 2. H & R Chemical No action
  - 3. Bison Chemical Co.: Referred to Attorney General on October 15, 1973 by the Texas Water Quality Board for illegal discharges without a Waste Control Order under litigation October 19, 1973. Cause D99641, 136th Judicial Court, Jefferson County judgment 12/13/73 resulted in a civil penalty of \$2,500 and that the defendant be permanently enjoined from violating the Texas Water Quality Act.
  - 4. Riverside Chemical Co.: District 6, CWM/GS, October 24, 1975 requested enforcement action for continued non-compliance of Permit No. 01857 and violation of the Texas Water Quality Act. Enforcement Order 75-26 effective May 26, 1976 required in general:
    - a. Immediate compliance with the reporting, monitoring and sampling requirements of Permit No. 01857 and Board Order No. 69-1219-1;

Sonford Chemical Co., etc. Page 14 August 13, 1979

- b. By July 1, 1976 a flow measuring device installed on Outfall 001;
- By July 1, 1976 an SPCCP prepared by a professional engineer experienced in industrial wastewater control technology;
- d. By July 1, 1976 a plan to eliminate any contaminated storm water discharge, prepared by a registered professional engineer, and submitted to the Executive Director of the Texas Water Quality Board for approval; and
  - (1) Within 90 days of approval of the plan eliminate such storm water discharges;
  - (2) By no later than July 1, 1977 reduce oil and grease to not more than 15 mg/l and TOC to not more than 35 mg/l in contaminated storm water.
- e. By July 1, 1976 eliminate septic tank discharge of domestic sewage;
- f. By December 1, 1976 submit plans and specifications to limit discharges of toxaphene to 0.01 mg/l for any single grab sample, prepared by a registered professional engineer, to the Executive Director of the Texas Water Quality Board for approval; and
  - (1) Submit an application to amend Permit No. 01857 to reflect the modifications that are necessary to limit the discharge of toxaphene;

The second secon

13

Sonford Chemical Co., etc. Page 15 August 13, 1979

> g. By July 1, 1977 complete all construction necessary to meet the conditions of the permit and/or an appropriately amended permit.

On June 6, 1977 all items of Enforcement Order 76-26 were said to be completed (R.C. Harnden/HCY, Jr.); however, follow-up inspections on July 21, 1977 and August 5, 1977 revealed toxaphene in storm water runoff in violation of Items 4, 6 and 7 of the order.

rum i krizilir şemin ili ili ili

5. Chemall, Inc.: No action taken - inspection report in progress. Note: Letter DW/HCY, Jr./
Robert C. Harnden, Riverside Chemical Co. held Riverside Chemical Co. and the purchaser (Chemall, Inc.) jointly liable for any discharge from the pit (holding and evaporation pond).

# VII. Violations (sequential table)

| Violation  | Data Source  | Permit or Other<br>Requirement               |
|--|--|--|
| Sonford Chemical Co.: Discharging Wastewaters to the Waters of the State Without a Waste Con- trol Order                       | District 6 inspection of 1967(1), 1968(2), 1969(4) and 1971(2) | Section 21.251 of<br>the Texas Water<br>Code |
| Bison Chemical Co.: Discharging highly acidic wastewaters to the waters of the State without a Waste Control Order on 01/23/73 | Dist. 6 inspection (LH) report of 03/29/73                     | Section 21.25 of<br>the Texas Water<br>Code  |

Sonford Chemical Co., etc. Page 16 August 13, 1979

| Violation  | Data Source                                | Permit or Other<br>Requirement   |
|--|--|--|
| Eastman Kodak B-11 solvent spill (1400 gal.) and diesel fuel (100 gal.) spills on 06/12/73   | Dist. 6 report AG/<br>JBL (KJ) 07/11/73    | Section 21.251 of<br>the Texas Water<br>Code   |
| Hydrochloric acid<br>spill (4500 gal.)<br>on 10/02/73  | Dist. report AT/JBL (KJ) 10/09/73          | Section 21.251 of<br>the Texas Water<br>Code   |
| Hydrochloric acid<br>Spill (8,000 gal.)<br>on 10/08/73   | Dist. report AT/JBL (KJ) 10/09/73          | Section 21.251 of<br>the Texas Water<br>Code   |
| Riverside Chemical Co.: 08/06/74 - non-compliant with chlorides, TSS, and pH with 5.25 mg/l of toxaphene in storm water runoff   | District 6 survey<br>BM, 11/06/74          | Permit No. 01857;<br>Sec. 21.251 of<br>Texas Water Code<br>or Part II, Sec. 5<br>of Permit No. 01857 |
| 04/26/74 to 12/05/75<br>85 separate viola-<br>tions of non-com-<br>pliance - toxaphene<br>(18), TDS (7), oil<br>& grease (11), BOD<br>(7), pH (20), COD<br>(2), TSS (20) | Dist. 6 enforcement presentation, 02/12/76 | Permit No. 01857,<br>Col. II, p. 11  |
| 09/29/75 - non-com-<br>pliance with pH,<br>oil and grease, TSS,<br>toxaphene and possi-<br>ble contaminated<br>storm water outfalls                                      | Dist. 6 inspection of 09/29/75             | Permit No. 01857,<br>Col. II, p. 11  |

Sonford Chemical Co., etc. Page 17 August 13, 1979

| Violation   | Data Source                               | Permit or Other Requirement   |
|---|---|---|
| No flow device  | Dist. 6 enforcement presentation 02/12/76 | Permit No. 01857,<br>Board Order 69-1218-1                                    |
| Failure to collect<br>samples of final<br>effluent monitoring<br>point  | Dist. 6 inspection of 09/29/75            | Permit No. 01857  |
| Failure to collect<br>composite samples<br>representative of<br>volume and nature<br>of monitored dis-<br>charge            |   | Permit No. 01857 Monitoring Require- ments                                    |
| Failure to collect<br>any composite<br>samples for the<br>purpose of self-<br>reporting for<br>August 1975                  | Dist. 6 inspection of 09/29/75            | Permit No. 01857<br>and Board Order<br>No. 69-1219-1                          |
| Failed to collect<br>required number of<br>weekly composite<br>samples for toxa-<br>phene and chlori-<br>nated hydrocarbons | Dist. 6 inspection of 09/29/75            | Permit No. 01857<br>Monitoring Require-<br>ments                              |
| Unpermitted discharge from inadequate dom-<br>estic tank system   | Dist. 6 inspection of 09/29/75            | Permit No. 01857,<br>Part II, Sec. 5 or<br>Sec. 21.251 of<br>Texas Water Code |
| 01/22/76, pH<br>non-compliant   | Dist. 6 inspection of 01/22/76            | Permit No. 01857  |

Sonford Chemical Co., etc. Page 18 August 13, 1979

| Violation   | Data Source                         | Permit or Other<br>Requirement  |
|---|-------------------------------------|---|
| Jan. 1976 - non-<br>compliant in pH<br>max. and toxaphene   | Self-Reporting                      | Permit No. 01857<br>and Board Order<br>09-1219-1  |
| Feb. 1976 - non-<br>compliant in pH<br>max., 13 pH vio-<br>lations, COD (mg/1),   | Self-Reporting                      | Permit No. 01857<br>and Board Order<br>09-1219-1  |
| not reporting tox-  | -                                   | e da de la composición del composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la co |
| Discharging storm water containing high concentrations of toxaphene on 08/05/77 and 07/21/77  | Dist. inspection report of 11/28/77 | Enforcement Order 76-26, Items 4, 6, and 7 and Permit No. 01857   |
| Mar. 1976 - non- compliant in pH max., 4 pH violations, TSS avg. (#s), BOD avg. (#s), oil & grease (mg/1) and avg. (#s), chlorides mg/1 (3), TDS mg/1 (3) | Self-Reporting                      | Permit No. 01857<br>and Board Order<br>09-1219-1  |
| April 1976 - non-<br>compliant with tox-<br>aphene mg/l (3),<br>TDS mg/l (4), and<br>chlorides mg/l (4)   | Self-Reporting                      | Permit No. 01857<br>and Board Order<br>09-1219-1  |

Sonford Chemical Co., etc. Page 19 August 13, 1979

| Violation   | Data Source  | Permit or Other<br>Requirement   |
|---|--|--|
| May 1976 - non- compliant in TSS, avg. (kg/day), tox- aphene (kg/day) and (mg/l) TDS mg/l (4), chlorides mg/l (4) | Self-Reporting   | Permit No. 01857<br>and Board Order<br>09-1219-1   |
| June 1976 - non- compliant in TSS, avg. (kg/day), tox- aphene, avg. (kg/day) and max. (kg/day)                    | <ul> <li>Broken Garde weet ex</li> <li>Chaziletă Maleen e</li> <li>Condolisa independent</li> <li>Condolisa independent</li> </ul> | * 09-1219-1:   |
| Oct. 1975 - July<br>1976 not reporting<br>chlorinated hydro-<br>carbons analyses                                  | Self-Reporting   | Permit No. 01857<br>and Board Order<br>69-1219-1   |
| Sept. 30, 1976 - bypassing treatment system with domestic wastewater  | Dist. 6 inspection of 09/30/76   | Permit No. 01857,<br>Part II, Sec. 5<br>and/or Sec. 21.251<br>of the Texas Water<br>Code and Enforce-<br>ment Order 76-25,<br>Item 5 |

# VIII. Causes of Violations

1. Sonford Chemical Co.: Discharging wastewaters on District 6 inspections of 10/31/67, 02/14/68, 04/09/68, 03/04/69, 04/01/69, 04/17/69, 09/23/69, 04/26/71, and 11/03/71 without a permit. Operations were production oriented with poorly designed and corroded units resulting in pipe and valve leaks and spills with apparent conscious disregard to the Texas Water Code and the Clean Air Act

Sonford Chemical Co., etc. Page 20 August 13, 1979

> in addition to poor housekeeping and disregard for the environment. In general, operations were "damn" sloppy.

- Bison Chemical Co.: Discharging wastewaters on District 6 inspection of January 23, 1973 without a permit. Tank truck ran over and broke solvent line to solvent tank, then backed-up and ruptured fuel tank on June 12, 1973. Hydrochloric acid spill resulted on October 2, 1973 when valve or tank broke. Hydrochloric acid spill resulted on October 8, 1973 when Durakne resin tank ruptured and gave way. Bison Chemical Co. inherited the problems of housekeeping and corroded units from Sonford Chemical Company in addition to a large inventory which was still owned by Sonford Chemical Co. Bison tore down the old toxaphene and pentachlorophenol units and built a new toxaphene unit. In the process they contracted for disposal of 100,000 pounds of off-grade to a Denver, Colorado contractor about March 29, 1973. On September 13, 1973 Bison Chemical Co. needed 630 yards hauled off with that much to go. Operating personnel were essentially the same except for management. Bison Chemical felt that no treatment was needed.
- 3. Riverside Chemical Co.: Inherited Sonford Chemical Co.'s mess in addition to essentially some operating personnel, except for management. Neither the corporate structure nor the management had regard for the Texas Water Code and/or their permit which did result in the numerous violations of their permit until the enforcement hearing on February 22, 1976. The company did make an attempt to stop the discharges of wastewaters and contaminated

2

Ç.

Sonford Chemical Co., etc. Page 21 August 13, 1979

storm water under the enforcement order; however, like its predecessors did not believe treatment was necessary. Toxaphene production was stopped on February 25, 1976; however, inventories were on hand and the contaminated holding and evaporation pond remained without clean-out when sold to Chemall. Inc.

Chemall, Inc.: Retained essentially the same operating personnel. Delayed purchase of the plant from August 31, 1977 (date of amended ... permit and transfer to Chemall, Inc.) to February 17, 1978 due to apparent financial status....Provisions of amended permit require treatment and apparently no treatment has been implemented as there has been no discharge reported from the plant since March 1977. A District inspection was planned prior to learning of a toxaphene disposal problem from past operations on May 15, 1979 through an indirect complaint. The toxaphene determination due to this problem and as a result of a recent inspection, should determine Chemall's present status.

# Recommendations

This investigation was made in an attempt to assess the party and/or parties responsible for past disposal of toxaphene in high concentrations in Jefferson Chemical Company Outfall Ditch (Permit No. 00585-02 used formerly for process wastewaters and now used for uncontaminated storm water runoff) and onto adjacent property leased by Jefferson Chemical Co. to Union Carbide Corporation, Linde Division, Groves. Soil from construction of the latter plant was delivered to Block Sand Pit, Port Arthur and to Keown Supply Co., Port Neches for use as topsoil, which has in part ended up on several yards and in gardens ultimately leading to a complaint

Sonford Chemical Co., etc. Page 22 August 13, 1979

resulting in back tracking to the source. It has not at this point been determined as to whether or not the toxaphene was dredged from the ditch and/or dumped indiscriminately onto the adjacent property. It has, however, been determined that discharges containing high concentrations of toxaphene did occur through the period prior to October 31, 1967 through February 25, 1976 when toxaphene production was stopped or when pumping from the pond stopped on March 5, 1976, and/or when the pit system used for monitoring was sealed on March 19, 1976. This places the former owners - Sonford Chemical Company, H & R Chemical, Bison Chemical Co., and Riverside Chemical Co. and the operators, some serving in supervisor capacity for several of the companies as the potential responsible parties. Riverside Chemical Company continued to violate Enforcement Order 76-26 and Permit No. 01857 for the period of May 27, 1976 to September 30, 1976. It is therefore recommended that:

- Sonford Chemical Company, H & R Chemical, Bison Chemical Co. and Riverside Chemical Co. be held responsible for the toxaphene disposal and violations of the Texas Water Code and/or the Solid Waste Act for which Union Carbide has and Jefferson Chemical may (unknown at this writing) assume the responsibility for clean-up.
- 2. The responsible companies listed in No. 1 above should also assume responsibility for any future violations of the Texas Water Code and/or the Solid Waste Act.
- 3. That Riverside Chemical Co. be held responsible for further violations of Permit No. 01857 and Enforcement Order 76-26 and be subject to appropriate enforcement action.
- 4. That Chemall, Inc. implement the conditions and special provisions of Permit No. 01857, as amended on August 31, 1977 and effectively transferred to them on February 17, 1978, not withstanding any further violations found in the recent inspection for which the report is incomplete at this writing.

Ť

Sonford Chemical Co., etc. Page 23 August 13, 1979

- 5. That should further violations of storm water runoff in and/or adjacent to the plant be found, Chemall, Inc. shall assume the responsibility of clean-up and appropriate correction.
- 6. That should the holding pond and/or evaporation pond contain high concentrations of toxaphene in the water or sediment samples of the sludge, Chemall, Inc. shall take immediate steps to clean and dispose of the ponds contents in an approved Class I site suitable for that disposal.

రావించిందా మాగుముంది. మాగ్రామంలు అనికి అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. ఇందారు అనువాడు చేస్కోంటించిన ఉన్నాయి. అనికి కార్యాలు అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. అన్నాయి. అన్ అమ్మంలు మండి మాగ్రామం పై అందుకోవారు.

in the supplier of the state of

•

088000

rristration and the pe

# Texas Department of Water Resources

#### INTEROFFICE MEMORANDUM

Gary Schroeder (SC), Chief, Enforcement DATE: August 17, 1979
Support, Enforcement and Field Operations

THRU

...

FROM : Susan S. Ferguson, District 6

SUBJECT: Toxaphene Analyses, Chemall, Inc., Permit No. 01857

Perimeter Ditches - Follow-up to Enforcement Action

Request of 8/13/79

On July 9, 1979 a sampling investigation was conducted at Chemall, Inc., Permit 01857 to determine if the soils in the perimeter ditches surrounding the plant site were contaminated with toxaphene and/or chlorinated hydrocarbons and to determine if the storm water discharged into those ditches exceeded the 0.01 mg/l toxaphene limitation established in the permit.

Samples were collected at 15 locations (see map I) and recorded on COC tags SS05301 thru SS05315. Analyses were performed and the results are listed in Table I below.

TABLE I

Samples Collected 7/9/79
Chemall, Inc. Perimeter Ditches

| Site_          | COC Tag<br>Number | Sample<br>Type | Toxaphene<br>mg/l  | Cl <sub>2</sub> Hydrocarbor mg/l |
|----------------|-------------------|----------------|--|----------------------------------|
| A              | ss05302           | Water          | 0.0058   | None Detected                    |
| A <sub>1</sub> | SS05301           | Soil           | 1.1 mg/kg  | Ħ                                |
| B <sup>⊥</sup> | SS05303           | Water          | 0.018  |                                  |
| С              | SS05304           | Water          | 0.018*   | Ħ                                |
| D              | SS05305           | Soil           | 878.0 mg/kg  |                                  |
| E              | SS05306           | Water          | <0.005   |                                  |
| F              | SS05307           | Soil           | 276 ft mar/km .  | • •                              |
| Ğ              | SS05308           | Water          | Results Incomplete Results Incomplete Results Incomplete | woll #                           |
| H              | SS05309           | Soil           | Results Incomplete                                       | . н                              |
| Ī              | SS05310           | Soil           | Results Incomplete 92                                    | 10.0 mg/kg #                     |
| Ĵ              | SS05311           | Water          | 0.016*   | V 0                              |
| ĸ              | SS05312           | Water          | 0.016*   |                                  |
| Ĺ              | 5505313           | Water          | 0.014*   | •                                |
| M              | SS05314           | Water          | 0.02 *   | <b></b>                          |
| N              | SS05315           | Water          | 0.018 *  | •                                |

tion.

Gary Schroeder Page 2 August 17, 1979

Additional information including other sample locations and results, list of materials (products, by-product and raw materials) as well as the NPDES form 3560-3 and TDWR annual inspection form 0263 will be forthcoming pending receipt of data.


Approved:

Clarence W. Moritz

Signed: C

Susan S. Ferguson

See Attachment



# Texas Department of Water Resources

INTEROFFICE MEMORANDUM

: Bruce Bigelow, General Counsel

DATE: November 27, 1979

THRU

Gary D. Schroeder, Chief, Enforcement Support Section, Enforcement and Field Operations Division

FROM

Steve Cook, Enforcement and Field Operations Division

SUBJECT: Enforcement Action: Chemall, Inc. (Permit No. 01857 and

Riverside Chemical Company (Permit No. 01857)

Attached are investigation reports concerning Chemall, Inc. and Riverside Chemical Company which bring to your attention alleged violations of Permit No. 01857. Enforcement Summaries based on these investigation reports have been circulated to the enforcement coordinators. Comments received from the coordinators are maintained in the Investigations Unit file. - Pertinent comments are listed below:

On August 3, 1979, the Executive Director, TDWR, requested Jefferson Chemical Company (Texaco, Inc.) to remove all toxaphene contaminated soils from the Jefferson Outfall Canal. By their letter (D. Bruce Pope/ Harvey Davis dated September 14, 1979--attached), they refused. (See Item IX.A.)

Please review these matters to determine whether enforcement action is appropriate.

SSF:vw

Attachments

cc: TDWR District 6 Office

NOV 30 1979

DEFT. OF WATER RESOURCES 9 LUISLEiù

# INVESTIGATION REPORT

Chemall, Inc. Permit No. 01857 Port Neches, Texas

# I. Introduction

# A. Identification

1. A manufacturer of chlorinated hydrocarbons operating under Permit No. 01857, issued May 22, 1974 and transferred on February 17, 1978 to Chemall, Inc., from Riverside Chemical Company. The treatment system consists of a primary settling pond with spray evaporation——, no discharge.

# B. Current Discharge Limits

| Parameter  | Daily Average  |
|--|--|
| BOD5<br>COD  | (kg/D) (ppd) 4.5 10.0 27.0 69.0  |
| TSS<br>011 & Grease  | 2.00 - 1. |
| Toxaphene Total chlorinated hydrocarbons (CCl <sub>4</sub> ) | n/a n/a  |

# C. Current Special Provisions, Permit No. 01857

1. All storm water which falls within the boundaries of the plant site shall be considered to be contaminated and will be given full treatment in the treatment plant prior to discharge should samples indicate that the quality of water exceeds these limits:

TOC 70 mg/l
011 & Grease 15 mg/l
Toxaphene 0.01 mg/l
Total Chlorinated 0.5 mg/l
Hydrocarbons (CCl<sub>4</sub>)

2. The treatment technology considered to be the minimum necessary to properly treat the wastewaters which are authorized to be discharged by this permit during any period of plant production is considered to be neutralization, API separation, equalization, filtration, carbon absorption, or ion exchange, or reductive degradation, and any additional treatment or pretreatment necessary to stabilize biodegradable organic material to within the limits specified by this permit. An alternative treatment system may be used with prior approving the Executive Director. No discharge of pollutants to the waters in this state is authorized by this permit unless the pollutant has received treatment in a facility which includes the processed specific above or an approved alternative. This provision applies only to process water and contaminated storm water.

Investigation Report Chemall, Inc. Permit No. 01857

# II. Waste Load

#### A. Source

The permittee chlorinates waxes and oils to produce chlorinated parafficand chlorinated oils.

There are four (4) sources of process wastewaters at the plant. The largest volume source is effluent from the caustic scrubber. Waste tai — gases from the hydrochloric absorption system are passed through a scrubber containing caustic to remove chlorine. Another wastewater source is boiler blowdown. The third source of process wastewater was drainage from the process area. The fourth source consists of cooling tower blowdown.

# B. Quantity and Quality

7,500 gallons of scrubber effluent are discharged to the waste pond two times a month and contain high concentrations of chlorides. Boiler blowdown contains high pH, and dissolves solids concentrations. Drain from the process area is variable in quantity and quality and would company spillage or leakage within the process area.

#### III. Treatment System

- A. The waste streams identified in II.A. are pumped to the waste pond whe a spray evaporation system is used.
- B. Unit dimensions/capacities

Waste pond--100ft x 150ft x 6ft, with ≈1:2 internal slopes area--<53,424ft<sup>3</sup>\*
maximum capacity--<399,612 gals\*
capacity with 2ft freeboard--<266,408 gals

\*Does not include sedimentation (solids buildup)

# Spray evaporation system

5hp electric pump--70 gmp 3 Sprayco "mister" nozzels

#### IV. Receiving Stream

- A. The permit specifies the permittee discharges to Star Lake Ditch, the into Star Lake thence into Neches Butane Products Outfall Canal thenc to Segment 0601 of the Neches River Basin. However, any discharge wo be to the Jefferson Outfall Canal, thence into Star Lake thence to Segment 0601 of the Neches River Basin.
- B. Noncontact recreation, propagation of fish and wildlife, industrial navigation.

C. Past and present discharges of contaminated storm runoff containing toxaphene in excess of the permitted limitations have been documented. Subsequently, toxaphene has been found in large concentrations in sediments in the Jefferson Outfall Canal (IOM LH, 9/25/79). Toxaphene toxicity to aquatic organisms has been well documented.

# V. Grant Status

None

多

# VI. Previous Citations and Other Enforcement Action

A. No citations or other enforcement actions have been issued or initiated against Chemall, Inc., Permit No. 01857. Predecessors, Riverside Chemica Company and Bison Chemical Company, have been issued Enforcement Order No. 76-26 (May 26, 1976) and Judgement, Cause No. 1,799,641 (December 13, 1973), respectively.

Pulledad Propresedantions

ಸ್ಟ್ ಎಸ್ಟ್ರಾಡ್ ಕಥೆ **ಸಕ್ಕತ್ತಿ** ಚಲನವಾಗಿ ಎತ್ತ

#### VII. Violations

- A. The permittee has failed to notify the Texas Department of Water Resource that they have changed operations, i.e. operating with a no-discharge system, in violation of Part II.A.1. of Permit No. 01857.
- B. The permittee violated the 0.01 toxaphene limitation established in Part III of Permit No. 01857.

| Violation                                | Data Source                           | Permit or Other<br>Requirement |
|--|---------------------------------------|--------------------------------|
| 7/9/79Grab Sample<br>Toxaphene0.018 mg/l | Chain of Custody Tag No.<br>SS05303   | 0.01 mg/l                      |
| 7/9/79Grab Sample<br>Toxaphene0.018 mg/l | Chain of Custody Tag No.<br>SS05304   | 0.01 mg/l                      |
| 7/9/79Grab Sample<br>Toxaphene0.016 mg/l | Chain of Custody Tag No.<br>SS05311   | 0.01 mg/l                      |
| 7/9/79Grab Sample<br>Toxaphene0.016 mg/l | Chain of Custody Tag No.<br>\$\$05312 | 0.01 mg/l                      |
| 7/9/79Grab Sample<br>Toxaphene0.014 mg/l | Chain of Custody Tag No.<br>SS05313   | 0.01 mg/l                      |
| 7/9/79Grab Sample<br>Toxaphene0.02 mg/l  | Chain of Custody Tag No.<br>\$\$05314 | 0.91 mg/l                      |
| 7/9/79Grab Sample<br>Toxaphene0.018 mg/1 | Chain of Custody Tag No.<br>\$505315  | 0.01 mg/1                      |

- C. Failure to treat discharges of contaminated storm water listed above as required by Permit No. 01857.
- D. Past or present storm water discharges have contaminated the soils in the perimeter ditches as evidenced by toxaphene concentrations of 878.0 mg/kg and 276.0 mg/kg within these sediments. In addition, such discharges of contaminated storm water would increase amount(s) of toxaphene retained in the receiving stream (see part IV). Interoffice memorandum dated Sept. 25, 1979 documents large concentrations of toxaphi within sediments in the receiving stream.

## VIII. Causes of Violation

Storm water runoff is contaminated with toxaphene residuals from the plant site. (The plant site was contaminated with toxaphene prior to the purchase of the plant by Chemall, Inc. from Riverside Chemical Company.)

# IX. Technical Recommendations

- A. Within 45 days, Chemall, Inc. shall remove all soils from the perimeter storm water ditches, adjacent to the plant site, which (a) contain more than 50.0 mg/kg toxaphene and/or (b) will leach≥0.01 mg/l toxaphene in equal volumes distilled water and soil in 24 hours and dispose of such soils in site authorized in writing by the Executive Director, Texas Department of Water Resources (TDWR).
- B. Within 60 days, Chemall, Inc. shall remove all soils from the Jefferson Outfall Canal, which (a) contains more than 50.0 mg/kg toxaphene and/or (b) will leach ≥0.01 mg/l toxaphene in distilled water in 24 hours and dispose of such soils in a site authorized in writing by the Executive Director, TDWR.
- C. Within 90 days, Chemall, Inc. shall submit for acceptance by the Executive Director, TDWR, a plan prepared and signed by a certified professional engineer designed to eliminate any discharges of storm water containing excess of 0.01 mg/l toxaphene including a timetable for the construction of any and all appurtenances necessary to implement said plan.
- D. Within 30 days of notice of acceptance of the plan referred to in Item by the Executive Director, TDWR, the permittee shall implement said plan
- E. If Item 3 contains no plans for a discharge, the permittee shall submit a permit amendment to reflect the current no discharge status.
- F. Sediments in the waste pond were found to contain toxaphene concentration in excess of 600 mg/kg. Within 45 days the permittee shall remove all sments from the waste pond which (a) contain more than 50.0 mg/kg toxapherand/or (b) will leach ≥0.01 mg/l toxaphene in equal volumes distilled was and soil in 24 hours and dispose of such soils in site authorized in writing the Executive Director, TDWR.

Investigation Report Chemall, Inc. Permit No. 01857

G. Within 30 days, Chemall, Inc. shall submit a permit amendment correcting the route of the discharge so that it reads "to the Jefferson Chemical Outfall Canal thence into Star Lake thence to Segment 0601 of the Neches River Basin."

#### INVESTIGATION REPORT

Riverside Chemical Company Permit No. 01857 Port Neches, Texas

# I. Introduction :

#### A. Identification

- A. A manufacturer of chlorinated hydrocarbons operating under Permit No. 01857 issued May 22, 1976. The treatment system consists of a primary settling pond (installed by March 19, 1976). This facility was sold to Chemall, Inc. and the permit was transferred on February 17-1978.
- B. Current Discharge Limits

| Parameter |   | Daily Av | erage  |
|-----------|---|----------|--------|
| 1         | <del>a.</del><br>Barana kanalah             | (kg/D)   | (ppd)  |
| BODs      |   |          |        |
| COD       |   | 27.0     | 60.0   |
| TSS       |   | 4.5      | 10.0   |
|           | Grease                                      | 2.0      | 5.0    |
| Toxaph    |   |          | 0.0007 |
|           | Chlorinated<br>ocarbons (CCl <sub>4</sub> ) | n/a      | n/a    |

- C. Current Special Provisions, Permit No. 01857.
  - 1. All storm water which falls within the boundaries of the plant sit shall be considered to be contaminated and will be given full treament in the treatment plant prior to discharge should samples indicate that the quality of water exceeds these limits:

2. The treatment technology considered to be the minimum necessary properly treat the wastewaters which are authorized to be dischaby this permit during any period of plant production is considere be neutralization, API separation, equalization, filtration, carbabsorption, or ion exchange, or reductive degradation, and any additional treatment or pretreatment necessary to stabilize biodegradable organic material to within the limits specified by this permit. An alternative treatment system may be used with prior approval from the Executive Director. No discharge of pollutants to the waters in this state is authorized by this permit unless the pollutant has received treatment in a facility which includes the processes specified above or an approved alternative. This provision applies only to process water and contaminated storm water.

Investigation Report
Riverside Chemical Company
Permit No. 01857

# II. Waste Load

#### A. Source

The permittee chlorinates waxes and oils to produce chlorinated paraffins and chlorinated oils.

There are four (4) sources of process wastewaters at the plant. The larg volume source is effluent from the caustic scrubber. Waste tail gases fr the hydrochloric absorption system are passed through a scrubber containic caustic to remove chlorine. Another wastewater source is boiler blowdown. The third source of process wastewater was drainage from the process area. The fourth source consists of cooling tower blowdown.

# B. Quantity and Quality

7,500 gallons of scrubber effluent are discharged two times a month and contain high concentrations of chlorides. Boiler blowdown contains high pH, and dissolves solids concentrations. Drainage from the process area is variable in quantity and quality and would contain any spillage or leakage within the process area area area area area.

ការប្រជាពីស្ថិកមាន ជាម៉ាស្តែបង្អូរប៉ុន្តែ ជា ភ

# 111. Treatment System

A. Primary settling pond

100ft x 150ft x 6ft with ≤ 1:2 internal slopes

area--< 53,424ft\*

capacity-- <399,612 gals (maximum)\*

<266.408 gals (with 2ft freeboard)</pre>

\*Does not include sedimentation.

B. The permittee routed all waste streams to the pond by March 19, 1976. After June 1976, the permittee reported no discharge.

#### IV. Receiving Stream

- A. The permit specified the permitted discharges to Star Lake Ditch, thence into Star Lake thence into Neches Butane Products Outfall Canal thence i Segment 0601 of the Neches River Basin. However, any discharge would be to the Jefferson Chemical Outfall Canal thence into Star Lake thence to Segment 0601 of the Neches River Basin.
- B. Noncontact recreation, propagation of fish and wildlife, industrial navgation.

Investigation Report Riverside Chemical Company Permit No. 01857

> C. Past and present discharges of contaminated storm runoff containing toxaphene in excess of the permitted limitations have been documented. Subsequently, toxaphene has been found in large concentrations in sediments in the Jefferson Outfall Canal (IOM LH, 9/25/79). Toxaphene toxicity to aquatic organisms has been well documented.

# V. Grant Status

None

# VI. Previous Citations and Other Enforcement Action

\*expressed in ug/l.

Riverside Chemical Company was issued Enforcement Order No. 76-26 on May 26. 1976. Copy of said order is included as Attachment I.

# VII. Violations

A. The permittee has never complied with Provision 4 of Enforcement Order No. 76-26 requiring the company to eliminate any storm water discharges containing detectable amounts of toxaphene. Permit or

| 1. Violation*   | Data Source                         | Other Requirement   |
|---|-------------------------------------|---|
| 7/21/79Grab Sample<br>Toxaphene260.0<br>Pentachlorophenol4.55       | Chain of Custody Tag No.<br>INO6108 | Enforcement Order L. No. 76.26, Part III of Permit 018.     |
| 7/21/79Grab Sample<br>Toxaphene210.0<br>Pentachlorophenol35.2       | Chain of Custody Tag No.<br>INO6109 | Enforcement Order No. 76-26, Part I of Permit 01857         |
| 8/5/77-Grab Sample<br>Toxaphene168<br>Pentachlorophenol35.2         | Chain of Eustody Tag No.<br>INO6128 | Enforcement Order<br>No. 76-26, Part I<br>of Permit 01857   |
| 8/5/77Grab Sample<br>Toxapheneinterference<br>Pentachlorophenol12.4 | Chain of Custody Tag No.<br>INO6126 | Enforcement Order<br>No. 76-26, Part I<br>of Permit 01857   |
| 8/5/77Grab Sample<br>Toxaphene48<br>Pentachlorophenol108            | Chain of Custody Tag No.<br>INO6139 | Enforcement Order<br>No. 76-26, Part I<br>of Permit 01857   |
| 8/5/77Grab Sample<br>Toxaphene330<br>Pentachlorophenol7.8           | Chain of Custody Tag No.<br>INO6127 | Enforcement Order —<br>No. 76-26, Part 1<br>of Permit 01857 |
|   |                                     |   |

Investigation Report Riverside Chemical Company Permit No. 01857

-

s y tall tipp to a large. The said made is a large

| Violation*  | Data Source                         | Other Requirement   |
|---|-------------------------------------|---|
| 8/5/77Grab Sample<br>Toxaphene100<br>Pentachlorophenol2,330 | Chain of Custody Tag No.<br>INO6125 | Enforcement Order<br>No. 76-26, Part III<br>of Permit 01857 |

<sup>\*</sup>expressed in ug/l

- The permittee failed to treat the discharges listed above as required by Permit No. 01857.
- B. The permittee consistently and frequently violated the wastewater limitati established in Permit No. 10857.

| 1. Violation                                      | Data Source  | Permit or<br>Other Requirement   |
|---|--|----------------------------------|
| Toxaphene0.04 kg/day                              | Self-reporting June 1976.  | 0.02 kg/day                      |
| daily average<br>TSS5.2 kg/day<br>daily average   | 10MAT/File7/14/76<br>Self-reporting June 1976<br>10MAT/File7/14/76 | 4.5 kg/day                       |
| 6/17/76<br>Toxaphene 0.04 kg/day<br>daily maximum | 10MAT/File7/14/76  | 0.03 kg/day<br>24-hour composite |
| 6/16/76<br>Toxaphene0.07 kg/day<br>daily maximum  | IOMAT/File7/14/76  | 0.03 kg/day<br>24-hour composite |
| 6/15/76<br>Toxaphene0.07 kg/day<br>daily maximum  | IOMAT/File7/14/76  | 0.03 kg/day<br>24-hour composite |
| TSS5.3 kg/day                                     | Self-reporting May 1976<br>10MAT/File7/14/76                       | 4.5 kg/day                       |
| 5/11/76<br>Toxaphene0.04 kg/day<br>daily maximum  | IOMAT/File7/14/76  | 0.03 kg/day<br>24-hour composite |

 Tables I through VI (Attachment II) document 18 toxaphene violations, 20 TSS violations, 7 TDS violations, 11 oil and grease violations, 7 BODs violations, and 20 ph violations as compiled from a review of company records dated April 26, 1974 to December 5, 1975. Investigation Report` Riverside Chemical Company Permit No. 10857

# VIII. Causes of Viplations

Storm water runoff is contaminated with toxaphene residuals from the plant site. The plant site was contaminated through sloppy operations and lack groundskeeping. Wastewater discharges have been in violation of the limitations established in Permit No. 01857 due to the permittee's failure to provide adequate treatment.

# IX. Technical Recommendations

- A. Within 45 days, Riverside Chemical Company shall remove all soils from the perimeter storm water ditches, adjacent to the plant site, which (a) contain more than 50.0 mg/kg toxaphene and/or (b) will leach greater than or equal to 0.01 mg/l toxaphene in equal volumes distilled water and soil in 24 hours and dispose of such soils in a site authorized in writing by the Executive Director of the Texas Department of Water Resources(TDWR).
- B. Within 60 days, Riverside Chemical Company shall remove all soils from the Jefferson Outfall Canal which (a) contain more than 50.0 mg/kg toxaphene and/or (b) will leach greater than or equal to 0.01 mg/l toxaphene in toxaphene in distilled water in 24 hours and dispose of such soils in a site authorized in writing by the Executive Director of the TDWR.
- C. Within 90 days, Riverside Chemical Company shall submit for acceptance by the Executive Director of the TDWR a plan prepared and signed by a certific professional engineer designed to eliminate any discharges of storm water containing in excess of 0.01 mg/l toxaphene including a timetable for the construction of any and all appurtenances necessary to implement said plan
- D. Within 30 days of notice of acceptance of the plan referred to in Item 3 by the Executive Director of the TDWR, the company shall implement said plants.

NO. 0116345

STATE OF TEXAS

S STIFF S IN THE DISTRICT COURT

PLAINTIFF

AINTIFP

OF JEFFERSON COUNTY, TEXAS

Q

CHEMALL, INC.,

VS.

DEFENDANT

136 JUDICIAL DISTRICT

# AGREED FINAL JUDGMENT

BE IT REMEMBERED THAT ON THIS 13th day of December.

1982, came on to be heard the above entitled and numbered cause, said cause being an action prosecuted by Plaintiff, State of Texas, against Defendant, Chemall, Inc., for alleged violations by Defendant in Jefferson County, Texas of Chapter 26 of the Texas Water Code and The Rules and Regulations of the Texas Department of Water Resources, and came Defendant by and through its attorney of record, and came Plaintiff by and through its attorney of record, and the parties announced to the Court that all matters alleged by Plaintiff in this case had been settled, agreed and compromised, subject to the approval of this Court, based on entry of this Judgment agreed upon by the parties and recommended to the Court; and the parties jointly moved the Court for entry of such agreed upon and recommended Judgment; and

The Defendant having waived all formalities of Rules 680-693, Texas Rules of Civil Procedure, and acknowledging an understanding of the terms contained in the Judgment, following participation in settlement negotiations and waiving writ of execution, and acknowledging receipt of a copy of this Judgment, and waiving all right of appeal; and it appearing to the Court that the agreed upon and recommended Judgment is in all respects proper and necessary at this time, it is, therefore, ORDERED, ADJUDGED AND DECREED as follows:

I.

Defendant Chemall, Inc., shall complete closure of their existing inactive waste pond in accordance with the rules, regulations and technical guidelines of the Texas Department of Water Resources no later than 22 weeks from the date of this

Cotobed Sopt. 30, 83 PETT. OF WATER REPORTS

Judgment. Such closure shall be subject to Department review and approval and may be accomplished by disposal of existing contaminated wastewater at an approved disposal facility; removing remaining sludges to an approved disposal facility or solidifying sludges in place; filling of the emptied pit area with earthen fill material; capping the pit area with a three foot deep layer of compacted clay material; vegetating the capped fill material; and recording this Judgement, a plat of this property including the location of the prior pit and the proposed treatment facility and a statement that there may be residual toxaphene contamination on the plant property, in the dead records of Jefferson County, Texas.

II.

Defendant, Chemall, Inc. shall design, construct and profit implement a wastewater treatment system within 70 weeks from the date of this Judgment in accordance with the general design schedule contemplated by the documents titled "Chemall Wastewater Compliance Schedule," copies of which are attached hereto and made a part of this Judgment. The wastewater treatment system will be subject to standard Texas Department of Water Resources review and approval for such facilities, and will be designed and operated to assure compliance with toxaphene discharge limitations imposed by Permit No. 08157, as amended.

III.

Defendant Chemall, Inc. shall remove all toxaphene contaminated sediments from all ditches adjacent to and contiguous with Defendant's plant-site property, with the exception of the Jefferson Canal, to a point where concentration of toxaphene leachate does not exceed..04 mg/l. This toxaphene removal shall be completed no later than 4 weeks from the date of completion of the wastewater treatment system required by this judgment. Such toxaphene removal shall be subject to review and approval by the Texas Department of Water Resources in accordance with the standard TDWR Leachate Test as described in TDWR Technical Guide Number 1.

A166 4 33. 1

Defendant Chemall, Inc., its agents, representatives and employees are hereby permanently restrained, prohibited and enjoined from violating any of the terms of Texas Department of Water Resources Permit No. 01857, as amended, a copy of which is attached hereto and made a part of this Judgment.

IT IS FURTHER ORDERED, ADJUDGED and DECREED that Plaintiff, State of Texas, have and recover from Defendant Chemall, Inc. the sum of FOURTEEN THOUSAND DOLLARS (\$14,000.00) civil penalities in satisfaction of all violations of the Texas Water Code alleged in Plaintiff's Original Petition and Application for Permanent Injunction.

IT IS FURTHER ORDERED, ADJUDGED and DECREED that Defendant pay all costs of court.

SIGNED and ENTERED this Bell day of December

JUDGE PRESIDING

Œ.

APPROVED AS TO FORM AND SUBSTANCE AND ENTRY REQUESTED:

MARK WHITE ATTORNEY GENERAL OF TEXAS

MICHAEL LEBURKIEN
SBN 12100650
Assistant Attorney General
Environmental Protection Division

1220 Dallas, Suite 202 Houston, Texas 77002

ATTORNEYS FOR PLAINTIFF STATE OF TEXAS

PAUL G. GOSSELINK SBN 08222800

BOOTH, LLOYD AND SIMMONS, P.C. 302 San Jacinto Building Austin, Texas 78701

ATTORNEYS FOR DEFENDANT CHEMALL, INC.

CHEPALL, INC. BY ITS AUTHORIZED AGENT, JERRY P. MOHN, PRESIDENT CHEMALL, INC.

000897

TEXAS DEPARTMENT OF WATER RESOURCES
P. O. Box 13087 Capitol Station
Austin, Texas 78711

P SW

# TELEPHONE MEMO TO THE FILE

| Call To: L. D. Bryant, DD #7   | Call From: M. Moore, Dist. 6   |
|--|--|
| Date of Call: March 22, 1983   | File No:   |
| Subject of Call: Contaminated soil dredged   | from drainage ditch below FM Road 366  |
| in Port Neches, Jefferson County.  |  |
| en la grande de la companya del companya de la companya del companya de la compan |  |
| Information for File: I told Mr. Bryant that TDWR had sampled soil dredged from  |  |
| the drainage ditch below FM Road 366, and that we suspected that the   |  |
| soil contained hazardous wastes (eg: toxaphene and pentachlorophenol)  |  |
| I requested that DD #7 remove the soil from the banks of the ditch   |  |
| and have it disposed of in an approved facility.   |  |
| Mr. Bryant furnished me with the following information:  |  |
| 1) The ditch was dredged by drag-line beginning about six weeks  |  |
| ago, with the project being completed approximately two weeks  |  |
| ago;   |  |
| 2) The ditch has never been  | n dredged before, since it was a natura.   |
| drainage area, and DD #  | 7 did not previously have an easement or   |
| the property, which is   | owned by Texaco Chemicals;   |
| 3) Approximately one year  | ago, DD #7 acquired an easement on the   |
| ditch in order to impro  | ve area drainage, but the property is  |
| still owned by Texaco C  | hemicals;  |
| 4) Mr Bryant also pointed  | out that the area is very marshy, and  |
| pallets had to be used   | to support the equipment during the  |
| dredging operation;  | Special Control of the |
| 5) Mr. Bryant recalled that for many years Texaco (then Jefferson  |  |
| = 0.000  |  |

Chemical Co.), Riverside, and Sonford Chemical companies discharged chemical wastes into the ditch, and he speculated that a variety of chemical residues still exist in the sediments.

6) Mr. Bryant also said that DD #7 is planning to concrete the ditch from FM 366 upstream to the point at which it is already lined and downstream to the railroad crossing.

I recommended that the drainage district contact TDWR prior to beginning any further work on the ditch. I also agreed to let him know what the laboratory analysis results show on the samples we collected on March 21, 1983.

\*\* - TEXAS DEPARTMENT OF WATER RESOURCES
P. O. Box 13087 Capitol Station
Austin, Texas 78711

ph K

### TELEPHONE MEMO TO THE FILE

|                       | Call To: A.W. Catanach, Texaco Chemical Co.Call From: M. Moore, Dist. 6  |
|-----------------------|--|
|                       | Date of Call: March 23, 1983 File No: 30029  |
|                       | Subject of Call: Jefferson Canal - Texaco Chemical Co. Reg. No. 30029  |
|                       | The control of the co |
| and the second second |  |
|                       | Information for File: I informed Mr. Catanach that we are investigating possible   |
|                       | chemical contamination in the Jefferson Canal downstream from  |
|                       | Hogaboom Road in Port Neches. I told him that we had been informed   |
|                       | that the canal is located on property owned by Texaco Chemical Co.   |
| .,.                   | I also told him that we had noted strong phenolic odors in sediments   |
| •                     | which had recently been dredged from the canal below FM 366 and  |
|                       | disposed along the canal bank, as well as in the sediments in the  |
|                       | canal between Hogaboom Road and FM 366.  |
|                       | I recommended that Texaco Chemical Co. immediately remove and  |
|                       | properly dispose of the dredge spoils which were removed in order to   |
|                       | prevent contaminated run-off from re-entering the canal. I also  |
|                       | recommended that the company determine the extent of contamination   |
|                       | remaining in the canal between Hogaboom Rd. and Star Lake and begin  |
| -                     | remedial action to remove such contaminated material that is determine   |
| T                     | to exist in the canal.   |
|                       | I informed Mr. Catanach that the results of our investigation  |
|                       | would soon be forwarded to the Central Office for appropriate enforces   |
|                       | action I also mentioned that if hazardous wastes or hazardous waste  |
|                       | constituents exist in the canal, this would constitute violations of   |
|                       | The second secon |

the Texas Solid Waste Disposal Act and the Texas Water Code.

Mr. Catanach thanked me for informing him of the investigation and said that he would relay the information to appropriate corporate officials for review. He said that the company had no objections to TDWR representatives entering Texaco Chemical property in the vicinity of the canal to continue our investigation.

Signed

# Texas Department of Water Resources

INTEROFFICE MEMORANDUM

TO

Gary Schroeder, Chief, Solid Waste and Spill Response, Enforcement and Field Operations

DATE: April 5, 1983

THRU

Harry D. Boudreaux, District 6 Supervisor

SUBJECT:

FROM :

Enforcement Action -- Texaco Chemical Company,

Registration No. 30029

Attached is an Enforcement Report concerning Texaco Chemical Co., Registration No. 30029. In reviewing this report, prepared by Michael Moore, I find that it is accurate and that the proposed recommendations will bring about the correction of those problems which are causing the violations. Please review this matter for appropriate enforcement action.

Attachment

Investigation Repo & Page 3 April 5, 1983

# INVESTIGATION REPORT

Texaco Chemical Compar Registration No. 30029 P.O. Box 847 Port Neches, Texas 776

### VII. Technical Reco no

- A. It is recome all contam adispose of
- B. It is recon er mine the ex Canal and S and dispose of
- C. It is recome adequate measures, via ai the waters c

### I. Introduction


- A. Identification
  - Name of facility: Texaco Chemical
  - 2. Location: Farm Road 366, Port Nec
- B. Permits and Registrations
  - 1. Permits: WCO No. 00585; TX000560
  - 2. Registration: 30029
- C. Permit provisions: Texaco Chemical (
  which manufactures the following org;
  ethylene oxide, ethylene glycols, pro
  morpholine, diglycoamine, oil addition
  amines, and ethylene oxide/propylene
  control discharge of uncontaminated
  Jefferson Canal at Hogaboom Road (NP)
  Department of Water Resources (TDWR)
  is treated at the Neches Butane Prod
  ility (Permit No. 00511).
  - D. Background information: The Jeffers Lake, is located on property owned to Jefferson Chemical Company). Other previous owners of the facility which contamination of the Jefferson Canadated August 13, 1979, August 17, laction against one of these companiant Agreed Final Judgement, Cause No. Upfferson County, Texas, signed on


# II. Waste Handling Facility

- A. Type of facility: Drainage ditch
- B. Description of facility: The drain Farm Road 366, between Chemall, In Road 366 to Star Lake (see attache 15 feet deep and 50 feet wide at 1 Road and Star Lake is approximately wastes were discharged to the dital pentachlorophenol process wastes, between Farm Road 366 and Star Later 1985.

图

•••





Monmy

### Texas Department of Water Resources

### INTEROFFICE MEMORANDUM

TO

 $\mathbf{E}^{\dagger}$ 

: Harry D. Boudreaux, District 6 Supervisor,

DATE: April 14, 1983

District 6 Office

THRU

FROM : Gary D. Schroeder, Chief, Solid Waste and Spill Response Section,

Enforcement and Field Operations Division

SUBJECT: Enforcement Action Texaco Chemical Company

Registration No. 30029

A memorandum regarding the above subject has been received by this office. The matter has been assigned to Mr. Mike Dick of the Solid Waste Compliance Unit for necessary action. I understand that Mr. Michael Moore is the field representative dealing with this matter, and Mike will contact Michael in due course. Meanwhile, if you or Michael have any questions or additional information, please feel free to contact Mike directly.

Gary D. Schroeder

BWD: tm

DEGENAED

APR 18 1983

DEPT. OF WATER RESOURCES DISTRICT 6 TEXAS DEPARTMENT OF WATER RESOURCES

1700 N. Congress Avenue

Austin, Texas

TLNAS WATER DEVELOPMENT BOARD

Louis A. Beecherl, Jr., Chairman George W. McCleskey, Vice Chairman Glen E. Roney W. O. Bankston Lonnic A. "Bo" Pilgrim Louie Welch



Charles E. Nemir Executive Director

May 26, 1983

Mr. M. J. Adair Commissioner Drainage District No. 7 4401 9th Street Port Arthur, Texas 77640

Dear Commissioner Adair:

Re: Disposal of Contaminated Dredge Spoil from Jefferson Canal; Solid Waste Registration No. 30029

The purpose of this letter is to summarize the meeting held May 19, 1983. This meeting was held to discuss the disposal of dredge spoil from Jefferson Canal. It is the Department's understanding that the parties present would review the analytical data submitted at the meeting and contact the Department by June 9, 1983 with their respective entities' intentions regarding this matter. Therefore, the Department fully expects a response by this date. If you have any questions in the interim, please contact Mr. Michael Dick at 512/475-5516.

Sincerely.

Robert G. Fleming, P.E.

Director

Enforcement and Field Operations Division

MGD:rn

ccs: Ms. Mary Reagan, Office of the General Counsel
Texas Department of Water Resources District 6 Office

DECEIVED)

**TEXAS WATER COMMISSION** 

Felix McDonald

John D. Stover

Lee B. M. Biggart, Chairman

MAY 3 1 1983

DEPT. OF WATER RESOURCES DISTRICT 6

### TEXAS DEPARTMENT OF WATER RESOURCES

1700 N. Congress Avenue Austin, Texas

TINAS WATER DEVELOPMENT BOARD

Louis A. Beecherl, Jr., Chairman George W. McCleskey, Vice Chairman Glen E. Roney W. O. Bankston Lonnic A. "Bo" Pilgrim Louie Welch



Charles E. Nemir Executive Director

June 30, 1983

K mm

TEXAS WATER COMMISSION Lee B. M. Biggart, Chairman Felix McDonald John D. Stover

Mr. J. Samuel Listiak Texaco Butadiene Company Texaco, Inc. P. O. Box 52332 Houston, Texas 77052

Dear Mr. Listiak:

Re: Disposal of Contaminated Dredge Spoil From Jefferson Canal

This letter is written in response to your letter of June 7, 1983, indicating that your company needed additional time to evaluate the issues discussed in our May 19, 1983 meeting. The Department expects the response requested in that meeting to be submitted no later then July 5, 1983.

The Department appreciates your attention to this matter and if you have any questions, please contact Mr. Michael Dick at 512/475-5516.

Sincerely.

🗴obert G. Fleming, P.E.

Director

Enforcement and Field Operations Division

MGD:rn

열등 II V E |

JUL 05 1983

CLATA CA WATER RESOURCES DISTRICT S

ccs: Office of the General Counsel
Texas Department of Water Resources District 6 Office

Texas Department of Water Resources

INTEROFFICE MEMORANDUM

: Enforcement Coordinators

DATE:

August 3, 1983

Gary D. Schroeder, Chief

Solid Waste and Spill Response Section Enforcement and Field Operations Division

FROM :

Mike Dick, Solid Waste Compliance Unit.

Solid Waste and Spill Response Section

SUBJECT:

Enforcement Notice Texaco Chemical Company, Registration No. 30029 and Drainage District No. 7

The Solid Waste Compliance Unit is reviewing Texaco Chemical Company and Drainage District No. 7 for enforcement action. Please review the attached investigation report and provide your comments in writing within 10 days to me.

MGD:rn

Attachment

ccs: Office of the General Counsel

Texas Department of Water Resources District 6 Office

AUG 05 1983

DEFT. OF WATER RESOURCES DISTRICT 6

### INVESTIGATION REPORT

Texaco Chemical Company Registration No. 30029 P.O. Box 847 Port Neches, Texas 77651

### I. Introduction

- A. Identification
  - 1. Name of facility: Texaco Chemical Company
  - 2. Location: Farm Road 366, Port Neches, Texas
- B. Permits and Registrations
  - 1. Permits: WCO No. 00585; TX0005606
  - 2. Registration: 30029
- C. Permit provisions: Texaco Chemical Company is a petrochemical plant which manufactures the following organic chemicals: ethylene/propylene, ethylene oxide, ethylene glycols, propylene glycols, glycol ethers, morpholine, diglycoamine, oil additive TC-9781, nonylphenols, ethanolamines, and ethylene oxide/propylene oxide adducts. Wastewater permits control discharge of uncontaminated storm water only. Outfall is into Jefferson Canal at Hogaboom Road (NPDES Outfall 002 is the same as Texas Department of Water Resources (TDWR) Outfall 001). Process wastewater is treated at the Neches Butane Products Company regional treatment facility (Permit No. 00511).
- D. Background information: The Jefferson Canal, from Hogaboom Road to Star Lake, is located on property owned by Texaco Chemical Company (formerly Jefferson Chemical Company). Other background information, including previous owners of the facility which is a suspected contributor to the contamination of the Jefferson Canal, is contained in the attached reports dated August 13, 1979, August 17, 1979, and November 27, 1979 (enforcement action against one of these companies, Chemall, Inc., was resolved in the Agreed Final Judgement, Cause No. D116345, 136th Judicial District Court, Jefferson County, Texas, signed on December 13, 1982).

### II. Waste Handling Facility

- A. Type of facility: Drainage ditch
- B. Description of facility: The drainage ditch runs from Hogaboom Road to Farm Road 366, between Chemall, Inc. and Union Carbide; thence below Farm Road 366 to Star Lake (see attached map). The ditch is approximately 15 feet deep and 50 feet wide at the top. The distance between Hogaboom Road and Star Lake is approximately one mile. In past years, various wastes were discharged to the ditch, including untreated toxaphene and pentachlorophenol process wastes. During the past two months, the ditch between Farm Road 366 and Star Lake was dredged, and the contaminated

1

Investigation Report: Texaco Chemical Co. Page 2 April 5, 1983

dredgings were placed along the north bank of the ditch.

### III. Water Quality Impact

- Surface water: Samples were collected at the railroad crossing below Farm Road 366 on March 23, 1983 after a 2.5-inch rain (Chain of Custody (COC) Tag Numbers SW 02094 and SW 02096). Laboratory analysis results for these samples will be forwarded in an addendum report when received by this office.
- B. Ground water: Unknown: no shallow wells have thus far been identified in the area.
- Previous enforcement: See attached reports dated August 13, 1979, November 27, 1979, and Agreed Final Judgement dated December 13, 1982.
- V. Violation

### Violation

### Data Source

Permit or Other Requirement

Disposal of hazardous wastes Reports dated 08/13/79, in such a manner so as to cause the discharge or imminent threat of discharge of wastes into or adjacent to the waters in the State.

08/17/79, and 11/27/79; Disposal Act; Texas COC Tag Nos. SW 02090, SW 02091, SW 02094, and SW 02096 (pending).

Texas Solid Waste Water Code

Causes of violation: For an undetermined period of time, Jefferson Chemical Co. (presently owned by Texaco Chemical Co.) and/or the various owners and operators of the facility now owned by Chemall, Inc. disposed of wastes and contaminated wastewater into the Jefferson Canal, which is located on property owned by Texaco Chemical Company. On August 3, 1979 Texaco Chemical Company was requested by TDWR to remove the contaminated materials from the ditch, but the request was refused by the company (see interoffice memorandum dated 11/27/79, S. Cook to B. Bigelow). On March 21, 1983 TDWR District 6 representatives Michael Moore and Wesley Newberry inspected the ditch and collected sediment samples. The samples were observed to have a strong aromatic odor characteristic of phenolic compounds (COC Tag No. SW 02090). A sample was also collected from soil which had recently been dredged from the ditch below Farm Road 366 and it was observed that this material had a similar odor (COC Tag No. SW 02091). During a follow-up inspection conducted on March 23, 1983 it was observed that rainfall runoff from the dredge disposal area was entering the canal. A sample of the runoff was collected and it also had a strong phenolic odor (COC Tag No. SW 02094). It appears probable that hazardous waste including toxaphene and pentachlorophenol, are being discharged to the waters of the State from the sediments in the canal and from the dredgings which were recently disposed along the bank of the canal.

Investigation Report: Texaco Chemical Co. Page 3 April 5, 1983

### VII. Technical Recommendations

- A. It is recommended that, within 20 days, Texaco Chemical Company remove all contaminated dredgings from the bank of the Jefferson Canal and dispose of such wastes in an approved facility.
- B. It is recommended that, within 30 days, Texaco Chemical Company determine the extent of contamination present in the sediments of the Jefferso Canal and Star Lake; and within 60 days, remove all contaminated sediment and dispose of such wastes in an approved facility.
- C. It is recommended that, during the course of the cleanup activities, adequate measures be taken to prevent further discharges of hazardous wastes, via rainfall runoff and mixing of sediments with canal water, to the waters of the State.

000911

.

Texas Department of Water Resources Interoffice MEMORANDUM DATE: August 4, 1983 Susan Plettman, General Counsel TO THRU FROM Robert G. Fleming, Director, Enforcement and Field Operations Bivision SUBJECT: Request for Enforcement Action Texaco Chemical Company, Registration No. 30029 and Drainage District No. 7; No Registration or Permit Enforcement and Field Operations Division hereby requests that the Office of the General Counsel schedule immediate enforcement action concerning Texaco

Chemical Company and Drainage District No. 7. Attached is the original Investigation Report regarding this matter.

MGD:rn

Attachments

cc: Texas Department of Water Resources District 6 Office

AUG 08 1983

berT. OF WATER RESOURCES DISTRICT 6

TEXA. DEPARTMENT OF WATER RESOURCES

1700 N. Congress Avenue

Austin, Texas

ILNAS WATER DEVELOPMENT BOARD

Louis A. Beecherl, Jr., Chairman George W. McCleskey, Vice Chairman Glen E. Roney W. O. Bankston Lounie A. "Bo" Pilgrim

Louie Welch

٠,

Charles E. Nemir Executive Director

August 8, 1983

TEXAS WATER COMMISSION

Felix McDonald, Chairman Lee B. M. Biggart John D. Stover

Mr. J. Samuel Listiak

Texaco Butadiene Company

Texaco, Inc. P.O. Box 52332 Houston, Texas 77052

Dear Mr. Listiak:

Re: Disposal of Contaminated Dredge Spoil from Jefferson Canal

The Department is in receipt of your letter dated July 22, 1983 which states Texaco's analytical data of the dredge spoil shows concentrations of contaminants approximately one thousand times lower than those documented by the Department. In light of this matter, the Department would like to offer the following comments:

- The types of compounds which have been found in the dredge spoil are relatively resistant to degradation, therefore, this would not support a theory of degradation between sampling events.
- 2. Texaco's samples may have come from different areas of the dredge spoil than those collected by the Department.
- The samples collected by the Department were analyzed by the Texas
  Department of Health and were reported in mg/kg (ppm) and not in parts
  per billion as suggested by Texaco.

In any case, the Department stands by its results. However, it may well be that the degree of contamination varies throughout the dredge spoil. Therefore, we request that Texaco and Drainage District Number 7 initiate a comprehensive sampling effort to determine what type of disposal will be required.

In regard to your question concerning the responsibility of Drainage District No. 7, the Department reiterates that this matter is the responsibility of both parties. The Department hopes this situation will be resolved voluntarily between Texaco and the Drainage District.

DEGETAED

AUG 1 0 1983

USERIO OF
WATER PRECINCES
LISTRICT 6
Accordance 12/175 3187

Mr. J. Samuel Listiak Page 2

Please submit a response detailing Texaco's intentions within 10 days upon receipt of this letter, otherwise we will pursue alternative measures to ensure this problem is resolved. If you have any questions in the interim, please contact Mr. Michael Dick at 512/475-5516 or Ms. Mary Reagan at 512/475-7845.

The second of th

Sincerely,

Robert G. Fleming, P.E.

✓Director

Enforcement and Field Operations Division

MGD/jp

cc: Office of the General Counsel

Texas Department of Water Resources District 6 Office

TEXAS DEPARTMENT OF WATER RESOURCES

1700 N. Congress Avenue Austin, Texas



Charles E. Nemir Executive Director

August 9, 1983

TLXAS WATER COMMISSION Felix McDonald, Chairman

Lee B. M. Biggatt John D. Stover

Mr. M. J. Adair Commissioner Drainage District No. 7 4401 9th Street

11 NAS WATER DEVELOPMENT BOARD

S.A. Beecherl, Jr., Chairman.

Gain E. Roney & O. Bankston

room Welch

1 omnie A. "Bo" Pilgrim

1992c W. McCleskey, Vice Chairman

Dear Commissioner Adair:

Port Arthur, Texas 77640

Re: Disposal of Contaminated Dredge Spoil from Jefferson Canal

The Department is in receipt of the letter dated June 8, 1983 from your attorney, Mr. David A. Provost, which states that the District neither created nor added to any environmental pollution that already existed in Jefferson Canal by disposing of dredge spoil adjacent to the canal. The Department does not agree with this contention. While the contaminants remained in the sediment of the canal covered by a silt layer, they were less likely to commingle with the overlying water. Once the sediments were removed and stockpiled adjacent to the canal, increased contamination is occurring from runoff from the spoil directly to the waters of the canal. This phenomenon has been documented by Department samples.

Additionally, we have received a letter from Texaco, Inc. indicating that sample results collected from the dredge spoil by Texaco showed contaminant concentrations one thousand times lower than ones analyzed by the Department. The Department stands by its results; however, these results may evidence that the degree of contamination varies throughout the dredge spoil. Therefore, we request that Texaco and the Drainage District conduct a comprehensive sampling effort to determine what type of disposal from each area will be required.

Please submit a response detailing the District's intentions in regard to this matter within 10 days upon receipt of this letter. Otherwise, we will pursue alternative measures to ensure that this problem is resolved. If you have any questions in the interim, please contact Mr. Michael Dick at 512/475-5516 or Ms. Mary Reagan at 512/475-7845.

Sincerely,

Propert G. Fleming, P.E.

*f*Oirector

Enforcement and Field Operations Division

MGD/jp

ccs: Office of the General Counsel

Texas Department of Water Resources District 6 Office

AUG 1 1 1983

DEPT. OF WATER RESOURCES DISTRICT 6

Suc + 80027 - .....

# TEXACO

AUG 19'83

FIELD OPERATIONS
P. O. BOX 52332
HOUSTON, TEXAS 77062
(713) 650-4221

J. SAMUEL LISTIAK

August 17, 1983

RE: DREDGED MATERIAL -STAR LAKE OUTFALL CANAL

David A. Provost, Esq.
Provost, Umphrey, McPherson
& Swearingen
P. O. Box 3837
Port Arthur, Texas 77640

Dear mr. Provost:

Enclosed is a copy of a letter from the Texas Department of Water Resources concerning the material dradged from the Star Lake Outfall Canal by Jefferson County Drainage District No. 7 and piled on its easement along the Canal by the District.

As can be determined from the August 8, 1963 letter of TDWR, the Department continues to believe that Drainage District No. 7 bears at least some responsibility in connection with this matter. Whether or not the District shares this belief, Texaco would be interested in knowing the intentions of the District concerning any further activities with regard to this matter. In particular, does the District have any present intention or willingness to share in sampling, testing, or other investigation or to share the costs of such sampling, testing, or investigation?

Inasmuch as certain sampling and testing has already been performed, an early response would be appreciated.

Sincerely,

J. SAMUEL LISTIAK

JSL sly:1/đ المنافرة والمتعارض والمعارضين والمتعارض والمتع

cc: Schert C. Fleming P.E.
Texas Department of Water Resources
P. O. Box 13087 - Capitol Station
Austin, Texas 78/11

Mr. Michael Dick Texas Department of Water Resources P. O. Box 13087 - Capital Station Austin, Texas 78711

- Mary Reagan, Esq.
Toxas Department of Water Resources
P. O. Box 13087 - Capitol Station
Austin, Texas 78711

### TEXACO INC.

ENFORCEMENT AND **FIELD OPERATIONS** 

P. O. BOX 52332 HOUSTON, TEXAS 77052 (713) 650-4221

J. SAMUEL LISTIAK

August 17, 1983

(BLIND) RE:

ENVIRONMENTAL - POLLUTION INCIDENTS - STATE WATER -TEXACO CHEMICAL COMPANY PORT NECHES

AUG 25 1983

DEPT. OF WATER RESOURCES DISTRICT 6

DREDGED MATERIAL -RE: STAR LAKE OUTFALL CANAL

Mr. Robert G. Fleming, P.E. Texas Department of Water Resources P. O. Box 13087 - Capitol Station
Austin, Texas 78711

Dear Mr. Fleming:

Texaco has received your letter of August 8, 1983 which, in all likelihood, crossed in the mail with my letter of August 4, 1983.

Carle and Carle

The contract laboratory which analyzed the dredged soil samples is confident of its results, just as the Texas Department of Health is confident of its results. Nevertheless, if the discrepancy is due to variations in the dredged soil, it would be helpful to compare the Texaco sampling locations with the Department sampling locations. will make an attempt to uncover information concerning where the samples were taken which led to the results detailed in my letter of August 4, 1983, if the Department feels it can provide similar information concerning its sampling location for purposes of comparison. Secondly, it may also be useful to split samples with the Department in an attempt to resolve the discrepancies in the results. Beyond anyother information which such additional sampling might provide, the results may well have an influence on the cost of any disposal.

With regard to Drainage District No. 7, Texaco knows of no investigation or any other efforts which may have been made by the District in connection with this matter, nor has Texaco been in communication with the District. Since recent communications from the TDWR to Texaco have not been copied to Jefferson County Drainage District No. 7, Texaco has assumed that any communications between the Department and the District were independent of the correspondence between Texaco and the Department, or, that the TDWR was no longer corresponding with the District. Texaco does wish to reiterate that it does not purport to speak for Drainage District No. 7, nor has Texaco's investigation involved the participation of Drainage District No. 7. By letter Texaco has sought a clarification of the District's present position on any future involvement.

Sincerely,

J. SAMUEL LISTIAK

JSL sly:1/c

cc: Mrchael Dick

Texas Department of Water Resources P. O. Box 13087 - Capitol Station Austin, Texas 78711

Mary Reagan, Esq. Texas Department of Water Resources P. O. Box 13087 - Capitol Station Austin, Texas 78711

### TEXAS DEPARTMENT OF WATER RESOURCES

# INSPECTION SYSTEM INSPECTION SUMMARY REPORT DW2600

c/\ \{\}

| ·                           | <b>.</b>   |                |          |                                     | UA/  |
|-----------------------------|--|----------------|----------|-------------------------------------|--|
| Texaco Chemical Company.    | Port Nechesentity NAME                                       | E (For Refere  | nce Only | 1                                   |  |
| <u>sw - 0 0 3 0 0 2 9</u>   | PERMIT NUMI  | BER            |          |                                     |  |
| <sup>1</sup> A 1            | ACTION CARD NO.  |                |          |                                     |  |
| 13 5 14                     | A-Add  |                |          |                                     |  |
|                             | C-Change -   |                |          |                                     |  |
| · 68-92-83                  | DATE OF REPORT (MMODYY)                                      |                |          |                                     |  |
| 08-25-83<br>c<br>21         | TYPE EFFLUENT SAMPLE C-Composite G-Grab                      |                |          |                                     | t,   |
|                             | NO. OF HOURS (Comp. Only)                                    |                |          |                                     |  |
| 22 Z3 Z3                    | •                      |                |          |                                     |  |
| <u>N</u>                    | CITATION ISSUED?   |                |          |                                     |  |
| * 24                        | Y-Yes<br>N-No  | V 1 1 2 1      | · · •    | 3                                   | ₹ : <del>*</del>   |
|                             | 14—140   | والمجادر الجر  | فعال الم | Arrana is                           | . Programme in the contract of |
| _ <u>2</u>                  | TYPE   | يُ مِنْ أَنْهُ |          | A                                   | -  |
| <b>25</b>                   | · · · 1 Major  | ***            | : *: :   |                                     |  |
|                             | 2-Minor  | - 9,70         |          | # 18 L                              | er en  |
| 5                           | TYPE WASTE   | **             |          | ,                                   |  |
| 26                          | 1-Publicly Owned Domestic                                    |                |          |                                     |  |
|                             | 2-Privately Owned Domestic                                   | Non-Com        | mercial  | Commercial                          | Transporters   |
|                             | 3-Industrial   | Gen            | TSD      | Gen TSD                             | •  |
|                             | 4-Agricultural   | → 35           |          |                                     | <u></u>  |
|                             | * 6-Solid Waste Hazardous — —<br>6-Solid Waste Non-Hazardous | _              | 70       | D D                                 | 0  |
|                             | 7-Other  | NOTE:          |          |                                     | e boxes, e.g. if   |
| •                           |  |                |          | ility is both a<br>Icklity, check i | generator and  |
| <u>5</u>                    | INSPECTION   | •              |          |                                     | king the appro-  |
| 21                          | 1—Annual Compliance 2—Compliance Survey                      |                |          |                                     | ning their status  |
|                             | 3—Pre-Hearing  |                |          |                                     | TSD facility,  |
|                             | 4Pre-Grant   | •              | check    | this box for                        | all hazardous  |
|                             | 5-Other  |                | Weste    | transporters.                       |  |
|                             | 6-Waste Disposal Wells                                       |                |          |                                     |  |
|                             | 7—In-Situ Mining Wells                                       |                |          |                                     |  |
| $\frac{0}{29} \frac{1}{29}$ | NUMBER OF SAMPLES FOR LAB                                    |                |          | •                                   |  |
| 28 29<br>0 0 2<br>30 32     | NUMBER OF ANALYSES   |                |          |                                     |  |
| <u> </u>                    | LABORATORY USED  |                |          |                                     |  |
| 33                          | 1-State Department of Health R                               | esources       |          |                                     |  |
| ·                           | 2-Trinity River Authority                                    |                |          |                                     |  |
|                             | 3—Sabine River Authority<br>4—TDWR—EPA                       |                |          |                                     |  |
|                             | 5-Corpus Christi City County H                               | saith Decerto  | went     |                                     |  |
| -                           | 6-Other  |                |          |                                     | ,  |
|                             | 7-San Antonio River Authority                                |                |          |                                     |  |
|                             |  |                |          |                                     | ,  |
|                             | CICHATURE ( ) IL   |                |          | Mon                                 | \$ 8/19  |
|                             | SIGNATUREPermit Not Required                                 |                |          |                                     | <del></del>  |
|                             | Permit Required  |                |          |                                     |  |
| •                           | Permit Applied For   |                |          |                                     | •  |

4,

## Texas

В

Texas Department o

Gary Schroeder, Chief, Solid Was1 -

Response, Enforcement and Field

THRU

TO į

FROM

Michael A. Moore, Engineering Teci

District 6

SUBJECT:

Texaco Chemical Company, Registra

and Drainage District No. 7, No Re Permit--Enforcement Action Request

From:

Product:

GC/MS ANALYSIS

Date Received: 23 MARES

Description of Sample: Sc

TEPA PRIORITY PO

Nachthalene - 9280 hi Acenaphthylene - 2140 m

Fluctone - 1140 mg 1

Acenaphthene - 330, 11

Phenouthrene - 2050

Anthracene - 300 Fluoranthene - 275

Pyrene - 535 mg / 1.

Benz (a) anthraseme

Chrysene - 150 mg - 3

Benz (b) fluorenthi .e Benz (b) fluorenthi

Benz (a) pyrene

15 Other organic

Sukus Hused maphish

Bipnenyb Other aromatic

MAY 2 3 1983 Date Reported

(3) TCDD - 2,3,7,8
turnaique <224

Attached is a copy of the laboratory analysi was collected during a solid waste investig—1983. The sample was collected from a pile been deposited on the north bank of a draina Kansas City Southern Railroad, behind the circusts indicate that significant amounts o were present in the dredged material.

It is requested that these data be added to mitted by this office, dated April 5, 1983.

Approved:

Warry D. Boudreaux

MAM/bk

Attachment

1 Landlarm; 🗘 Other Ö 08. oint of Collection upe facility: E Waste pile; E

# Texas Department of Water Resource

INTEROFFICE MEMORANDUM

TO .

Gary Schroeder, Chief, Solid Waste and Spill

Response, Enforcement and Field Operations

DATE:

THRU

FROM :

Michael A. Moore, Engineering Technician,

District 6

SUBJECT:

Texaco Chemical Company, Registration No. 30029 and Drainage District No. 7, No Registration or Permit--Enforcement Action Request Addendum Report

Attached is a copy of the laboratory analysis results for a sampl was collected during a solid waste investigation which was conducted. The sample was collected from a pile of dredge spoils which been deposited on the north bank of a drainage ditch between Farm Kansas City Southern Railroad, behind the city of Groves dog pour results indicate that significant amounts of toxaphene and other were present in the dredged material.

It is requested that these data be added to the enforcement actic mitted by this office, dated April 5, 1983.

Approved:

Warry D. Boudreau

Signed:

Michael A

MAM/bk

Attachment

| Site Location Deal   | become Outfal<br>mare dtal web   | 5 M 366  | bolind   | sinte  | Lunh          | 12 47            | ch below                |
|--|--|--|--|--|---------------|------------------|-------------------------|
|  | er det jour  | <u>, .(</u>  |  | EM 36  |               |                  |                         |
| County Icf   | fes she was  | in <u>Acceles</u>  | (i-g wo do)  | Type facility:                               | [] Drum; [] 1 | Fank; 🔲 Impys    | undment: 🖸 Land         |
| Method of Collection   | <i>)</i> }   | Carl fills   | and the con  |  |               |                  | careger da              |
| _  |  | beneplez ,   | , which were   |  | _             |                  | Shipped $\frac{3}{2}/2$ |
| compari  |  |  | There  |  | /\langle      |                  | . 4- 111                |
| filast in  | acetouse line  | ed for wit   | Testou hier-   | ODOR; VI Y                                   |               |                  |                         |
| S.W. Regist  | ration Per   | mit Number   | Page No. 1 Date  | Y <sub>1</sub> 1                             | - Occer       | July To          | Strong                  |
| 1.   | 9 10   | 18   | 19 21 22 23 24 25 20   |  | - )ir Ein     | (Collector's Sig | inature)                |
| Lick   | 5 N  | ا اعلمات   | 1 A 3 321  | 8.3E   |               |                  |                         |
| 30 Cede  | 35 Parameter Value   | 44 Cude  | 49 Parameter Value   | 58   | Code          | GO Param         | eter Value :            |
|  |  |  | ie in  |  | <del> </del>  | <del></del>      | , <del>,-</del>         |
|  |  |  |  |  |               |                  |                         |
|  |  | <u> </u>   |  |  |               |                  | 1 1 1 1                 |
| TEXAS DEPARTM  | ENT OF WATER RESOU   | RCES TOWN 0949   |  | <u>                                     </u> | 2000          |                  |                         |
| TEXAS DEPARTA  | NENT OF WATER RESOU<br>091 MAY 24 183  |  | (106)  |  | MAR 2 3       | 1983             |                         |
| No. sw. 02   | 091 may 24 1763<br>_ 019. No. <u>5.310</u> w   | fork No  | 62 106 TOH   | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1        | MAR 2 3       | 1983             |                         |
| No. SW. 02<br>District 02<br>Moterial Sampled: [7]   | 091 PAY 24 1161<br>_ Org. No. <u>5.3/e</u> W<br>Solid waste [W]: (3 Liquid w<br>Stream (S]: (3 Other (0) | fork No  | 62 Lati T 0H   | _  |               | 1983             |                         |
| NO. SW. 02 District  | 091 Mil 24 IKI Org. No. 536 W Solid waste IWI: 12 Liquid w Stream (SI: 12 Other (0) 1                    | ork No. <u>908</u><br>usta (U; FA Soil (E), E                            | 62 Lati TOH  | Proservation                                 | on: None: (   | □ 1ce; □ H, S    | o,: □ HNO,              |
| NO. SW. 02 District  | 091 Mily 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  | ork No. <u>908</u><br>usta (U; FA Soil (E), E                            | 62 Lati T 0H   | Proservation Other Auxiliary                 | n: None: (    | <u> </u>         |                         |
| NO. SW. 02 District  | 091 Mily 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  | Jork No. <u>968</u><br>1018 [L.]; JA Soil (E.), E<br>16. While U         | EZ Lati TOH<br>Well (R.1);  Leas Desce Lead  Leasing Leas  | Proservation Other Auxiliary                 | TagsEP T      | oxicity Series:  |                         |
| NO. SW. 02 District  | O91 Mil 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Jork No  | Well (n.t):  Well (n.t):  Least Constituted on that  Parameter Value   | Preservation Other Auxiliary k) ① LEAC       | TagsEP T      | Oxicity Series:  | _ TDWR                  |
| NO. SW. 02 District Moterial Sampled: [7] Comments   | O91 Mil 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Jork No. 908 usta (L); FI Soil (E), [ Land E) 522 Line Code              | Well (n.t):  Well (n.t):  Least Constituted on that  Parameter Value   | Preservation Other Auxiliary k) ① LEAC       | TagsEP T      | Oxicity Series:  | _ TDWR                  |
| NO. SW. 02 District Moterial Sampled: 17 Comments Michel 20 Code DH 0 0 4 0 3 COD            | O91 Mil 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Jork No. 908 usta (L); FI Soil (E), [ Land E) 522 Line Code              | Well (n.t):  Well (n.t):  Least Constituted on that  Parameter Value   | Preservation Other Auxiliary k) ① LEAC       | TagsEP T      | Oxicity Series:  | _ TDWR                  |
| NO. SW. 02 District Moterial Sampled: [7] Comments   | O91 Mil 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Jork No. 908  uste ILI; FI Soil IEI, I  Land E > 522  Land Code  Priving | Lab TOH  Well (n.t):  Leas Consinued on that  Leas Parameter Value  Total Lab (17)   | Preservation Other Auxiliary k) ① LEAC       | TagsEP T      | Oxicity Series:  | _ TDWR                  |
| NO. SW. 02 District Material Sampled: 17 Comments Michael 30 Code DH 0 0 4 0 3 COD 0 0 3 4 0 | O91 Mil 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Jork No. 908 usta (L); FI Soil (E), [ Land E) 522 Line Code              | Lab TOH  Well (n.t):  Leas Consinued on that  Leas Parameter Value  Total Lab (17)   | Preservation Other Auxiliary LEAC:           | TagsEP T      | Oxicity Series:  | _ TDWR                  |
| NO. SW. 02 Destrict Material Sampled: [7] Commercia Accid                                    | O91 Mil 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Jork No. 908  uste ILI; FI Soil IEI, I  Land E > 522  Land Code  Priving | Lab TOH  Well (n.t);  Leas Chief Lead  Leasing Continued on that  Leasing C | Preservation Other Auxiliary LEAC:           | TagsEP T      | Oxicity Series:  | _ TDWR                  |
| NO. SW. 02 District  | O91 Mil 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | Jork No. 908  uste ILI; FI Soil IEI, I  Land E > 522  Land Code  Priving | Lab TOH  Well (n.t);  Leas Chief Lead  Leasing Continued on that  Leasing C | Preservation Other Auxiliary LEAC:           | TagsEP T      | Oxicity Series:  | _ TDWR                  |



# Texas Department of Health Bureau of Laboratories Austin, Texas

Product:

Laboratory No.: EH3426

Sample No.: ನಬರೆ೭

Date Received: 23 MAR&3

Delivered By: TOWR

Condition of Seals: IN

Description of Sample: Soil Saniale

From:

# LABORATORY FINDINGS

GC/MS ANALYSIS

O EPA PRIORITY POLLUTANTS.

Naphthalene - 9280 mg/kg. Acenaphthylene -2140 mg/kg.

Fluorene - 1140 mg/kg.

Acenaphthen - 330 mg/kg.

Phenouthrene - 2050 mg/kg.

finthracene - 300 mg/kg.

Fluoranthene - 275 mg/kg.

Pyrene - 535 mg/kg.

Denz (a) anthracking - 160 mg / Kg

Chrysone - 150 mg /kg

Benz (b) fluorenthone - 15 mg/kg.

Benz (b) fluorenthane - 15 mg/kg

Bins (c) phress - mind jell

3 Other organic compounds present at up to 2000 mg/kg. Satustituted implications (c, ic)

Ciprenyls
Other aromatic hydrocarbone, unable to positively identify.

## MAY 2 3 1983

Date Reported

3 TCDD - 2,3,78 isomer by capillary GC/MS FORM NO. 6-31

. ........

TEX. DEPARTMENT OF WATER RESOLATES

1700 N. Congress Avenue Austin, Texas

11 NAS WATER DEVELOPMENT BOARD

Longs A. Beecherl, Jr., Chairman George W. McCleskey, Vice Chairman Glen E. Roney W. O. Bankston Lonnic A. "Bo" Pilgrim Louis Welch



Charles E. Nemir Executive Director

TEXAS WATER COMMISSIC — Felix McDonald, Chairman Lee B. M. Biggart G. Ralph Roming

September 20, 1983

Mr. J. Samuel Listiak Texaco Butadiene Company Texaco, Inc. P. O. Box 52332 Houston, Texas 77052

Dear Mr. Listiak:

Re: Disposal of Contaminated Dredge Spoil (rom Jefferson Canal

Pursuant to your telephone request on August 23, 1983 the analyses of dredge spoil were reviewed by our Permits Division for the purposes of classification.

These results indicated the material could be classified as a Class II waste and may be disposed of accordingly. The discrepancy in the quantity of materials found by Texaco and the Department may be attributed to sample locations. The Department sampled areas where visual contamination was obvious, while Texaco sampled a more representative area.

We are forwarding a copy of this letter to Drainage District #7 and request that both entities respond with their respective intentions within 10 days upon receipt.

In the interim, if you have any questions, please contact Mr. Michael Dick at 512/475-5516 or Ms. Mary Reagan at 512/475-7845.

Sigcerely,

Şahroederi P.E., Chief

Solid Waste and Spill Response Section Enforcement and Field Operations Division

MGD: py

SEP 22 1983

DEPT. OF WATER RESOURCES DISTRICT 6

General Counsel's Office

Texas Department of Water Resources District 6 Office

Mr. M. J. Adair, Commissioner

Drainage District #7

. .

### TEXAS DEPARTMENT OF WATER RESOURCES

1700 N. Congress Avenue Austin, Texas the much

TEXAS WATER DEVELOPMENT BOARD

Louis A. Beecherl, Jr., Chairman George W. McCleskey, Vice Chairman Glen E. Roney W. O. Bankston Lonnic A. "Bo" Pilgrim Louie Welch



Charles E. Nemir Executive Director

TEXAS WATER COMMISSION
Paul Hopkins, Chairman
Lee B. M. Biggart
Ralph Roming

December 8, 4983

Mr. J. Samuel Listiak Texaco Butadiene Company Texaco, Inc. P. O. Box 52332 Houston, Texas 77052

Dear Mr. Listiak:

Re: Disposal of Contaminated Dredge Spoil from Jefferson Canal

The Department has received your letter dated October 5, 1983 in which Texaco requested our opinion in regard to creating a-landfill in the vicinity of the above-referenced dredge spoil. Because this proposal does not conform with the definition of on site storage or disposal as defined in 31 Texas Administrative Code Section 335.1, the Department cannot agree to this type of environmental solution without permit authorization under the Solid Waste Disposal Act. Therefore, the Department must reiterate our original requests in this matter:

- 1) Texaco and Drainage District Number 7 should dispose of the dredge spoil at a proper site which will be determined by a representative sampling program to be initiated by the company and the district; and
- 2) Texaco and Drainage District Number 7 should initiate a sampling program to determine the degree of contamination in the sediments of the Jefferson Canal so that decisions can be made in regard to future disposal of the dredge spoil.

The Department requests that we be notified of Texaco's intentions within 15 days upon receipt of this letter.

Sincerely,

Robert G. Fleming, P.E.

Director

Enforcement and Field Operations Division

MGD:py

DEGETAE

DEC 141983

DEVI. OF WATER RESOURCES DISTRICT 6

ocs: Drainage District Number 7

Office of the General Counsel, Texas Department of Water Resources


Texas Department of Water Resources District 6 Office



TEXAS DEPARTMENT OF WATER RESOURCES P. O. Box 13087 Capitol Station Austin, Texas 78711

### TELEPHONE MEMO TO THE FILE

| Call To: Mike Dick   | Call From: Westey Newberry    |
|--|-------------------------------|
| Date of Call: 12-14-83   | T File No:                    |
| Subject of Call: Taxaco Ch   | emical Co. Res. 30029 -       |
|  | <u> </u>                      |
|  |                               |
| Information for File: 1 43 bed mile e it   | he had any reason sor the     |
|  | Worker ent le Her to TerAco   |
| * 47 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | nceaning the recent ampline   |
|  | that the Ansorcement action - |
|  | ern-with Vetterson Came       |
| · · · · · · · · · · · · · · · · · · ·  | opate Drom their Solid Wast - |
| M-sictration. He had No  |                               |
| sending an extercent   | <del>-</del>                  |
|  |                               |
|  | ·                             |
|  |                               |
|  |                               |
|  | <u> </u>                      |
|  |                               |
|  |                               |
|  |                               |
|  |                               |
|  |                               |
| and the state of t |                               |
| Sianed   | Wish Much                     |



1700 N. Congress Avenue

Austin, Texas

TEXAS WATER DEVELOPMENT BOARD Louis A. Beecherl, Jr., Chairman George W. McCleskey, Vice Chairman Glen E. Roncy

W. O. Bankston Lonnie A. "Bo" Pilgrim Louie Welch



Charles E. Nemir Executive Director

January 16, 1984

TEXAS WATER COMMISSION Paul Hopkins, Chairman Lee B. M. Biggart

Ralph Roming

JAN 19

The Honorable Jim Mattox The Attorney General of Texas Supreme Court Building Austin, Texas 78711

Attention: Mr. Jim Mathews, Chief

Environmental Protection Division

DEPT. OF WATER RESOURCES DISTRICT 6

Engureen en AN FIELD OFERATION.

Dear General Mattox:

Texaco Chemical Company, Permit No. 00588 Solid Waste Registration No. 30029 Jefferson County, Texas Drainage District No.

The enclosures to this letter summarize evidence which indicate that Texaco Chemical Company and Jefferson County, Texas Drainage District No. 7, are in violation of the Texas Solid Waste Disposal Act, Article 4477-7, V.A.C.S., Chapter 26 of the Texas Water Code, and the rules and regulations promulgated pursuant to these statutes. Texaco Chemical Company is a petrochemical plant manufacturing a number of organic chemicals and is located at Farm Road 366, Port Neches, Jefferson County, Texas. For an undetermined period of time, Jefferson Chemical Company, now owned by Texaco Chemical Company, disposed of wastes and contaminated wastewaters into the Jefferson Canal, which from Hogaboom Road to Star Lake is located on property owned by Texaco Chemical Company. Wastewater permits issued to the Company and its predecessor authorize discharge of uncontaminated stormwater only. As a result of this activity, and other disposal activities in the area, the sediments in the canal have become contaminated. In February, 1983, Drainage District No. 7 excavated portions of the canal and stockpiled these sediments along its banks. These disposal activities on the part of Texaco Chemical Company and Drainage District No. 7 have been conducted without authorization and in a manner so as to cause the discharge or imminent threat of discharge of wastes into or adjacent to the waters of the State.

Please accept this letter as a request for the Attorney General to represent the Texas Department of Water Resources and the Executive Director in instituting appropriate legal action for these violations. In requesting that you represent the Department in this matter, we would appreciate having the opportunity for the Special Counsel Department's representative Mary Reagan, Hazardous Waste, to discuss this matter with your representative and assist in determining more specifically the nature of the action



 $\overline{\phantom{a}}$ 

2015

The Honorable Jim Mattox Page 2 January 16, 1984

necessary for representing the Department in this lawsuit. Should there be any other material, information or assistance needed, please let us know.

Sincerely yours,

Charles E. Nemir Executive Director

Enclosure

cc: U. S. Environmental Protection Agency, Region VI

Mr. J. Samuel Listiak Texaco Butadiene Company Texaco Inc. P. O. Box 52332 Houston, Texas 77052

Mr. M. J. Adair, Commissioner Drainage District No. 7 4401 9th Street

Port Arthur, Texas 77640

# TEXAS DEPARTMENT OF WATER RESOURCES C O N F E R E N C E A T T E N D A N C E

| Project:     | † Pla         | ce: 1028 SFA                      |                         |
|--------------|---------------|-----------------------------------|-------------------------|
| Name         | Representing  | Title<br>Function,<br>or Position | Phone No.               |
| Mike Dick    | TOUCH         | Stoff                             | 314475-5514<br>475-7845 |
| Mary Reagan  | TOWR          | a Harney                          | 475-7845                |
| KEN CROSS    | A-G           | ATTORNEY                          | 475-1101                |
| Pete Steele  | ath for DD7   | Attorney                          | 109/963-010             |
| W.C. Villum  | Davinese Mest |                                   | 409/988.43              |
| rialist from |               | Corre                             | 309-945                 |
| J. SAMUELLis | rian texas    | s Arry                            | 713-650                 |
| H.w. Miller  | Texaco        | Manager<br>Services               | 7/3 -432-               |

TEXAS DEPARTMENT OF WATER RESOURCES

CONFERENCE

R WELL

| Project: Jefferson Can | al) - Solid Wast   | e Registi | ration 30 | 029  |            |          |
|------------------------|--------------------|-----------|-----------|------|------------|----------|
| Conference date: Mar   | ch 8, 1984         | Pl:       | ace:S     | FA E | Building - | Rm. 1028 |
| Type of conference:    | Informal           | •         |           |      |            |          |
|                        | (telephone, other) | staff,    | formal    | or   | informal   | hearing, |

RECORD

Attendance:

| Name           | Agency   |
|----------------|--|
| See Attachment |  |
|                | , the state of the |
|                | A CONTROL OF THE CONT |

### Summary:

The outcome of this meeting was that Texaco would immediately start sampling the dredge spoil for classification and disposal alternatives. Texaco would respond by March 12, 1984 as to whether they would be willing to make an assessment of the upper reaches of Jefferson Canal. We informed Texaco that a decision would be made on March 12, 1984 as to whether the Attorney General's Office would file suit.

MGD: py

Ţ

ccs: TDWR District 6 Office
Office of the General Counsel

MAR 1 4 1964

FOUNDS WATER CERCURCES STEELERS

| Prepared | by: |  |
|----------|-----|--|
| -        | _   |  |

HARE & & SAM

With Iurther regard to the dredged spoil, Texace is willing to participate in its disposal in a manner acceptable to the state. It is Texace's intent to seek brainage District to tate is Texace's intent to seek brainage District.

Texaco has also developed a preliminary plan for representetive sampling of the dredged spoil, in order to confirm its waste classification. When this is complete, the results will be communicated to the Texas Department of Water Assources for its review in connection with the classification.

As has been communicated to Hr. Michael Dick of the Texas Department of Water Resources, Texaco is willing to undertake a program for sampling sediment in the drainage dirch between the Port Nechos Chemical Plant and Highway 366, which is upstream of the ores where Drainage District No. 7 has performed its dradging. Preliminary plans for a sampling preformed its dradging, and should be intrinced shorter.

the collection to being universely in this stong the concert, passed in this best by the passed of apprint to the collection of several by the concert described and the concert described and the concert described and the concert described and the concert described and the concert described.

Seur Hr. Cross:

Kennech Gross, Saquire Office of the Attorney General Supreme Court Building Austin, Texas 78711

ONTERVIT GWAY!

ONTERVIT GWAY!

mxc# 70' 7084

YEANGEL DSTIAK

78, EC 1997

TEXACO 140.

RECEIVED

Lastly, it has already been determined that there is no locally available municipal landfill in the Port Neches area which would dispose of this material so this does not appear to be a viable disposal option.

Sincerely,

Signed: J. SAMUEL LISTIAN

J. SAMUEL LISTIAK

JSL cz:2/ee

cc: Mary Reagan, Esq.
Texas Department of
Water Resources
P.O. Box 13087
Capitol Station
Austin, Texas 78711

Mr. Michael Dick
Texas Department of
Water Resources
P.O. Box 13087
Capitol Station
Austin, Texas 78711

Peter Steele, Esq.
Provost, Umphrey, HcPherson
& Swearingen
4800 Twin City Highway
P.O. Box 3837
Port Arthur, Texas 77640

bc: HWMiller



RECEIVED .

H.W. MILLER

TEXACO
CHEMICAL ABRITATY 84
A DIVISION OF TEXACO INC. 84
P. B. BOX 430
BELLARE TEXAS EXACIANO
(7 MELTS - 3029
FRATIONS

April 16, 1984

Mr. Michael Dick
Texas Department of
Water Resources
P. O. Box 13087
Capitol Station
Austin, Texas 78711

Dear Mr. Dick:

### DREDGED MATERIAL-STAR LAKE OUTFALL CANAL

In reference to my subject memorandum of March 26, the sampling of the dredge spoil and the sediment in the Jefferson Canal was completed last week.

The sampling of the dredge spoil was accomplished as previously outlined. The Jefferson Canal samples were obtained as planned; however, the sample taken between the railroad and Highway 366 will not be composited with the four upstream samples since the appearance of this material differs substantially from the others. A separate top, middle and bottom analysis will be run on this sample with the other four samples being composited as originally outlined.

The sampling was delayed beyond the projection time due to the arrangements with the contractor taking longer than anticipated coupled with having to modify the specialty sampling equipment to perform this specific work.

Work will commence this week on making up the samples for analysis The outside laboratories are being contacted in order to arrange for early attention to these samples. Pending firm commitments

APR 2 3 Mind

ULL 7. US WATER EXECUTORS DISTRICT 6 7

43

ţ.

April 16, 1984

from the laboratories, it is estimated it will be 4-6 weeks before the results are available. If this schedule changes substantial: you will be so advised.

Very truly yours,

Hew miller

H. W. Miller

HWM:bjb/50

attachment

cc: Mary Reagan, Esq.
Texas Department of
Water Resources
P. O. Box 13087
Capitol Station
Austin, TX 78711

Mr. Kenneth Cross, Esquire Office of the Attorney General P. O. Box 12548, Capitol Station Austin, Texas 78711



H.W. MILLER

Amm

TEXACO
CHEMICAL COMPANY
A SIVISION OF SEASO INC.
P. O. BOX 430

P. O. BOX 430 BELLAIRE TEXAS 77401 (713) 432-3029

June 28, 1984

#30029

Mr. Michael Dick Texas Department of Water Resources P. O. Box 13087 Capitol Station Austin, Texas 78711

Dear Mr. Dick:

We want to apologize for the length of time it took the contract laboratories to analyze samples from the Star Lake dredge material and core samples taken from the Texaco Chemical Company stormwater canal. The stormwater canal is upstream of Star Lake and in the past has also been used with effluent and stormwater from Chemall and its predecessors.

The dredge material was sampled at eight locations with samples taken at four depths for a total of 32 samples. The 32 samples were composited and mixed in a mechanical blender. Samples of the blended composite were sent to Spectrix Corporation, Houston and Southwestern Laboratories, Houston for analysis for priority pollutants by EPA approved methods. Southwestern Laboratories subcontracted the GC-MS analysis to Chromospec Corporation, Results of the analysis of the dredged material is Houston. given in attached Table 1. Also included in Table 1 are: (1) results on a grab sample of dredge material taken by Texaco Chemical Company and analyzed by Spectrix Corporation and (2) results on a grab sample by the local TDWR representative which was sent to the Austin office of the TDWR for analysis. are concerned with the lack of agreement of the results obtained for priority pollutants between the two contract laboratories on the same composite sample of dredged material. However, a comparison of all of the data indicates the earlier TDWR sample was not representative of the total dredged material.

The differences in results obtained on the composite samples by the two laboratories will be analyzed by a Texaco expert in this analytical technique to determine if this kind of variation is typical. If not, a visit to the laboratories will be made to try and establish reasons for these variations. It is expected this

JUL 2 1984

will be completed and that we will be in a position to meet and discuss these results with you in about two to three weeks.

Also, we have included GC-MS results on core samples from the Texaco Chemical Company stormwater canal upstream of the Star Lake dredged material. As with the results obtained on the dredged material, we plan to have the data reviewed by a Texaco GC-MS expert and will discuss the results of the investigation at the meeting on the dredged material.

Very truly yours,

Hew miller

H. W. Miller

GDE-AWC mc:D/dd

( ) ( )

TDWR District 6 Office P. O. Box 337 Orange, Texas 77630

TABLE 1
DREDGED MATERIAL RESULTS

Priority Pollutants wt. ppm

|                           |   | •                       | Composi<br>32 Sam |              |
|---------------------------|---|-------------------------|-------------------|--------------|
|                           | Grab Sample                             | Grab Sample             | by Southwes       | tern La      |
|                           | by TDWR -<br>Results                    | by Texaco -             | Analyzed          | Analya       |
|                           | from TDWR                               | Analyzed<br>by Spectrix | by<br>Chromospec  | by<br>Specti |
| Methyl Napthalene         |   |                         |                   | 35           |
| Diethylphthalate          |   | 1.2                     | 112               |              |
| Phenanthrene              |   |                         | 3500              |              |
| Di-n-Octylphthalate       |   |                         | 156               |              |
| Di-N-Butylphthalate       | San San San San San San San San San San | 2.1                     |                   |              |
| Ethyl Benzene             |   |                         |                   | 11           |
| Pyrene                    |   | 0.7                     | 1100              | 26           |
| Napthalene                | 2080                                    | •                       |                   |              |
| Acenapthylenes            | 2140                                    | 110                     | 76                | 30           |
| Fluorene                  | 1140                                    |                         |                   | 29           |
| Anthracene                | 300                                     |                         |                   | 62           |
| Chrysene                  | 150                                     |                         | 325               |              |
| Perylene                  |   |                         | 76                |              |
| Toluene                   |   |                         |                   | 7            |
| Total Xylenes             |   | •                       |                   | 4            |
| Acetone                   |   |                         |                   | 19           |
| Styrene                   | •                                       |                         |                   | 24           |
| Fluoranthene              | 275                                     | 0.3                     |                   | 13           |
| Phenantherene             | 2050                                    |                         |                   |              |
| Benzopyrenes              | 60                                      | 0.6                     |                   |              |
| Total Benzo fluoranthenes | 30                                      | 0.3                     |                   |              |
| Toxaphene                 | 210                                     |                         |                   |              |
| Acenapthane               | 330                                     |                         |                   |              |
| Benzoanthracene           | 160                                     |                         |                   |              |
| Other PNA's               | 2000                                    |                         |                   | -            |
|                           |   |                         |                   |              |

D/dd1 6/28/84

TABLE 2 wt. ppm

|              | rox. 15              | 00' & 2000        | From Cores #263<br>00' & 2000' from |                |          | Core #4 Approx. 2200'<br>from Hogaboom Rd. |                       |   | f5 Aprox.                 | 366<br>23"-31"<br>S.W. |
|--------------|----------------------|-------------------|-------------------------------------|----------------|----------|--|-----------------------|---|---------------------------|------------------------|
| 0-4"         | Hogan                | oom Rd.<br>4"-24" | 24-31"                              |                | 0-4"     | 4"-155"                                    | 15.5"-2               | 8" 0-23"  | :                         | 23"-31"                |
| S.W.<br>Labs | S.W.<br>Labs         |                   | S.W.<br>Labs                        | S.W.<br>Labs   | Spectrix | S.W.<br>Labs                               | S.W.<br>Labs          | S.W.<br>Labs                                    | Spectrix                  | S.W.                   |
| 800<br>117   | 23<br>6<br>205<br>39 | 6                 | 4<br>1<br>21<br>6                   | 34<br>51<br>94 |          | 19<br>63<br>67                             | 34<br>24<br>150<br>65 | 114<br>10,600                                   | 1,900<br>310              | 91                     |
| 43           | 10                   |                   | 2                                   |                | 5        | ·  |                       | 2,600<br>3,300<br>700<br>·441<br>1,300<br>2,400 | 320<br>600<br>1,300       |                        |
|              |                      |                   |                                     | ,              |          |  |                       | ·   | 7<br>170<br>140<br>3<br>5 |                        |
|              |                      | •                 |                                     |                | 2        |  |                       |   | 180<br>190<br>1,200       |                        |

# TEXAS DEPARTMENT OF WATER RESOURCES P. O. Box 13087 Capitol Station Austin, Texas 78711

TELEPHONE MEMO TO THE FILE

| SMM   | Cu    |
|-------|-------|
| 1.4.4 |       |
| Mike  | the K |
| V     |       |

| *************************************** | typewriter or black pen)  |
|---|---------------------------|
| Call To: LARRY HAGEN                    | Call From: MIKE DICK      |
| Date of Call: 7/25/84                   | Fite No.:                 |
| Phone No.: ()                           | Subject: TEXACO, CHEMICAL |
| / STARLAKE CONTANL                      | DITEH) Pi Noches          |
|   |                           |
|   |                           |
| Information for File:                   |                           |
|   | MEETING WITH WITH         |
| BXACO & CHEMICAL                        |                           |
| FOR 1:30 PM AUG                         | 9,1984,N ROOM             |
|   | MIKE MODE MAY             |
| WISH TO ATTEND.                         | CALL BACK FOR DETRIES     |
|   |                           |
|   |                           |
|   |                           |
|   | ·                         |
|   |                           |
|   |                           |
|   |                           |
| · · · · · · · · · · · · · · · · · · ·   |                           |
|   |                           |
|   |                           |
|   |                           |
|   |                           |
|   |                           |
| •                                       |                           |
|   | Land Ham RS               |

\partial \( \sqrt{p} \).

#### TEXAS DEPARTMENT OF WATER RESOURCES

A m

#### CONFERENCE RECORD

| rojec  | t: Texaco # :  | 30029   |   |  |
|--|--|---|---|--|
|  |  | August 9, 1984  | Place:_   | SFA Bldg. Rm. 1028A  |
|  |  | Formal  |   |  |
| уре с  | f conference:  |   |   |  |
|  |  | (telephone,<br>other)   | staff, for                                      | nal or informal hearing,   |
| ttend  | ance:  |   |   |  |
|  | Name   |   | Age   | ency   |
| See a  | ttachment  |   |   |  |
|  | · · ·  | v 3   |   |  |
| 3. S<br>deed   | Sample all dredg<br>recordation.<br>Perform Toxaphen | •   | t on site for,                                  | ene. Toxaphene for purposes of ted samples from Hogaboom                                       |
|  |  | alyses will be for  |   | P. Tox.  |
| We in<br>at the  | nformed Texaco the A. G.'s officerted by S. W. La    | hat we would forwa<br>e. Additionally,<br>abs (Chromospec) we | ard this infor<br>Texaco agreed<br>ere invalid. | mation to the Ken Cross that all laboratory results Texaco was able to reproduce run in house. |
| and a second of the second of the second of the second of the second of the second of the second of the second | ه ۱۸ نامخون د میشد کامخون                            | ner parties et a con manifest de la care et                   | Prepared by                                     | Mulaelled  |

| ţ     | į į  | i i  | 1  | I   |  |  | 1  | ļ.                           | i i   | :                                     |     |
|-------|--|--|--|---|--|--|--|------------------------------|---|---------------------------------------|-----|
|       |  |  |  |   | , ,  | . '  |  | _                            | > What  | w                                     |     |
|       |  |  |  |   |  |  |  |                              |   |                                       | 120 |
|       |  | NT OF WATER RESOUR   | CES TOWR-084   |   | 06   | 33)  | 56   | No. 9                        | 093 Lab 7   | אמז                                   |     |
|       | NO. SW U41   | 18 AUG 3 0 190   | <b>u</b> ,   | Distric                                       | · · · · · · · · · · · · · · · · · · ·  | Point of Coll  |  |                              | _   | 7.1                                   |     |
|       | Site Location Site   | 11 1   | Cartol Latter con  | Cr.   | mall Tre   | _  |  | clay                         |   | · coal                                |     |
|       | 3. 10 1/12   | in Carb de 1   |  | لير   |  | تعسي المستور<br>المديد   | <u> </u>   |                              | erke er kere en                                       | · · · · · · · · · · · · · · · · · · · | -/  |
|       | County Tette   |  | Neiles   |   | no. 0601)  | <u> </u>   | Ce+2 CYC   | · / P                        | 7   |                                       | 2   |
|       | Method of Collection _   | Pushed Plastice  | tuto i   | 100   | 1:164  | Type facility  Waste pik   | r: L3 Orum;<br>e; 🔂 <b>La</b> ndfa                                       | ∐ Tank; L<br>rm; Ɗ Oth       | ☐ Impoundment;  <br>her <del>=     टिडेस्ट ६ ५८</del> | Trangill S                            |     |
|       | Wattern to   | 2' de 114 7/4 c.   | extraste   | 1 520   | apli who   | Time Collect   | ed <u>083</u>  | () (and, pr                  | m] Date Shipped                                       | 414/34                                |     |
|       | bucket;  | cupisited to   | Lune   | 1,000   | · <u> </u>   | Add. COC #   |  | (s                           |   |                                       |     |
|       | Januales 1   | fill glass qu  | early jes  | <u> </u>                                      |  | ODOH; M  | Yes; 🖸 No;   | Describe _                   | Chloreno te   | d                                     |     |
|       |  |  |  |   | t Date   |  | Lingto   | ecush                        | our live  | المتستشير                             |     |
|       | S.W. Registrat   |  |  | Page No.                                      | 3 Rio. Cay   |  |  | i la                         | 60-14   | come                                  |     |
|       | 1 1 26   | 9 10   | 19   | 19 21   | 22 23 24 25 2<br>E2 - 5 / 2  | 6 27 28 29<br>4 6 4 O  |  | (Collec                      | tor's Signature)                                      |                                       |     |
|       | no Code as   | Parameter Value  |  | ┸┯┼╾  | <u> </u>   | <u> </u>   | <b></b>  |                              |   |                                       | 1   |
|       |  | A ALBINICIES & BIRC  | 44 Code  | 49  | Parameter Value  | 58   | Code   | 63                           | Parameter Value                                       | 71                                    |     |
|       |  | , votameter volue  | 44 6000  | 19  | Parameter Value  | 58   | Code   | 63                           | Parameter Value                                       | 71                                    |     |
|       |  |  | 14 - 0000  | //9   | Parameter Value  | 58   | Code   | 63                           | Parameter Value                                       | 71                                    |     |
| L     |  |  |  |   | Parameter Value  | 58   |  |                              | Parameter Value                                       | 71                                    |     |
|       |  | NT OF WATER RESOURCE   | E\$ TOWN 0849  |   | Parameter Value  |  | Code   |                              | Parameter Value                                       | 71                                    |     |
| 1     | TEXAS DEPARTMENTO, SW 041  | NT OF WATER RESOURCE 78  AUG 30 H  | E\$ TOWR 0849  | ( ) ;   | 233)   | Est Outy   |  |                              | Parameter Value                                       | 71                                    |     |
| 1     | TEXAS DEPARTMENTO. SW 041  District  | NT OF WATER RESOURCE  78  AUG 3 0 19  Org. No. 22 C Work  which waste (tV); C Liquid waste   | E\$ TDWR-0849  | (*; '} Well (M)                               | 233)   | Lab Gaily<br>Eutre   | iii  | 1984<br>1984<br>Kaa          |   |                                       |     |
| 1     | TEXAS DEPARTMENO. SW 041  District   | NT OF WATER RESOURCE 78  AUG 30 H  | 184 No. 77 No. 161: 161: 161: 161: 161: 161: 161: 161  | (7 3 (M) Well (M)                             | 233) - Late TDH  | Atron 22 Ana   | ii'' 15<br>ec'd:<br>M'0 2 8.<br>implt:<br>lyst sign.:<br>tion: D Nor     | 1984<br>1984<br>KAA          |   |                                       |     |
| 1     | TEXAS DEPARTMENO. SW 041  District Sampled: So  Comments Congress  Comments Congress  Comments Congress  | Org. No. 5 & Work Work waste (W); E Liquid waste (W); E Liquid waste (S); Si Other (O) William ( | 184 No. (76) 11.1; Soil (E): 1 11.2; Soil (E): 1 11.3; Soil (E): 1 11.4; Soil (E): 1   | (1) S (M) (M) (M) (M) (M) (M) (M) (M) (M) (M) | 233)   | Arabitar Auxiliar  | i. V 15 ec'd: N/6 2 0. mptt: lyst sign.: tion: Nor                       | 1984<br>1984<br>KAA          |   |                                       |     |
| 1     | TEXAS DEPARTMENTO, SW 041  District Sampled: So So So Something Surprise Su | Org. No. 20 Mork Org. N | 184 No. 92 No. 911; Soil (E): 1  | (1) S (M) (M) (M) (M) (M) (M) (M) (M) (M) (M) | 233) Late TDH  Late TDH  Late Local Constructions  | Arabitar Auxiliar  | i. V 15 ec'd: N/6 2 0. mptt: lyst sign.: tion: Nor                       | 1984<br>1984<br>KAA          | □ H,SO <sub>4</sub> ; □ HN                            |                                       |     |
| 1     | TEXAS DEPARTMENTO. SW 041  District  Material Sampled: So  Si  Comments  Comments  Comments  Comments  | Org. No. 22 C Work of the waste two processes of the waste two processes of the waste two processes of the waste of the wa | 184 No. 7() No. 111: 12 Soil (E1: 12) (A Code  | Well (M)                                      | Lab TIDH  Lab TIDH  Constant Cast  Continued on ba  Parameter Value  | Arriver version of the color of | Alfo 15 ec'd: Alfo 2 8 mptt:  lyst sign.: tion: M Nor et y Tags CMATE: 1 | 1984  1984  KAA  EP TORICITY | H, SO <sub>4</sub> :   HN                             | NO,                                   | •   |
| 1     | TEXAS DEPARTMENTO, SW 041  District Sampled: So So So Something Surprise Su | Org. No. 22 C Work of the waste two processes of the waste two processes of the waste two processes of the waste of the wa | 184 No. 92 No. 911; Soil (E): 1  | Well (M)                                      | 233  Lab TD H  Lab TD H  Lab Line Les  Line Line  feont inved on ba  Parameter Value  // Line Line  // Line Line  // Lin | Preserve<br>Oth<br>Auxiliar<br>ekl   LEAd  | Alfo 15 ec'd: Alfo 2 8 mptt:  lyst sign.: tion: M Nor et y Tags CMATE: 1 | 1984  1984  KAA  EP TORICITY | H, SO <sub>4</sub> :   HN                             | NO,                                   |     |
| 14.X  | TEXAS DEPARTMENTO, SW 041  District  Material Sampled: So  Comments  Comments  Comments  Comments  Code  35  PH  0 0 4 9 3  COD  | Org. No. 22 C Work of the waste two processes of the waste two processes of the waste two processes of the waste of the wa | 184 No. 7() No. 111: 12 Soil (E1: 12) (A Code  | Well (M)  7 4 12  7 4 22  49                  | 233  Lab TD H  Lab TD H  Lab Line Les  Line Line  feont inved on ba  Parameter Value  // Line Line  // Line Line  // Lin | Preserve<br>Oth<br>Auxiliar<br>okl _ D LEAG  | Alfo 15 ec'd: Alfo 2 8 mptt:  lyst sign.: tion: M Nor et y Tags CMATE: 1 | 1984  1984  KAA  EP TORICITY | H, SO <sub>4</sub> :   HN                             | NO,                                   |     |
| 4x    | TEXAS DEPARTMENTO, SW 041  District Sampled: So Si Comments Surface Su | Org. No. 22 C Work of the waste two processes of the waste two processes of the waste two processes of the waste of the wa | No. C/C   11.1;   Soil (E): 1  LL;   Soil (E): 1  L. Scodiore  L. Scod | Well (M)  7 4 12  7 4 22  49                  | 233  Lab TD H  Lab TD H  Lab Line Les  Line Line  feont inved on ba  Parameter Value  // Line Line  // Line Line  // Lin | Preserve<br>Oth<br>Auxiliar<br>ekl   LEAd  | Alfo 15 ec'd: Alfo 2 8 mptt:  lyst sign.: tion: M Nor et y Tags CMATE: 1 | 1984  1984  KAA  EP TORICITY | H, SO <sub>4</sub> :   HN                             | NO,                                   |     |
| 4x    | TEXAS DEPARTMENTO. SW 041  District Sampled: So Share State Comments State Commen | Org. No. 22 C Work of the waste two processes of the waste two processes of the waste two processes of the waste of the wa | No. C/C   11.1;   Soil (E): 1  LL;   Soil (E): 1  L. Scodiore  L. Scod | Well (M)  7 4 12  7 4 22  49                  | 233  Lab TD H  Lab TD H  Lab Line Les  Line Line  feont inved on ba  Parameter Value  // Line Line  // Line Line  // Lin | Preserve<br>Oth<br>Auxiliar<br>okl _ D LEAG  | Alfo 15 ec'd: Alfo 2 8 mptt:  lyst sign.: tion: M Nor et y Tags CMATE: 1 | 1984  1984  KAA  EP TORICITY | H, SO <sub>4</sub> :   HN                             | NO,                                   |     |
| , www | TEXAS DEPARTMENTO. SW 041  District  | Org. No. 22 C Work of the waste two processes of the waste two processes of the waste two processes of the waste of the wa | No. C/C   11.1;   Soil (E): 1  LL;   Soil (E): 1  L. Scodiore  L. Scod | Well (M)  7 4 12  7 4 22  49                  | 233  Lab TD H  Lab TD H  Lab Line Les  Line Line  feont inved on ba  Parameter Value  // Line Line  // Line Line  // Lin | Preserve<br>Oth<br>Auxiliar<br>okl _ D LEAG  | Alfo 15 ec'd: Alfo 2 8 mptt:  lyst sign.: tion: M Nor et y Tags CMATE: 1 | 1984  1984  KAA  EP TORICITY | H, SO <sub>4</sub> :   HN                             | NO,                                   |     |

|    | TEXAS DEPARTMENT<br>NO. SW 0417                        | T OF WATER RESOURCE                  | ES TOWR 0849       | District   | Org. No. <u>536</u> N                        | fork No. 9093 Lab 704  |
|----|--|--------------------------------------|--------------------|--|--|--|
| •  | , 110. 511 0 11 1                                      | CAMBIZO MEX E                        | 11 Gras            | 2  | Point of Collection                          | enter & dita siljacen  |
|    |  | Lyskon 1                             | d. between         | cen Clausall   |  | eng evapor el cera pered                                       |
|    | Tue wed Union  |                                      | rivision v         | ,  | ut Cliental                                  |  |
|    | County_Jesses  | Basin                                | Nochos (           | Jeg. no. 0601).  |  | ·  |
|    | Method of Collection                                   | water of wheater                     | tube with          | d.y.C  | Type facility: U Urum;  Waste pile; D Landi: | ☐ Tank; ☐ Impoundment; ☐ Landfill sem; Ø Other Ø Tunia e Hileh |
|    | bittom to:   | 2' de atti 7/4                       | a Retract          | ed sample note   |  | O (fp. pm) Date Shipped 5/14/5 4                               |
|    | bucket . Co  | experited sur                        | 1 mired o          | rueus la   | Add. COC #s                                  |  |
|    | is anyles in   | 3                                    | Tweet /            | <u>~r,                                    </u>   |  | Describe delawated   |
|    |  | <del></del>                          | <del></del>        | ! Date   | - ligds                                      | castend Snartund   |
|    | S.W. Registration                                      | Permit No                            | omber P.           | age No. 3 Mo. Day  | TV. 1 5/2                                    | 1. IC Man  |
|    | 1  | 9 10                                 | 18 19              | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -  | <del>:  </del>                               | (Collector's Signature)  |
|    | 11111111111  | 321/1   1   1                        | <del> </del>       |  | 154 0  |  |
|    | 30 Code 35   | Parameter Value                      | 44 Code            | 49 Parameter Value   | 58 Code                                      | 63 Parameter Value 71  |
|    | <br>   | <del></del>                          | <u> </u>           | <del></del>  | <del></del>                                  | <del>, , , , , , , , , , , , , , , , , , , </del>              |
| _  |  | <del></del>                          |                    |  | <u> </u>                                     | <u> </u>   |
|    |  | T OF WATER RESOURCE<br>'A:6 3 0 1884 | ES TOWN 0849       | (233)  | 30p. 1.1.                                    | Little   |
|    | , • • • •  | <del>-</del>                         | No. 50 8           | 3 lab Zer  | S B AN                                       | £ 8.1984   |
|    | Material Sampled: D Solid                              | d waste (W); D Liquid waste          | (L); D Soil (E): D | Well (M);  | _  3   | 200  |
|    | ☐ Stre.  | am 181: 13 Other 101 18              | de telener         | it with will   | <u>,</u>                                     | lane;   Ice;   H,SO,:   HNO,                                   |
| L  | 1  | en elseres una                       |                    | /  | Other  | 1606   |
| 3  | fiction luciare  | col many fact                        | ربر خریده وسی      | lang continued on be   | CK) LEACHATE:                                | EP Toxicity Series; TDWR                                       |
| 13 | TI   |                                      |                    | The state of the s |  |  |
| 4  | 30 Code 35   | Parameter Value                      | 44 Code            | 49 Parameter Value   | 58 Code                                      | 63 Parameter Value 71  |
|    | 30 Code 35   | Parameter Value                      | 44 Code            | 149  | 58 Code                                      | 63 Parameter Value 71  |
|    | DH 0 4 0 3   | Parameter Value                      |                    | y pollution to   |  | 63 Parameter Value 71  |
|    | DH 0 0 4 0 3 COD                                       | Parameter Value                      |                    | 149  | 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,    | 63 Parameter Value 71  |
|    | DH 0 3 COD 0 0 3 4 0                                   | Parameter Value                      |                    | y pollution to   |  | 63 Parameter Value 71  |
|    | DH 0 0 4 0 3 COD                                       | Parameter Value                      |                    | y pollution to   | 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,    | 63 Parameter Value 71  |
|    | DH.<br>0 0 4 0 3<br>COD<br>0 0 3 4 0<br>TOC            | Parameter Value                      |                    | y pollution to   | 5/ //<br>                                    | 63 Parameter Value 71  |
|    | DH.<br>0 0 4 0 3<br>COD<br>0 0 3 4 0<br>TOC<br>0 6 8 0 | Parameter Value                      |                    | y pollution to   | 5/ //<br>                                    | 63 Parameter Value 71  |
|    | DH.<br>0 0 4 0 3<br>COD<br>0 0 3 4 0<br>TOC<br>0 6 8 0 | Parameter Value                      |                    | y pollution to   | 5/ //<br>                                    | 63 Parameter Value 71  |



Attorney


J Samuel Listiak




Texaço Inc



November 15, 1984



Mary Reagan, Esquire Texas Department of Water Resources P. O. Box 13087 Capitol Station Austin, Texas 78711



m E

Dear Ms. Reagan:

Texaco Chemical contracted with Spectrix Corporation Laboratories to analyze various Star Lake Outfall Canal samples for toxaphene. The results it reported are tabulated below:

| Sample*  | Toxaphene<br>mg/kg      | EP Toxicity Toxaphene mg/l |
|--|-------------------------|----------------------------|
| TDWR composite close to Hogaboom                 | Not tested ISS          | ·                          |
| TDWR composite close to B-1                      | Not tested              | 0.014                      |
| B-1 0-5*   | 15                      | Not tested                 |
| B-1 12-30"<br>B 2-3 composite 0-4"               | 46 ·<br>23              |                            |
| B 2-3 composite 4*-24*<br>B-4 0-4*               | 2.7<br>26               |                            |
| B-4 4-15-1/2*                                    | 46                      |                            |
| Special between concrete ditch & Hwy. 366 0-12"  | 1.2                     | R 9                        |
| Special between concrete ditch & Hwy. 366 12-18* | N.D. (0.3) <sup>1</sup> |                            |
| B-5 0-24" composite                              | N.D. (10) 1             | N.D. (0.0065)              |
| B-5 26-31*                                       | ท.D. (0.3) <sup>1</sup> | Not tested                 |
| Dredge material composite                        | N.D. (8) <sup>1</sup>   |                            |

<sup>1 ( ) =</sup> Detection Limit.
\* Sample locations are identified on the attached map.

والمعارية فيوج متوسده مسكون وجمعت والمتوسيق ومتواطية والمتوار والمتواري

000944

Mary Reagan, Esquire November 15, 1984 Page 4

The earliest we will be able to meet to discuss this matter will be the week of November 26.

Sincerely,


SAMUEL LISTIAK

JSL cz:1/dl Attachment

cc: Mr. Michael Dick
TDWR District Office
Orange, Texas

; ;

### STAR LAKE OUTFALL CANAL SAMPLE LOCATION





AWC 11-13-74

**APPENDIX E** 

## TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT 08 OCT 1996

T NAME: ROOKERY
COMMON NAME:

OTHER NAME: COLONY # 601-120, SYDNEY ISLAND

FEDERAL STATUS:

GLOBAL RANK:

IDENTIFIED: Y

TRACK: Y

STATE STATUS:

STATE RANK:

STATE RANK:

STATE RANK:

STATE STATUS:

\_ COUNTY: Orange

USGS TOPO MAPS: TOPO QUAD: MARGIN #:

WEST OF GREENS BAYOU 2909387 3

ELEMENT OCCURRENCE NUMBER: 174 DATE LAST OBSERVED: 1992
PRECISION: S DATE FIRST OBSERVED: 1973

OCCURRENCE RANK: DATE SURVEYED:

SURVEY COMMENTS:

\_ MANAGED AREAS: CONTAINED:

SYDNES ISLAND

DIRECTIONS:

SPOIL ISLAND ALONG GIWW--SYDNEY ISLAND; EAST-SOUTHEAST OF OLD RIVER COVE

- DESCRIPTION:

DREDGED MATERIAL ISLAND WITH GRASS AND PRICKLY PEAR TO 1 METER, SHRUBS TO 1.3 METERS, SCATTERED TREES TO 4 METERS; MAXIMUM ELEVATION 2 METERS OR LESS; HUMAN DISTURBANCE MODERATE

QUALITATIVE/QUANTITATIVE DATA:

NESTING COLONY OF THE BLACK SKIMMER

MANAGEMENT COMMENTS:

PROTECTION COMMENTS:

OTHER COMMENTS:

COLONY NUMBER 601-120

- SOURCE OF INFORMATION:

TEXAS COLONIAL WATERBIRD SOCIETY AND TPWD. 1991-1992. SPECIAL ADMINISTRATIVE REPORTS, TCW ANNUAL CENSUS SUMMARIES.

#### TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT 08 OCT 1996

NAME: ROOKERY

COMMON NAME:

OTHER NAME: COLONY # 601-100, TEXACO

FEDERAL STATUS: STATE STATUS: GLOBAL RANK: STATE RANK: IDENTIFIED: Y TRACK: Y SENSITIVITY:

COUNTY: Jefferson

USGS TOPO MAPS: TOPO QUAD: MARGIN #:

2909388 PORT ARTHUR NORTH

ELEMENT OCCURRENCE NUMBER: 175 DATE LAST OBSERVED: 1976 PRECISION: S DATE FIRST OBSERVED: 1976

OCCURRENCE RANK: DATE SURVEYED:

SURVEY COMMENTS:

MANAGED AREAS: CONTAINED:

DIRECTIONS:

PETROLEUM TANK CONSTRUCTION PAD; WEST OF HOUSTEN SCHOOL IN PORT ARTHUR; NORTH OF OIL REFINERY IN PORT ARTHUR; SOUTHWEST CORNER OF INTERSECTION OF HIGHWAY 73 AND 287

DESCRIPTION:

UNVEGETATED SHELL; MAXIMUM ELEVATION 1 METER; HUMAN DISTURBANCE HEAVY

QUALITATIVE/QUANTITATIVE DATA:

NESTING COLONY OF THE BLACK SKIMMER

MANAGEMENT COMMENTS:

PROTECTION COMMENTS:

OTHER COMMENTS:

COLONY NUMBER 601-100

SOURCE OF INFORMATION:

MULLINS, L.M. ET.AL. 1982. ET.SEQ. ATLAS & CENSUS OF TEXAS WATERBIRD COLONIES, 1973-1980. TX COLONIAL WATERBIRD SOCIETY. (AND SPECIAL

ADMINISTRATIVE REPORT FOR 1989, 1988, 1987, AND 1986.)

#### TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT 08 OCT 1996

NAME: ROOKERY COMMON NAME:

OTHER NAME: COLONY # 587-120, MCFADDEN

STATE STATUS: FEDERAL STATUS: GLOBAL RANK: STATE RANK: IDENTIFIED: Y TRACK: Y SENSITIVITY:

COUNTY: Jefferson

USGS TOPO MAPS: TOPO QUAD: MARGIN #: 3

BEAUMONT EAST 3009411

ELEMENT OCCURRENCE NUMBER: 178 DATE LAST OBSERVED: 1990 DATE FIRST OBSERVED: 1980 PRECISION: S

OCCURRENCE RANK: DATE SURVEYED:

SURVEY COMMENTS:

CONTAINED: MANAGED AREAS:

DIRECTIONS:

RIVER BOTTOM SITE ALONG NECHES RIVER; AT JEFFERSON AND ORANGE COUNTY LINE; SOUTHEAST OF CITY OF BEAUMONT .

- DESCRIPTION:

RIVER BOTTOM SITE WITH HARDWOOD TREES TO 5 METERS; MAXIMUM ELEVATION 10 METERS

QUALITATIVE/QUANTITATIVE DATA:

NESTING COLONY OF THE OLIVACEOUS CORMORANT, SNOWY EGRET, CATTLE EGRET, ROSEATE SPOONBILL, GREAT EGRET

MANAGEMENT COMMENTS:

PROTECTION COMMENTS:

OTHER COMMENTS:

COLONY NUMBER 587-120

SOURCE OF INFORMATION:

TEXAS COLONIAL WATERBIRD SOCIETY AND TPWD. 1990. SPECIAL ADMINISTRATIVE REPORT, TOW ANNUAL CENSUS SUMMARY.

## TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT 08 OCT 1996

00 001 19

NAME: ROOKERY COMMON NAME:

OTHER NAME: COLONY # 587-121, BEAUMONT SHIP CHANNEL

FEDERAL STATUS: STATE STATUS:

GLOBAL RANK: STATE RANK:

IDENTIFIED: Y TRACK: Y SENSITIVITY:

COUNTY: Jefferson

USGS TOPO MAPS: TOPO QUAD: MARGIN #:

BEAUMONT EAST 3009411 2

ELEMENT OCCURRENCE NUMBER: 177 DATE LAST OBSERVED: 1990
PRECISION: S DATE FIRST OBSERVED: 1976

OCCURRENCE RANK: DATE SURVEYED:

SURVEY COMMENTS:

MANAGED AREAS: CONTAINED:

DIRECTIONS:

SPOIL ISLAND ALONG MCFADDEN BEND CUTOFF; AT JEFFERSON AND ORANGE

COUNTY LINE

DESCRIPTION:

SHRUBS ON DREDGED MATERIAL ISLAND; MAXIMUM ELEVATION 1 METER

QUALITATIVE/QUANTITATIVE DATA:

NESTING COLONY OF THE GREAT EGRET, ROSEATE SPOONBILL, ANHINGA

MANAGEMENT COMMENTS:

PROTECTION COMMENTS:

OTHER COMMENTS:

COLONY NUMBER 587-121

SOURCE OF INFORMATION:

TEXAS COLONIAL WATERBIRD SOCIETY AND TPWD. 1990. SPECIAL

ADMINISTRATIVE REPORT, TCW ANNUAL CENSUS SUMMARY.

## TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT MANAGED AREA INFORMATION 08 OCT 1996

NAME: LOWER NECHES WILDLIFE MANAGEMENT AREA

MANAGED AREA TYPE CODE: SPWWM

COUNTY NAME(S): Orange

USGS TOPO QUADS: TERRY

ORANGE

ORANGEFIELD

WEST OF GREENS BAYOU

ECHO

ESTABLISHED: 1986- - ESTABLISHED SIZE: 11113.00

DESCRIPTION: FLOODPLAIN WETLANDS BETWEEN THE NECHES AND SABINE

RIVERS; CONSISTS OF FOUR NON-CONTIGUOUS

UNITS--NELDA STARK UNIT, OLD RIVER UNIT, ADAMS BAYOU UNIT, AND BLUE ELBOW--SEE INDIVIDUAL UNIT

RECORDS FOR ADDITIONAL INFORMATION

COMMENTS: ACCESS RESTRICTED TO PERMITTED HUNTERS; BOUNDARIES

ARE APPROXIMATE

MANAGEMENT:

MANAGER: JIM SUTHERLIN

MGR.INST.:

ADDRESS: 10 PARKS AND WILDLIFE DRIVE

PORT ARTHUR , TX 77640

PHONE: 409 736-2551

## TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT MANAGED AREA INFORMATION 08 OCT 1996

SIZE: 128.00

JAME: SYDNES ISLAND

MANAGED AREA TYPE CODE: PNAPR

COUNTY NAME(S): Orange

USGS TOPO QUADS: WEST OF GREENS BAYOU

ESTABLISHED: 1974-11-05 ESTABLISHED

DESCRIPTION: SPOIL ISLAND CREATED BY DREDGING ACTIVITIES

(1955). ISLAND HAS BECOME NESTING SITE FOR

NUMEROUS BIRD SPECIES

COMMENTS: LEASED FROM GLO UNDER LEASE NO. CL-1001 TO YR 2005

MANAGEMENT:

MANAGER: SUE BAILEY

MGR.INST.:

ADDRESS: P.O. BOX 11

BRIDGE CITY , TX - 77611

PHONE: 409 735-4298

## TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT MANAGED AREA INFORMATION 08 OCT 1996

NAME: LOWER NECHES WMA - NELDA STARK UNIT

MANAGED AREA TYPE CODE: SPWWM

COUNTY NAME(S): Orange

USGS TOPO QUADS: TERRY

ESTABLISHED:

SIZE: 3451.00

DESCRIPTION:

COMMENTS: BOUNDARIES ARE APPROXIMATE; ACCESS RESTRICTED TO

PERMITTED HUNTERS

MANAGEMENT:

MANAGER: JIM SUTHERLIN

MGR.INST.:

ADDRESS: 10 PARKS AND WILDLIFE DRIVE

PORT ARTHUR , TX 77640

PHONE: 409 736-2551

\*\*\*DRAFT\*\*\*

## TEXAS PARKS AND WILDLIFE DEPARTMENT ENDANGERED RESOURCES BRANCH SPECIAL SPECIES LIST JEFFERSON COUNTY

\*\*\*DRAFT\*\*\*
Revised: \_\_
96-10-10

| Scientific Name  | Common Name  | Federal<br>Status |             |   |
|--|--|-------------------|-------------|---|
| *** AMPHIBIANS<br>RANA GRYLIO  | PIG FROG   |                   |             | - |
| *** BIRDS<br>CHARADRIUS MELODUS  | PIPING PLOVER<br>REDDISH EGRET                                       | LT                | T           | - |
| FALCO PEREGRINUS ANATUM FALCO PEREGRINUS TUNDRIUS  | AMERICAN PEREGRINE FALCON ARCTIC PEREGRINE FALCON                    |                   | T<br>E<br>T | - |
| MYCTERIA AMERICANA<br>PELECANUS OCCIDENTALIS<br>PLEGADIS CHIHI<br>STERNA ANTILLARUM ATHALASSOS | WOOD STORK<br>BROWN PELICAN<br>WHITE-FACED IBIS                      | LE<br>SOC         | T<br>E<br>T | _ |
| STERNA ANTILLARUM ATHALASSOS   | INTERIOR LEAST TERN  | LE                | E           |   |
| *** MAMMALS CANIS RUFUS  | RED WOLF<br>RAFINESQUE'S BIG-EARED BAT                               | LE                | E           | _ |
| *** REPTILES   | RAFINESQUE'S BIG-EARED BAT   | , "               | <b>T</b>    |   |
| CARETTA CARETTA CEMOPHORA COCCINEA COPEI   | LOGGERHEAD SEA TURTLE<br>NORTHERN SCARLET SNAKE                      | LT                | E<br>T      |   |
| CHELONIA MYDAS<br>CROTALUS HORRIDUS<br>DERMOCHELYS CORIACEA                                    | TIMBER RATTLESNAKE   | LT                | T<br>T      |   |
| DERMOCHELYS CORIACEA ERETMOCHELYS IMBRICATA LEPIDOCHELYS KEMPII                                | LEATHERBACK SEA TURTLE HAWKSBILL SEA TURTLE KEMP'S RIDLEY SEA TURTLE | LE                | E<br>E      |   |
| MACROCLEMYS TEMMINCKII   | ALLIGATOR SNAPPING TURTLE TEXAS DIAMONDBACK TERRAPIN                 | SOC               | E<br>T      |   |
| NERODIA CLARKII<br>PHRYNOSOMA CORNUTUM   | GULF SALTMARSH SNAKE   | soc<br>soc        | Т           |   |
| *** VASCULAR PLANTS  | NOTE CONTROLLO   | 200               |             | _ |
|  |  | SOC<br>SOC        |             |   |
| Codes:   |  |                   |             | _ |
| LE,LT - Federally Listed En PE,PT - Federally Proposed F/SA T/SA - Federally Endangers         |  | nearance          |             | _ |
| C1 - Federal Candidate,<br>list as endanger  | Category 1; information supports ed/threatened                       |                   |             |   |
| SOC - Federal Species of DL,PDL - Federally Delisted/  | Proposed Delisted  |                   |             |   |
| E,T - State Endangered/Th  | reatened   |                   |             | _ |

- G#T# "G"= species rank; "T"= rank of variety or subspecies taxa.
- GU Possibly in peril range-wide, but status uncertain.
- G#G# Ranked within a range as status uncertain.
- GX Believed to be extinct throughout range.
- Qualifier denoting questionable taxonomic assignment.
- Not ranked to date; or, Qualifier denoting uncertain rank.
- Captive population exists.

#### STATE RANK (SRANK)

- S1 Critically imperiled in state, extremely rare, very vulnerable to extirpation, 5 or fewer occurrences.
- 52 Imperiled in state, very rare, vulnerable to extirpation, 6 to 20 occurrences.
- S3 Rare or uncommon in state, 21 to 100 occurrences.
- S4 Apparently secure in state.
- S5 Demonstrably secure in state.
- SA Accidental in state.
- SE An exotic species established in state.
- SH Of historical occurrence in state. May be rediscovered.
- SP Potential occurrence in state.
- SR Reported, but without persuasive documentation.
- SRF Reported in error, but error persists in literature.
- SU Possibly in peril in state, but status uncertain.
- SX Apparently extirpated from State.
- sz Migratory/transient in state to irregular/dispersed locations.
- B Basic rank refers to the breeding population in the state.
   N Basic rank refers to the non-breeding population in the state.
- Not ranked to date; or, Qualifier denoting uncertain rank.
- Captive population exists.

#### PRECISION

- S Second: Accuracy within 3-second radius of latitude/longitude.
- Minute: Accuracy within 1-minute radius of lat/long, approx. 2 km or 1.5 mi radius.
- Occurrence mapped general to quad or place name precision only, precision within about 8 km or 5 mi radius.
- Unmappable record.

#### OCCURRENCE RANK

- A Excellent AI - Excellent, Introduced - Good BI - Good, Introduced - Marginal CI - Marginal, Introduced C - Poor DI - Poor, Introduced - Extant/Present EI - Extant, Introduced - Historical/No Field Information HI - Historical, Introduced - Obscure OI - Obscure, Introduced
- MANAGED AREA CONTAINED (code following managed area name)
- Y Element occurrence contained within managed area boundaries.
- Element occurrence is not entirely contained within managed area boundaries.

XI - Destroyed, Introduced

- Whether the element occurrence is wholly contained or not within managed area boundaries is disputed.
- blank No information available.

Destroyed/Extirpated

#### CODE KEY

#### FEDERAL STATUS (USESA) LE - Listed Endangered LT - Listed Threatened LELT - Listed Endangered in part of range, Threatened in a different part PE - Proposed to be listed Endangered Similarity of Appearance.

- PT Proposed to be listed Threatened E(S/A) or T(S/A) - Listed Endangered or Threatened on basis of
- DL Delisted Endangered/Threatened
- C1 Candidate, Category 1. USFWS has substantial information on biological vulnerability and threats to support proposing to list as endangered or threatened. Data are being gathered on habitat needs and/or critical habitat designations.
- C1\* C1, but lacking known occurrences
- C1, but lacking known occurrences, except captivity/cultivation
- C2 Candidate, Category 2. Information indicates that proposing to list as endangered or threatened is possibly appropriate, but substantial data on biological vulnerability and threats are not currently known to support the immediate preparation of rules. Further biological research and field study will be necessary to ascertain the status and/or taxonomic validity of the taxa in Category 2.
- C2\* C2, but lacking known occurrences
- C2\*\* -C2. but lacking known occurrences, except in captivity/cultivation
- Taxa no longer being considered for listing as threatened or Three subcategories indicate the reasons for endangered. removal from consideration.
- 3A Former Candidate, rejected because presumed extinct and/or habitats destroyed
- 3B Former Candidate, rejected because not a recognized taxon; i.e. synonym or hybrid
- 3C Former Candidate, rejected because more common, widespread, or adequately protected
- XE Essential Experimental Population.
- XN Non-essential Experimental Population.

#### STATE STATUS

- E Listed as Endangered in the State of Texas
- Listed as Threatened in the State of Texas

#### GLOBAL RANK (GRANK)

- G1 Critically imperiled globally, extremely rare, 5 or fewer occurrences. [Critically endangered throughout range.]
- G2 Imperiled globally, very rare, 6 to 20 occurrences. [Endangered throughout range.]
- G3 Very rare and local throughout range or found locally in restricted range, 21 to 100 occurrences. [Threatened throughout range.]
- G4 Apparently secure globally.
- G5 Demonstrably secure globally.
- GH Of historical occurrence through its range.

**APPENDIX F** 

### Texas Natural Resource Conservation Commission INTEROFFICE MEMORANDUM

#### Population Around Star Lake Canal

Jefferson County, Texas

Location of site:

Latitude 29 degrees, 58 minutes, 42 seconds N Longitude 93 degrees, 55 minutes, 04 seconds W

The following estimated population totals are based on block-level 1990 U.S. Census Bureau data, which is the most current and detailed population data available. Since census blocks vary in size and since some blocks lie only partially within a circle described by a given radius, these numbers were computed by averaging the highest and lowest possible population totals for each radius.


| Radius (mi) | Highest | Lowest | Average |
|-------------|---------|--------|---------|
| .25         | 0       | 0      | 0       |
| .5          | 0       | 0      | 0       |
| 1           | 380     | 0      | 190     |
| 2           | 7,121   | 4,713  | 5,918   |
| 3           | 25,414  | 20,527 | 22,970  |
| 4           | 46,768  | 39,924 | 43,346  |

Given the above average population numbers, the estimated total population that lives within each distance range from the site can be computed:

| Distance Range | Estimated Population |
|----------------|----------------------|
| 0 to .25       | 0                    |
| .25 to .5      | 0                    |
| .5 to 1        | 190                  |
| 1 to 2         | 5,728                |
| 2 to 3         | 17,052               |
| 3 to 4         | 20,376               |

M McDonough **GIS Section** 

09/16/96 CRF 970916004



### **APPENDIX G**

#### FIELD AUDIT CHECKLIST

| Project Name: Star Lake Canal  Site Investigation Manager: Marshall Cedilote  Auditor: DeAnna Epperson  Dates of Field Audit: 10/22/96 - 10/24/96  The Site-Specific Health and Safety Plan has been prepared by the TNRCC Site Investigation Manager and subsequently approved by the TNRCC Project Manager and TNRCC Health and Safety Officer prior to arrival to the site.  Yes_X_ No  Comments   | Case N   | lo.: 25093   |
|---|----------|--|
| Auditor: DeAnna Epperson  Dates of Field Audit: 10/22/96 - 10/24/96  The Site-Specific Health and Safety Plan has been prepared by the TNRCC Site Investigation Manager and subsequently approved by the TNRCC Project Manager and TNRCC Health and Safety Officer prior to arrival to the site.  Yes _X _ No  Comments  The Site-Specific Health and Safety Plan has been signed by all who intend to enter within the site boundaries prior to entry onto the site.  Passed _X _ Failed  Comments  Comments  Comments  Passed _X _ Failed  Comments  Comments  Comments  Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?                       | Project  | Name: Star Lake Canal  |
| Dates of Field Audit: 10/22/96 - 10/24/96  The Site-Specific Health and Safety Plan has been prepared by the TNRCC Site Investigation Manager and subsequently approved by the TNRCC Project Manager and TNRCC Health and Safety Officer prior to arrival to the site.  Yes _X_ No  Comments  The Site-Specific Health and Safety Plan has been signed by all who intend to enter within the site boundaries prior to entry onto the site.  Passed _X_ Failed  Comments _Each member of the team signed and dated the Health and Safety daily briefing shee each day of the site investigation.  Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolars, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)? | Site Inv | estigation Manager: Marshall Cedilote  |
| The Site-Specific Health and Safety Plan has been prepared by the TNRCC Site Investigation Manager and subsequently approved by the TNRCC Project Manager and TNRCC Health and Safety Officer prior to arrival to the site.  Yes _X _ No  Comments  | Auditor  | : DeAnna Epperson  |
| Manager and subsequently approved by the TNRCC Project Manager and TNRCC Health and Safety Officer prior to arrival to the site.  Yes _X _ No  Comments  O _ The Site-Specific Health and Safety Plan has been signed by all who intend to enter within the site boundaries prior to entry onto the site.  Passed _X _ Failed  Comments _Each member of the team signed and dated the Health and Safety daily briefing shee each day of the site investigation.  O Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?   | Dates o  | of Field Audit: 10/22/96 - 10/24/96  |
| Comments  The Site-Specific Health and Safety Plan has been signed by all who intend to enter within the site boundaries prior to entry onto the site.  Passed X Failed Comments Fach member of the team signed and dated the Health and Safety daily briefing shee each day of the site investigation.  Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?   | o        | Manager and subsequently approved by the TNRCC Project Manager and TNRCC Health and  |
| The Site-Specific Health and Safety Plan has been signed by all who intend to enter within the site boundaries prior to entry onto the site.  Passed X Failed   | Yes _X   | _ No   |
| site boundaries prior to entry onto the site.  Passed X Failed  Comments Each member of the team signed and dated the Health and Safety daily briefing shee each day of the site investigation.  Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?   |          | Comments   |
| site boundaries prior to entry onto the site.  Passed X Failed  Comments Each member of the team signed and dated the Health and Safety daily briefing shee each day of the site investigation.  Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?   |          |  |
| Comments_Each member of the team signed and dated the Health and Safety daily briefing sheel each day of the site investigation.  Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?  | 0        | · · · · · · · · · · · · · · · · · · ·  |
| each day of the site investigation.  Project organization:  Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?   | Passed   | _X Failed  |
| Did the Site Investigation Manager hold a briefing with each participant to go over any concerns or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?   |          | Comments Each member of the team signed and dated the Health and Safety daily briefing sheet each day of the site investigation. |
| or questions for project organization; and  Did the Site Investigation Manager provide appropriate number and types of material supplies necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?  | 0        | Project organization:  |
| necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives, protective gear, Work Plan, Health and Safety Plan, CLP, QAPP or other reference material)?   |          |  |
| Adequate _X_ Marginal Failed  |          | necessary to collect samples (jars, bottles, gloves, pens, coolers, coolant, preservatives,                                      |
| <del>_</del>  | Adequa   | te _X_ Marginal Failed   |
| Comments  |          | Comments   |

| 0      | Were additional instructions given to each participant not otherwise found in the preliminary written material, such as the Site-Specific Work Plan, Health and Safety Plan, CLP or QAPP?   |
|--------|---|
|        | Not Applicable _X_  |
|        | Additional Instructions:  |
| 0      | Samples collection procedures:  |
|        | The Site Investigation Manager ensured that the sampler collected adequate volumes of sample to allow for the planned sample analyses and field duplicates, plus any laboratory QC blanks and laboratory QC duplicates/spikes, as applicable; and |
|        | The Site Investigation Manager provided a supply of the appropriate type of sample containers for the samples collected.  |
| No Mo  | difications _X_ Modifications Failed  |
|        | Comments:   |
| O      | Were samples collected as stated in the Site-Specific Work Plan (number, frequency, and type)?  |
| No Mo  | difications ModificationsX  |
|        | Sample Modifications  |
|        | Comments: One sample and its duplicate were omitted from the original sampling plan.  |
|        | <del></del>   |
| •      | Sample container labeling:  |
|        | The Site Investigation Manager ensured that the sample tags were properly completed and attached to each sample container;  |
|        | The Site Investigation Manager ensured that the custody seals were properly completed and attached to each sample container in unbroken condition; and  |
|        | The Site Investigation Manager ensured that each sample container was labeled with the sample number and protected with clear tape.   |
| Passed | _X_ Failed  |
|        | Comments  |
| 0      | Each traffic report has been completed, original copy mailed to EPA, and copies corrected as necessary.   |
| Passed | _X_ Failed  |
|        | Comments  |



PARKS AND WILDLIFE DEPARTMENT 14 1996
4200 Smith School Road • Austin, Texas 78744 • 512-389-4800 OCT 14 1996

October 10, 1996

**Pollution Cleanup Division** 

**Executive Director** 

COMMISSIONERS
LEE M. BASS

Chairman, Ft. Worth NOLAN RYAN

NOLAN RYAN Vice-Chairman Alvin

MICKEY BURLESON Temple

RAY CLYMER Wichita Fails

YGNACIO D. GARZA Brownsville

RICHARD (DICK) HEATH

TERESE TARLTON HERSHEY

SUSAN HOWARD-CHRANE

WALTER UMPHREY
Beaumoni

PERRY R. BASS
Chairman-Emeritus
Ft. Worth

Wesley G. Newberry, Unit Manager
Superfund Site Discovery and Assessment Team
Emergency Response and Assessment Section
Pollution Cleanup Division
Texas Natural Resource Conservation Commission
P.O. Box 13087
Austin, Texas 78711-3087

Dear Mr. Newberry:

Thank you for contacting us regarding your September 9, 1996 request for information on sensitive species and natural communities within or near the Star Lake Canal project area in Jefferson County. A search of the Texas Biological and Conservation Data System (BCD) revealed special species and natural communities from the general surrounding area. Printouts for nearby occurrence and managed area records and a code key are attached. I've also attached a county list for your reference. Following is information about species known from the general area. Please also note that many species of birds use the coastal region and bay systems during migration, as well as breeding and wintering areas. Many species, such as the Peregrine Falcon, would be of concern for adverse impacts from biomagnification of contaminants in the food chain or reduction in food supply.

State Threatened--

Plegadis chihi (White-faced Ibis) G5 S4
Other Species of Concern--

Laterallus jamaicensis (Black Rail) G4? S2

Malaclemys terrapin littoralis (Texas Diamondback Terrapin) G5T3 S3 - coastal marshes, tidal flats, sloughs, coves, estuaries, and lagoons behind barrier beaches; brackish and salt water; burrows into mud when inactive; may venture into lowlands at high tide

Nerodia clarkii (Gulf Saltmarsh Snake) G4Q S4 - saline flats, coastal bays, and brackish river mouths

Natural Communities --

Significant bottomland hardwood communities and other wetlands communities exist throughout the area.

Rookeries--(1992 information is most recent available)

Colony #601-121, Dooms Island

Colony #601-120, Sydney Island

Colony #601-100, Texaco

Colony #587-120, McFadden

Colony #587-121, Beaumont Ship Channel

Wesley G. Newberry Page 2

Managed Areas --

Lower Neches Wildlife Management Area - Old River Unit Lower Neches Wildlife Management Area - Nelda Stark Unit Sydnes Island - Audubon Preserve

The BCD information included here is based on the best data currently available to the state regarding threatened, endangered, or otherwise sensitive species. However, these data do not provide a definite statement as to the presence or absence of special species or natural communities within your project area, nor can these data substitute for an onsite evaluation by qualified biologists. This information is intended to assist you in avoiding harm to species that occur on your site.

This letter does not constitute a review of fish and wildlife impacts that might result from the activity for which this information is provided. Should you need an impact review of this type from the Texas Parks and Wildlife Department, contact the Habitat Assessment Branch, attention Mr. Roy Frye, or contact him at 512/389-4725. All requests for reviews must be in writing.

Please contact one of the Texas Parks and Wildlife Department's BCD Information Managers before publishing printout data or otherwise disseminating any specific locality information. Thank you again for contacting us. If you have additional questions, please feel free to call me or Shannon Breslin at 512/912-7011.

Sincerely,

Dorinda Scott, Information System Manager Texas Biological and Conservation Data System

Endangered Resources Branch

Enclosures

DLS:ds

7657

#### TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT 27 SEP 1996

- NAME: MALACLEMYS TERRAPIN LITTORALIS COMMON NAME: TEXAS DIAMONDBACK TERRAPIN OTHER NAME: FEDERAL STATUS: STATE STATUS: GLOBAL RANK: G5T3 STATE RANK: S3 IDENTIFIED: Y TRACK: Y SENSITIVITY: COUNTY: Orange USGS TOPO MAPS: TOPO QUAD: MARGIN #: WEST OF GREENS BAYOU 2909387 ELEMENT OCCURRENCE NUMBER: 021 DATE LAST OBSERVED: PRECISION: M DATE FIRST OBSERVED: DATE SURVEYED: OCCURRENCE RANK: SURVEY COMMENTS: MANAGED AREAS: CONTAINED: DIRECTIONS: NORTH END OF SABINE LAKE. The Control of the Co DESCRIPTION: QUALITATIVE/QUANTITATIVE DATA: MANAGEMENT COMMENTS: PROTECTION COMMENTS: OTHER COMMENTS: SOURCE OF INFORMATION: TEXAS COOPERATIVE WILDLIFE COLLECTION (TEXAS A&M UNIV) 35596ONE SPECIMEN.

#### TEXAS BIOLOGICAL AND CONSERVATION DATA SYSTEM TEXAS PARKS AND WILDLIFE DEPARTMENT 27 SEP 1996

NAME: ROOKERY

COMMON NAME:

OTHER NAME: COLONY # 601-121, DOOMS ISLAND

FEDERAL STATUS:

STATE STATUS: STATE RANK:

GLOBAL RANK: IDENTIFIED: Y

TRACK: Y

SENSITIVITY:

COUNTY: Orange

USGS TOPO MAPS:

TOPO QUAD:

MARGIN #:

WEST OF GREENS BAYOU

2909387

ELEMENT OCCURRENCE NUMBER: 401

PRECISION: S

DATE LAST OBSERVED: 1984 DATE FIRST OBSERVED: 1984

OCCURRENCE RANK: SURVEY COMMENTS:

DATE SURVEYED:

MANAGED AREAS:

CONTAINED:

DIRECTIONS:

DOOMS ISLAND, INCLUDING THE SOUTHERN TIP OF STEWTS ISLAND AT THE MOUTH OF NECHES RIVER, NORTHWEST SABINE LAKE

DESCRIPTION:

GRAVEL/SHELL BEACH WITH BACCHARIS, SALT CEDAR, AND SEA OX-EYE ON SAND, SOIL, AND SHELL SURFACE; NESTS SUBJECT TO FLOODING

QUALITATIVE/QUANTITATIVE DATA:

NESTING COLONY OF THE BLACK SKIMMER

MANAGEMENT COMMENTS:

PROTECTION COMMENTS:

OTHER COMMENTS:

COLONY NUMBER 601-121

SOURCE OF INFORMATION:

TEXAS COLONIAL WATERBIRD SOCIETY AND TPWD. 1981-1985. SPECIAL ADMINISTRATIVE REPORTS, TCW ANNUAL CENSUS SUMMARIES.

000967

|                   | Comments  |
|-------------------|---|
|                   | Comments  |
| o                 | Field observations are written in ink and are presented accurately in the field logbook, an page is signed and dated.   |
| Passed            | _X_ Failed  |
|                   | Comments  |
| ٥                 | Photographs are logged in the logbook with the date, time, location, name of person taki picture, type of sample, sample number, and the photo number.                                    |
| Yes _X            | No <u>· · · · · · · · · · · · · · · · · · ·</u>   |
|                   | Comments  |
| •                 | Prior to use, the Site Investigation Manager ensured that the measuring equipment was a to standard procedures as presented in accompanied documents written specifically for instrument. |
| Passed            | _X_ Failed  |
|                   | Comments  |
|                   |   |
| 0                 | Have any accountable documents been lost?   |
| Not App           | licable _X_   |
|                   | Documents Lost  |
| General<br>Manage | Comments or Concerns Regarding the Sampling Procedures, Organization, and Site Invesment:   |
|                   | s a well organized and well planned site screening inspection. The members worked smo   |

### **APPENDIX I**